



FOUR WINNS SPORT MODEL // 2016

*Life should be a beautiful ride*

*Four Winns owners have something special in common. It's not their status. Their age. Or even their backgrounds. Four Winns owners share a philosophy: that life should be a beautiful ride.*

*They believe life is better when surrounded by friends, who are surrounded by fine upholstery.*

*They believe in packing as much as they can into a weekend, and want the ample storage to do so.*

*They believe that any vehicle with a cockpit should have the power to thrill.*

*And Four Winns gives them exactly what they want. Because when we craft a Four Winns boat, we don't hold back. Our intelligent engineering, quality manufacturing and thoughtful amenities make for a more fulfilling experience.*

*And a more beautiful ride.*







### *Smooth Rides*

It takes more than a few swells and sharp turns to rock a Four Winns. Our patented Stable Vee Hull® makes our boats some of the smoothest running and best handling boats in the world.

### *Elegant Styling*

The materials we use to construct our boats are as durable as they are elegant. Solid hulls. Stainless steel amenities. And premium vinyl upholstery that looks and feels like the finest fabric, detailed with contrast French stitching.






### *Thoughtful Design*

With a swim platform closer to the water and a ladder that extends deeper below the surface, you can gracefully get in and out.



### *Custom Looks*

Four Winns isn't just a boat, it's your own personal statement on the water. With so many opportunities for color packages and amenities, you can make any Four Winns boat your own.





# CHOOSE THE STYLE THAT INSPIRES YOU.

## *Classic, Classic Sport or Modern Sport*



### *Classic*

Available on all the Horizon, Sundowner and HD models.

- Six exterior colors: Deep Navy, Jet Black, All White, True Red, Steel Grey, Almond
- Four interior colors: Latte/Dark Almond, Latte/Ebony, Lunar/Ebony, Tropical White

#### EXTERIOR

|            |  |
|------------|--|
| DEEP NAVY  |  |
| JET BLACK  |  |
| ALL WHITE  |  |
| TRUE RED   |  |
| STEEL GREY |  |
| ALMOND     |  |

#### INTERIOR

|                     |  |
|---------------------|--|
| LATTE / DARK ALMOND |  |
| LATTE / EBONY       |  |
| LUNAR / EBONY       |  |
| TROPICAL WHITE      |  |



### *Classic Sport*

The Horizon, Sundowner and HD SS Series are distinguished by their new elegant colors and features, from custom interior/exterior treatments and cockpit styling to low-profile windshields and generous sun pads for lounging. Available on the Horizon 18'–26', Sundowner 21'–26' and HD models.

#### SS FEATURES:

- Two high-impact exterior color schemes: Black/Red, Black/White
- Matching, high-impact interior: White/Black/Red
- Helm detailing
- Optional custom carpet

BLACK / RED



BLACK / WHITE



### *Modern Sport*

The RS series has an energy like nothing else on the water. The Horizon, Sundowner and HD RS Series have an edgy new attitude and your choice of two exterior color options and one custom, color-coordinated interior. Available on the Horizon 18'–26', Sundowner 21'–26' and HD models.

#### RS FEATURES:

- Two high-impact exterior color schemes: Vivid Green/White, Passion Red/White
- Matching high-impact interior: White/Black/Color-match
- Helm detailing
- Optional custom carpet

VIVID GREEN / WHITE



PASSION RED / WHITE



AVAILABLE ON HORIZON, SUNDOWNER & HD MODELS







# Horizon Series

OPEN-BOW EXCITEMENT  
WITH HORIZON

---

Our Horizon series is built for boaters who love adventure.

Its open-bow sport platform invites friends and family onboard for an afternoon of excitement and elegance.

From 18 to 35 feet. *RS or SS models from 18 to 26 feet.*

---

*New cockpit design with sleeker shapes,  
plush cushions and more dynamic color accents.*


---

*Contemporary dashboard is vinyl wrapped  
with contrasting stitching.*

---

*More streamlined swim platform has a hidden  
ladder and a handle on the back.*

---



## *Horizon 180*

LOA: 18'0" / 5.49 M

BEAM: 7'7" / 2.31 M

FUEL CAPACITY: 24 GAL / 91 L

DRAFT-DRIVE DOWN: 33" / 84 CM

MAX. CAPACITY: 1200 LBS / 544 KG

APPROX. BOAT & ENGINE WEIGHT:  
2550 LBS / 1160 KG

TRAILER WEIGHT: 861 LBS / 390 KG

DEADRISE: 19°



HORIZON 180



HORIZON 180 RS



HORIZON 180 SS



## *Horizon 180 OB*

LOA: 17'11" / 5.46 M

BEAM: 7'7" / 2.31 M

FUEL CAPACITY: 24 GAL / 91 L

DRAFT-DRIVE DOWN: 31" / 79 CM

MAX. CAPACITY: 1800 LBS / 816 KG


APPROX. BOAT & ENGINE WEIGHT:  
2150 LBS / 975 KG

TRAILER WEIGHT: 639 LBS / 290 KG

DEADRISE: 19°



HORIZON 180 OB



HORIZON 180 RS OB



HORIZON 180 SS OB



## *Freedom 190*

LOA: 19'0" / 5.79 M

BEAM: 7'11" / 2.41 M

FUEL CAPACITY: 32 gal / 121 L

DRAFT-DRIVE DOWN: 33" / 84 CM

MAX. CAPACITY: 1400 LBS / 635 KG

APPROX. BOAT & ENGINE WEIGHT:  
2800 LBS / 1220 KG

TRAILER WEIGHT: 803 LBS / 364 KG

DEADRISE: 19°



FREEDOM 190



## *Horizon 190*

LOA: 19'0" / 5.79 M

BEAM: 7'11" / 2.41 M

FUEL CAPACITY: 32 GAL / 121 L

DRAFT-DRIVE DOWN: 33" / 84 CM

MAX. CAPACITY: 1400 LBS / 635 KG

APPROX. BOAT & ENGINE WEIGHT:  
2800 LBS / 1220 KG

TRAILER WEIGHT: 861(S) / 1123(T) LBS  
391(S) / 509 (T) KG

DEADRISE: 20°



HORIZON 190



HORIZON 190 RS



HORIZON 190 SS



## *Horizon 200*

LOA: 20'1" / 6.12 M

BEAM: 8'3" / 2.51 M

FUEL CAPACITY: 32 GAL / 121 L

DRAFT-DRIVE DOWN: 33" / 84 CM

MAX. CAPACITY: 1500 LBS / 680 KG

APPROX. BOAT & ENGINE WEIGHT:  
3050 LBS / 1380 KG

TRAILER WEIGHT: 894(S) / 1101(T) LBS  
406(S) / 499 (T) KG

DEADRISE: 20°



HORIZON 200



HORIZON 200 RS



HORIZON 200 SS



## *Horizon 210*

LOA: 21'7" / 6.58 M

BEAM: 8'5" / 2.55 M

FUEL CAPACITY: 40 GAL / 151 L

DRAFT-DRIVE DOWN: 33" / 84 CM

MAX. CAPACITY: 1600 LBS / 725 KG

APPROX. BOAT & ENGINE WEIGHT:  
3450 LBS / 1560 KG

TRAILER WEIGHT: 1,196 LBS / 543 KG

DEADRISE: 20°




HORIZON 210



HORIZON 210 RS



HORIZON 210 SS



## *Horizon 230*

LOA: 23'7" / 7.19 M

BEAM: 8'5" / 2.55 M

FUEL CAPACITY: 56 GAL / 212 L

DRAFT-DRIVE DOWN: 33" / 83 CM

MAX. CAPACITY: 1800 LBS / 862 KG

APPROX. BOAT & ENGINE WEIGHT:  
3850 LBS / 1840 KG

TRAILER WEIGHT: 1505 LBS / 683 KG

DEADRISE: 20°



HORIZON 230



HORIZON 230 RS



HORIZON 230 SS





## *Horizon 260*

LOA: 26'3" / 8.00 M

BEAM: 8'5" / 2.55 M

FUEL CAPACITY: 70 GAL / 265 L

DRAFT-DRIVE DOWN: 35" / 89 CM

MAX. CAPACITY: 2250 LBS / 1021 KG

APPROX. BOAT & ENGINE WEIGHT:  
4900 LBS / 2220 KG

TRAILER WEIGHT: 1658 LBS / 752 KG

DEADRISE: 20°




HORIZON 260



HORIZON 260 RS



HORIZON 260 SS



## *Horizon 290*

LOA: 30'1" / 9.16 M

BEAM: 9'5" / 2.87 M

FUEL CAPACITY: 120 GAL / 454 L

DRAFT-DRIVE DOWN: 39" / 99 CM


MAX. CAPACITY: YACHT

APPROX. BOAT & ENGINE WEIGHT:  
7200-8500 LBS / 3266-3856 KG

DEADRISE: 21°



HORIZON 290



## *Horizon 310*

LOA: 31'4" / 9.55 M

BEAM: 9'8" / 2.95 M

FUEL CAPACITY: 121 GAL / 458 L

DRAFT-DRIVE DOWN: 35" / 89 CM

MAX. CAPACITY: YACHT

APPROX. BOAT & ENGINE WEIGHT:  
8880 LBS / 4030 KG

DEADRISE: 21°



HORIZON 310





## TS Series

TOW SPORTS REIMAGINED

---

Our TS Series, along with Volvo Penta's revolutionary Forward Drive system, achieves the ultimate in sport boating. With the quick-fill ballast system, the hull is placed deep into the water for the wake enhancement surf tabs to do their handy work. Empty the ballast, hit the throttle and adjust the drive to enjoy the ride that a stern drive boat provides.


---

*With a roomy cockpit, great swim platform, comfortable interior, and storage for everything, what a great way to spend the day.*

---

*Great wake, great ride, this is the no compromise tow boat.*

---



## TS 222

LOA: 22'7" / 6.88 M

BEAM: 8'6" / 2.59 M

FUEL CAPACITY: 44 GAL / 166 L

DRAFT-DRIVE DOWN: 33" / 84 CM

MAX. CAPACITY: 1800 LBS / 816 KG

APPROX. BOAT & ENGINE WEIGHT:  
4240 LBS / 1920 KG

TRAILER WEIGHT: 1256 LBS / 570 KG

DEADRISE: 20°


VIVID GREEN/BLACK



PASSION RED/BLACK



TS 222



## TS 242

LOA: 24'5" / 7.44 M

BEAM: 8'6" / 2.95 M

FUEL CAPACITY: 58 GAL / 220 L

DRAFT-DRIVE DOWN: 33" / 84 CM

MAX. CAPACITY: 2100 lbs / 953 KG

APPROX. BOAT & ENGINE WEIGHT:  
4660 LBS / 2110 KG

DEADRISE: 20°

VIVID GREEN/BLACK



PASSION RED/BLACK



TS 242



# Sundowner Series

CABIN COMFORTS WITH SUNDOWNER

---

When a boat is designed with this much luxury and style, you may not want to head back to land. Our Sundowner series is designed so you don't have to.

---

Sleeping berths provide an excuse for relaxation, day or night. From 21 to 26 feet in length.

*Also available in RS or SS.*

---

*Vibrant new styling, inside and out.*

---

*Luxurious berths with plush cushioning.*

---

*Elegant amenities help you cruise comfortably.*

---





## *Sundowner 215*

LOA: 21'7" / 6.58 M

BEAM: 8'5" / 2.55 M

FUEL CAPACITY: 40 GAL / 151 L

DRAFT-DRIVE DOWN: 33" / 83 CM

MAX. CAPACITY: 1600 LBS / 725 KG

APPROX. BOAT & ENGINE WEIGHT:  
3600 LBS / 1630 KG

TRAILER WEIGHT: 1196 LBS / 543 KG

DEADRISE: 20°



SUNDOWNER 215



SUNDOWNER 215 RS



SUNDOWNER 215 SS



## *Sundowner 235*

LOA: 23'7" / 7.19 M

BEAM: 8'5" / 2.55 M

FUEL CAPACITY: 52 GAL / 197 L

DRAFT-DRIVE DOWN: 33" / 83 CM

MAX. CAPACITY: 1800 LBS / 816 KG

APPROX. BOAT & ENGINE WEIGHT:  
4370-4400 LBS / 1980-2000 KG

TRAILER WEIGHT: 1505 LBS / 683 KG

DEADRISE: 20°



SUNDOWNER 235



SUNDOWNER 235 RS



SUNDOWNER 235 SS



## *Sundowner 265*

LOA: 26'3" / 8.00 M

BEAM: 8'5" / 2.55 M

FUEL CAPACITY: 70 GAL / 265 L

DRAFT-DRIVE DOWN: 35" / 89 CM

MAX. CAPACITY: 2100 LBS / 952 KG

APPROX. BOAT & ENGINE WEIGHT:  
5220 LBS / 2370 KG

TRAILER WEIGHT: 1658 LBS / 752 KG

DEADRISE: 20°



SUNDOWNER 265



SUNDOWNER 265 RS



SUNDOWNER 265 SS





## HD Series

SOMETHING COMPLETELY NEW

By combining the best elements of our entire line up the HD Series is something new entirely. From the spacious swim lounge to the plush seating in the cockpit & bow, and reclining Comfort-ride bucket seats you are enticed to spend all day on the water with your family and friends.

---

*Plush and supportive seating.*

---

*Large deep bow area and cockpit.*

---

*Elegant amenities help you cruise comfortably.*

---



## HD 270

LOA: 26'6" / 8.08 M

BEAM: 8'5" / 2.55 M

FUEL CAPACITY: 70 GAL / 265 L

DRAFT-DRIVE DOWN: 35" / 89 CM

MAX. CAPACITY: YACHT

APPROX. BOAT & ENGINE WEIGHT:  
5400 LBS / 2,450 KG

TRAILER WEIGHT: 1968 LBS / 893 KG

DEADRISE: 20°



HD 270



HD 270 RS



HD 270 SS



## HD 270 OB

LOA: 26'7" / 8.08 M

BEAM: 8'5" / 2.55 M

FUEL CAPACITY: 70 GAL / 265 L

DRAFT-DRIVE DOWN: 35" / 89 CM

MAX. CAPACITY: YACHT

APPROX. BOAT & ENGINE WEIGHT:  
4900 LBS / 2220 KG

TRAILER WEIGHT: 1968 LBS / 893 KG

DEADRISE: 20°



HD 270 OB



HD 270 RS OB



HD 270 SS OB

# Trailers

BETTER BOATING BEGINS  
WITH A BETTER TRAILER

---

Four Winns® is one of the few recreational boat manufacturers in the world to make its own custom-matched, all-welded trailer. The difference lies in how easily the boat can be launched and loaded, plus it provides great stability while towing. It's a difference you'll appreciate every time you're at a crowded marina or launch, and it's a Four Winns exclusive, which means it's truly priceless.



# Canvas & Covers

WE'VE GOT YOU COVERED

---

You'll get more enjoyment—and more years—out of your boat with the right canvas top. Choose from a selection of color-matched systems, including full camper canvas, which converts the cockpit into an aquatic RV, a bimini top to provide shade, or a care cover or cockpit/forward cover to protect your boat from the elements while moored or stored. These canvas systems are custom-sewn to fit your boat perfectly and made from top-grade material for many years of service.





## Clothing & Accessories

DRESSING THE PART IS HALF THE FUN

---

Our sporty, comfortable apparel is a stylish way to show your Four Winns spirit. Visit [fourwinns.com](http://fourwinns.com) for the complete line up of official Four Winns gear.



## Power Options

A RANGE OF OPTIONS FROM THE TOP-OF-THE-LINE MANUFACTURERS TO FIT YOUR NEEDS

---

Four Winns offers a wide range of power options to fit your needs, providing stern-drive power from Volvo Penta® and MerCruiser®, and outboards from Evinrude®, Mercury® and Yamaha®. You'll also benefit from an engine manufacturer's limited warranty plan. Ask your dealer for details.



## JOIN THE FOUR WINNS COMMUNITY

Get a taste of the beautiful ride even when you're not on the water.

Connect with other Four Winns boaters, get the latest news and share your own experiences.



[facebook.com/fourwinnsboats](https://facebook.com/fourwinnsboats)



[@FourWinnsBoats](https://twitter.com/FourWinnsBoats)



[YouTube.com/FourWinnsBoating](https://YouTube.com/FourWinnsBoating)

## STANDARDS & OPTIONS

| SERIES   | HORIZON |               |      |            |               |      |            |      |            |      |            |      |            |
|--|---------|---------------|------|------------|---------------|------|------------|------|------------|------|------------|------|------------|
|  | H180 OB | H180 OB RS/SS | H180 | H180 RS/SS | FREEDOM 190   | H190 | H190 RS/SS | H200 | H200 RS/SS | H210 | H210 RS/SS | H230 | H230 RS/SS |
| <b>HULL AND DECK</b>   |         |               |      |            |               |      |            |      |            |      |            |      |            |
| 3D chrome graphic  | OPT     | -             | OPT  | -          | -             | OPT  | -          | OPT  | -          | -    | -          | -    | -          |
| Anchor locker, notch in lid for line   | -       | -             | -    | -          | -             | -    | -          | -    | -          | STD  | STD        | STD  | STD        |
| Bow anchor roller  | OPT     | OPT           | OPT  | OPT        | -             | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        |
| Bow and stern eyes, stainless steel  | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Bow rails, stainless steel   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Bow scuff plate, stainless steel   | OPT     | STD           | OPT  | STD        | -             | OPT  | STD        | OPT  | STD        | OPT  | STD        | OPT  | STD        |
| Cleats, stainless steel  | STD     | -             | STD  | -          | STD           | STD  | -          | STD  | -          | STD  | -          | STD  | -          |
| Cleats, pull-up, stainless steel   | OPT     | STD           | OPT  | STD        | -             | OPT  | STD        | OPT  | STD        | OPT  | STD        | OPT  | STD        |
| Deck Hatch(es), translucent w/screen   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Docking lights   | -       | -             | -    | -          | -             | -    | -          | -    | -          | OPT  | STD        | OPT  | STD        |
| Fiberglass stringers   | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Gel scheme, Wide band w/waterline, choice of color combination               | STD     | -             | STD  | -          | -             | STD  | -          | STD  | -          | STD  | -          | STD  | -          |
| Gel scheme, RS/TS gel scheme and graphics (Vivid Green or Passion Red)       | -       | RS/STD        | -    | RS/STD     | -             | -    | RS/STD     | -    | RS/STD     | -    | RS/STD     | -    | RS/STD     |
| Gel scheme, SS gel scheme and graphics, Signature Series graphics N/A AUS/NZ | -       | SS/STD        | -    | SS/STD     | -             | -    | SS/STD     | -    | SS/STD     | -    | SS/STD     | -    | SS/STD     |
| Gel scheme, solid hull w/waterline, choice of color combination              | OPT     | -             | OPT  | -          | -             | OPT  | -          | OPT  | -          | OPT  | -          | OPT  | -          |
| Gel scheme, Tri tone w/waterline, choice of color combination                | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.       | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Navigation lights  | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Rub rail, rigid white vinyl w/ stainless steel insert                        | STD     | STD           | STD  | STD        | CHROME INSERT | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Shower, aft, req. dual batteries *(Inc. Cockpit sink S 235)                  | -       | -             | -    | -          | -             | -    | -          | -    | -          | OPT  | OPT        | OPT  | OPT        |
| Sunpads, deck  | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Stable-Vee® hull   | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Swim platform, aft, extended low-profile                                     | -       | -             | OPT  | OPT        | -             | OPT  | OPT        | OPT  | OPT        | -    | -          | -    | -          |
| Swim platform, aft, ladder, angled, deep reach w/wide step pads              | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Swim platform, fwd, w/ladder   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Swim platform, gas grill   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Swim platform mat (s)  | OPT     | STD           | OPT  | STD        | -             | OPT  | STD        | OPT  | STD        | OPT  | STD        | OPT  | STD        |
| Swim platform, teak  | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | OPT  | -          |
| Thru-hull fittings, stainless steel  | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Trim tabs  | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Underwater lighting  | -       | -             | -    | -          | -             | -    | -          | -    | -          | OPT  | OPT        | OPT  | OPT        |
| Windlass w/rope, chain and anchor (Requires dual batteries)                  | -       | -             | -    | -          | -             | -    | -          | -    | -          | OPT  | OPT        | OPT  | OPT        |
| Windshield w/walk-thru, SST header, curved glass, exclusive design           | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | STD        | -    | STD        |
| Windshield w/walk-thru, full aluminum frame, curved glass, exclusive design  | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Winning Edge Owner Protection Plan   | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| <b>TOW SPORTS</b>  |         |               |      |            |               |      |            |      |            |      |            |      |            |
| Ballast System   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Ski Mirror   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Ski Pylon, removable   | OPT     | OPT           | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Ski tow, stainless steel   | -       | -             | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Ski tow, turbo swing   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Tower, wakeboard/surfboard racks   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |

FOR A COMPLETE LIST OF STANDARDS AND OPTIONS, PLEASE VISIT [FOURWINNS.COM](http://FOURWINNS.COM) OR YOUR LOCAL PROFESSIONAL FOUR WINNS MARINE RETAILER.

|      |            |      |      | TS SERIES |        | SUNDOWNER® |            |      |            |      |            | HD SERIES |             |          |                |
|------|------------|------|------|-----------|--------|------------|------------|------|------------|------|------------|-----------|-------------|----------|----------------|
| H260 | H260 RS/SS | H290 | H310 | TS222     | TS242  | S215       | S215 RS/SS | S235 | S235 RS/SS | S265 | S265 RS/SS | HD270     | HD270 RS/SS | HD270 OB | HD270 OB SS/RS |
| -    | -          | -    | -    | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| OPT  | OPT        | STD  | STD  | -         | -      | STD        | OPT        | STD  | OPT        | STD  | OPT        | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | -          | -    | -    | -         | -      | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| OPT  | STD        | -    | STD  | OPT       | OPT    | OPT        | STD        | OPT  | STD        | OPT  | STD        | OPT       | STD         | OPT      | STD            |
| STD  | -          | STD  | -    | -         | -      | STD        | -          | STD  | -          | STD  | -          | STD       | -           | STD      | -              |
| OPT  | STD        | OPT  | STD  | STD       | STD    | OPT        | STD        | OPT  | STD        | OPT  | STD        | OPT       | STD         | OPT      | STD            |
| -    | -          | -    | -    | -         | -      | STD        | STD        | STD  | STD        | STD  | STD        | -         | -           | -        | -              |
| OPT  | STD        | OPT  | OPT  | OPT       | OPT    | -          | -          | -    | -          | -    | -          | OPT       | OPT         | OPT      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | -          | STD  | STD  | -         | -      | STD        | -          | STD  | -          | STD  | -          | STD       | -           | STD      | -              |
| -    | RS/STD     | -    | -    | TS/STD    | TS/STD | -          | RS/STD     | -    | RS/STD     | -    | RS/STD     | -         | RS/STD      | -        | RS/STD         |
| -    | SS/STD     | -    | -    | -         | -      | -          | SS/STD     | -    | SS/STD     | -    | SS/STD     | -         | SS/STD      | -        | SS/STD         |
| OPT  | -          | OPT  | OPT  | OPT       | OPT    | OPT        | -          | OPT  | -          | OPT  | -          | OPT       | -           | OPT      | -              |
| -    | -          | -    | OPT  | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| OPT  | OPT        | STD  | STD  | -         | STD    | OPT        | OPT        | OPT* | OPT*       | OPT  | OPT        | OPT       | OPT         | OPT      | OPT            |
| -    | -          | -    | -    | -         | -      | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | -          | -    | -    | STD       | STD    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | -          | -    | -    | STD       | STD    | -          | -          | -    | -          | -    | -          | STD       | STD         | STD      | STD            |
| -    | -          | OPT  | -    | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| OPT  | STD        | OPT  | -    | STD       | STD    | OPT        | STD        | OPT  | STD        | OPT  | STD        | OPT       | STD         | OPT      | STD            |
| OPT  | -          | OPT  | OPT  | -         | -      | -          | -          | OPT  | -          | OPT  | -          | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | -          | STD  | STD  | -         | -      | -          | -          | -    | -          | -    | -          | OPT       | OPT         | OPT      | OPT            |
| OPT  | OPT        | OPT  | OPT  | OPT       | OPT    | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | OPT       | OPT         | OPT      | OPT            |
| OPT  | OPT        | OPT  | STD  | -         | -      | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | -         | -           | -        | -              |
| STD  | STD        | STD  | -    | -         | -      | -          | STD        | -    | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | STD        | -    | STD  | STD       | STD    | STD        | STD        | STD  | STD        | -    | STD        | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | -          | -    | -    | STD       | STD    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| -    | -          | -    | -    | STD       | STD    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| -    | -          | -    | OPT  | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | -        | -              |
| -    | -          | -    | -    | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | OPT      | OPT            |
| -    | -          | -    | -    | STD       | STD    | -          | -          | -    | -          | -    | -          | OPT       | OPT         | OPT      | OPT            |

## STANDARDS & OPTIONS

| SERIES  | HORIZON |               |      |            |               |      |            |      |            |      |            |      |            |
|---|---------|---------------|------|------------|---------------|------|------------|------|------------|------|------------|------|------------|
|   | H180 OB | H180 OB RS/SS | H180 | H180 RS/SS | FREEDOM 190   | H190 | H190 RS/SS | H200 | H200 RS/SS | H210 | H210 RS/SS | H230 | H230 RS/SS |
| Wake Enhancement Tabs   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Wakeboard tower/arch w/color matched bimini top   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Wakeboard tower, hinging, color matched   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Wakeboard tower, board racks, swivel  | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Wakeboard tower, gas-assist hinging, w/color matched bimini top   | OPT     | OPT           | OPT  | OPT        | -             | OPT  | OPT        | OPT  | OPT        | -    | -          | -    | -          |
| Wakeboard tower, electric-assist hinging, w/color matched bimini top  | -       | -             | -    | -          | -             | -    | -          | -    | -          | OPT  | OPT        | OPT  | OPT        |
| Wakeboard tower (2) speakers, JL Audio (requires premium sound system)                                      | -       | -             | -    | -          | -             | -    | -          | -    | -          | OPT  | OPT        | OPT  | OPT        |
| Zero Off Speed Control  | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| <b>COCKPIT</b>  |         |               |      |            |               |      |            |      |            |      |            |      |            |
| Assist handle(s), stainless steel (synthetic on Freedom 190)  | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Beverage holders, stainless steel (synthetic on Freedom 190)  | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Bucket seats, ComfortRide, dual w/flip-up bolster   | OPT     | STD           | OPT  | STD        | -             | OPT  | STD        | OPT  | STD        | -    | -          | OPT  | STD        |
| Bucket seat, flip up bolster, starboard   | -       | -             | -    | -          | -             | -    | -          | -    | -          | OPT  | STD        | -    | -          |
| Bucket seats, ComfortRide, adjustable   | STD     | -             | STD  | -          | -             | STD  | -          | STD  | -          | STD  | -          | STD  | -          |
| Courtesy light(s)   | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Cooler, carry-on w/designated storage (n/a with vacu-flush)   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Cooler, carry-on, 72 qt   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Cooler(s), built-in   | STD     | STD           | STD  | STD        | -             | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Cushions, bow fill-in   | OPT     | OPT           | OPT  | OPT        | -             | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        |
| Engine compartment, molded fiberglass engine compartment liner  | -       | -             | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Fiberglass liner, skid-resistant, with built in drains  | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Flooring, Cabana, soft-weave mat  | -       | -             | -    | -          | -             | -    | -          | -    | -          | OPT  | -          | OPT  | -          |
| Flooring, carpet, snap-in   | OPT     | STD           | OPT  | STD        | OPT           | OPT  | STD        | OPT  | STD        | OPT  | STD        | OPT  | STD        |
| Flooring, Custom RS or SS carpet, snap-in, (N/A AUS/NZ SS only)   | -       | OPT           | -    | OPT        | -             | -    | OPT        | -    | OPT        | -    | OPT        | -    | OPT        |
| Gray water system   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Head, enclosed, porta potti   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Head, enclosed, pump out  | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Head, enclosed, elec. w/holding tank  | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Head, overboard discharge   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Heater, cockpit   | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Interior, Aquaflex™ vinyl   | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Interior, choice of Tropical, Latte & Dark Almond, Latte & Ebony, or Lunar & Ebony                          | STD     | -             | STD  | -          | WHITE & EBONY | STD  | -          | STD  | -          | STD  | -          | STD  | -          |
| Interior, RS/SS/TS w/shark skin texture vinyl, color-matched  | -       | STD           | -    | STD        | -             | -    | STD        | -    | STD        | -    | STD        | -    | STD        |
| Port console, premium texture trim, glove box, lockable   | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | -    | -          | -    | -          |
| Port console, rich hand-fitted vinyl w/contrast stitching, open & enclosed storage, and LED accent lighting | -       | -             | -    | -          | -             | -    | -          | -    | -          | STD  | STD        | STD  | STD        |
| Refreshment/Galley center (electric stove optional on S 265's)  | -       | -             | -    | -          | -             | -    | -          | -    | -          | -    | -          | -    | -          |
| Side panels, rich hand-fitted vinyl w/comfort padding   | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Seating, bow, hinged cushions,  | STD     | STD           | STD  | STD        | -             | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Ski locker, in-floor, molded fiberglass finish, w/mat * (mat n/a Freedom 190)                               | STD     | STD           | STD  | STD        | *STD          | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Storage, bow, behind backrest at helm and passenger consoles  | -       | -             | -    | -          | -             | -    | -          | -    | -          | STD  | STD        | STD  | STD        |
| Storage, bow & cockpit, beneath seats   | STD     | STD           | STD  | STD        | STD           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Storage, beneath sundeck, mesh-sided bags for damp gear, sidewall   | -       | -             | -    | -          | -             | -    | -          | -    | -          | STD  | STD        | STD  | STD        |
| Sundeck, aft  | -       | -             | OPT  | OPT        | STD           | STD  | STD        | STD  | STD        | -    | -          | -    | -          |
| Sundeck, aft, chaise lounge & aft facing lounge seat  | -       | -             | -    | -          | -             | -    | -          | -    | -          | STD  | STD        | STD  | STD        |
| Swim platform lounge seat(s)  | -       | -             | STD  | STD        | -             | STD  | STD        | STD  | STD        | -    | -          | -    | -          |

FOR A COMPLETE LIST OF STANDARDS AND OPTIONS, PLEASE VISIT [FOURWINNS.COM](http://fourwinns.com) OR YOUR LOCAL PROFESSIONAL FOUR WINNS MARINE RETAILER.

|      |            |      |      | TS SERIES |        | SUNDOWNER® |            |      |            |      |            | HD SERIES |             |          |                |
|------|------------|------|------|-----------|--------|------------|------------|------|------------|------|------------|-----------|-------------|----------|----------------|
| H260 | H260 RS/SS | H290 | H310 | TS222     | TS242  | S215       | S215 RS/SS | S235 | S235 RS/SS | S265 | S265 RS/SS | HD270     | HD270 RS/SS | HD270 OB | HD270 OB SS/RS |
| -    | -          | -    | -    | OPT       | OPT    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| -    | -          | OPT  | OPT  | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| -    | -          | -    | -    | STD       | STD    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| -    | -          | -    | -    | OPT       | OPT    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| -    | -          | -    | -    | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| OPT  | OPT        | -    | -    | -         | -      | -          | -          | OPT  | OPT        | OPT  | OPT        | OPT       | OPT         | OPT      | OPT            |
| OPT  | OPT        | OPT  | OPT  | OPT       | OPT    | -          | -          | OPT  | OPT        | OPT  | OPT        | OPT       | OPT         | OPT      | OPT            |
| -    | -          | -    | -    | STD       | STD    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| -    | -          | -    | -    | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | -    | STD       | STD    | OPT        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | -          | -    | STD  | STD       | STD    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| -    | -          | -    | -    | -         | -      | STD        | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD    | -          | -          | -    | -          | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | -          | -    | -    | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | OPT      | OPT            |
| STD  | STD        | -    | -    | -         | -      | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| OPT  | OPT        | OPT  | STD  | OPT       | OPT    | -          | -          | -    | -          | -    | -          | OPT       | OPT         | OPT      | OPT            |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| OPT  | -          | OPT  | OPT  | -         | -      | OPT        | -          | OPT  | -          | OPT  | -          | OPT       | -           | OPT      | -              |
| OPT  | STD        | OPT  | STD  | STD       | STD    | OPT        | STD        | OPT  | STD        | OPT  | STD        | OPT       | STD         | OPT      | STD            |
| -    | OPT        | -    | -    | -         | -      | -          | OPT        | -    | OPT        | -    | OPT        | -         | OPT         | -        | OPT            |
| -    | -          | OPT  | OPT  | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | -    | -    | -         | STD    | -          | -          | -    | -          | -    | -          | STD       | STD         | STD      | STD            |
| OPT  | OPT        | -    | -    | -         | OPT    | -          | -          | -    | -          | -    | -          | OPT       | OPT         | OPT      | OPT            |
| OPT  | OPT        | STD  | STD  | -         | -      | -          | -          | -    | -          | -    | -          | OPT       | OPT         | OPT      | OPT            |
| -    | -          | OPT  | OPT  | -         | -      | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| -    | -          | -    | -    | OPT       | OPT    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | -         | -      | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | -          | STD  | STD  | -         | -      | STD        | -          | STD  | -          | STD  | -          | STD       | -           | STD      | -              |
| -    | STD        | -    | -    | TS/STD    | TS/STD | -          | STD        | -    | STD        | -    | STD        | -         | STD         | -        | STD            |
| -    | -          | -    | -    | STD       | STD    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | -         | -      | STD        | STD        | STD  | STD        | STD  | STD        | -         | -           | -        | -              |
| OPT  | OPT        | OPT  | STD  | -         | -      | -          | -          | OPT  | OPT        | OPT  | OPT        | OPT       | OPT         | OPT      | OPT            |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD    | -          | -          | -    | -          | -    | -          | STD       | STD         | STD      | STD            |
| STD  | STD        | -    | STD  | STD       | STD    | -          | -          | -    | -          | -    | -          | STD       | STD         | STD      | STD            |
| -    | -          | -    | -    | STD       | -      | -          | -          | -    | -          | -    | -          | HELM      | HELM        | HELM     | HELM           |
| STD  | STD        | STD  | STD  | STD       | STD    | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | -    | -    | -         | -      | STD        | STD        | STD  | STD        | STD  | STD        | -         | -           | -        | -              |
| -    | -          | STD  | -    | STD       | STD    | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | -    | STD  | -         | -      | STD        | STD        | STD  | STD        | STD  | STD        | -         | -           | -        | -              |
| -    | -          | STD  | STD  | STD       | STD    | -          | -          | -    | -          | -    | -          | STD       | STD         | STD      | STD            |

## STANDARDS & OPTIONS

| SERIES  | HORIZON |               |      |            |             |      |            |      |            |      |            |      |            |
|---|---------|---------------|------|------------|-------------|------|------------|------|------------|------|------------|------|------------|
|   | H180 OB | H180 OB RS/SS | H180 | H180 RS/SS | FREEDOM 190 | H190 | H190 RS/SS | H200 | H200 RS/SS | H210 | H210 RS/SS | H230 | H230 RS/SS |
| Table, cockpit w/side-mount brackets  | -       | -             | -    | -          | -           | -    | -          | -    | -          | OPT  | OPT        | OPT  | OPT        |
| Walk-thru doors   | -       | -             | -    | -          | -           | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        |
| Walk-thru transom   | -       | -             | -    | -          | -           | -    | -          | -    | -          | STD  | STD        | STD  | STD        |
| Water intrusion management system   | STD     | STD           | STD  | STD        | STD         | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| <b>CABIN</b>  |         |               |      |            |             |      |            |      |            |      |            |      |            |
| Air conditioning  | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Berth   | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Galley/Breakfast Center   | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Microwave (N/A Australia)   | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Enclosed Head   | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Porta potti   | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Pump out, Porta potti   | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Vacu Flush head w/holding tank  | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Roll-up cabin door  | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| <b>HELM</b>   |         |               |      |            |             |      |            |      |            |      |            |      |            |
| Dash, top stitch-style detailing, precision textured trim                   | STD     | STD           | STD  | STD        | STD         | STD  | STD        | STD  | STD        | -    | -          | -    | -          |
| Dash, rich hand-fitted vinyl, LED accent lighting *(LED NA 290 & 310)       | -       | -             | -    | -          | -           | -    | -          | -    | -          | STD  | STD        | STD  | STD        |
| Depth sounder w/shallow water alarm, water & air temperature                | -       | -             | -    | -          | -           | -    | -          | -    | -          | STD  | STD        | STD  | STD        |
| Emergency engine shut-off   | STD     | STD           | STD  | STD        | STD         | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Four Winns custom gauges, fog-resistant                                     | STD     | STD           | STD  | STD        | STD         | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Raymarine® A77 GPS  | -       | -             | -    | -          | -           | -    | -          | -    | -          | OPT  | OPT        | OPT  | OPT        |
| GPS Plotter   | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Lighted switches  | STD     | STD           | STD  | STD        | -           | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Steering wheel, deluxe, tilt  | STD     | STD           | STD  | STD        | STD         | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Steering wheel, premium upgrade, tilt                                       | -       | -             | -    | -          | -           | -    | -          | -    | -          | OPT  | OPT        | OPT  | OPT        |
| Storage for small electronics   | -       | -             | -    | -          | -           | -    | -          | -    | -          | STD  | STD        | STD  | STD        |
| <b>ENGINE / SYSTEMS / DRIVE</b>   |         |               |      |            |             |      |            |      |            |      |            |      |            |
| Battery(ies)  | STD     | STD           | STD  | STD        | STD         | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Batteries dual w/on-off switch  | -       | -             | -    | -          | -           | -    | -          | -    | -          | OPT  | OPT        | OPT  | OPT        |
| Bilge pump(s), automatic  | STD     | STD           | STD  | STD        | STD         | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Dockside Power *(Requires refreshment center on H290)                       | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Exhaust, thru-side, Quick & Quiet (NA for CE)                               | -       | -             | -    | -          | -           | -    | -          | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        |
| Fire extinguishing system   | -       | -             | OPT  | OPT        | -           | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        |
| Generator   | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |
| Trim switch, power at transom   | -       | -             | -    | -          | -           | -    | -          | -    | -          | OPT  | STD        | OPT  | STD        |
| Wiring harness w/sealed connectors and tin coating for corrosion resistance | STD     | STD           | STD  | STD        | STD         | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| <b>ENTERTAINMENT</b>  |         |               |      |            |             |      |            |      |            |      |            |      |            |
| iPod®/MP3 port  | STD     | STD           | STD  | STD        | OPT         | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Premium Sound System  | OPT     | OPT           | OPT  | OPT        | -           | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        | OPT  | OPT        |
| Speakers  | 2       | 2             | 2    | 2          | OPT (2)     | 2    | 2          | 2    | 2          | 4    | 4          | 4    | 4          |
| Stereo remote w/display at transom (inc. helm remote H 290)                 | -       | -             | -    | -          | -           | -    | -          | -    | -          | OPT  | OPT        | OPT  | OPT        |
| Stereo, AM/FM/Bluetooth® Connectivity                                       | STD     | STD           | STD  | STD        | OPT         | STD  | STD        | STD  | STD        | STD  | STD        | STD  | STD        |
| Television, Flat screen & DVD, berth/cabin                                  | -       | -             | -    | -          | -           | -    | -          | -    | -          | -    | -          | -    | -          |

FOR A COMPLETE LIST OF STANDARDS AND OPTIONS, PLEASE VISIT [FOURWINNS.COM](http://FOURWINNS.COM) OR YOUR LOCAL PROFESSIONAL FOUR WINNS MARINE RETAILER.

|      |            |      |      | TS SERIES |       | SUNDOWNER® |            |      |            |      |            | HD SERIES |             |          |                |
|------|------------|------|------|-----------|-------|------------|------------|------|------------|------|------------|-----------|-------------|----------|----------------|
| H260 | H260 RS/SS | H290 | H310 | TS222     | TS242 | S215       | S215 RS/SS | S235 | S235 RS/SS | S265 | S265 RS/SS | HD270     | HD270 RS/SS | HD270 OB | HD270 OB SS/RS |
| OPT  | OPT        | OPT  | STD  | OPT       | OPT   | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | OPT       | OPT         | OPT      | OPT            |
| OPT  | OPT        | OPT  | STD  | -         | -     | -          | -          | -    | -          | -    | -          | OPT       | OPT         | OPT      | OPT            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | -          | -    | OPT  | -         | -     | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| -    | -          | STD  | STD  | -         | -     | STD        | STD        | STD  | STD        | STD  | STD        | -         | -           | -        | -              |
| -    | -          | -    | -    | -         | -     | -          | -          | -    | -          | STD  | STD        | -         | -           | -        | -              |
| -    | -          | -    | OPT  | -         | -     | -          | -          | -    | -          | OPT  | OPT        | -         | -           | -        | -              |
| -    | -          | -    | -    | -         | -     | -          | -          | -    | -          | STD  | STD        | -         | -           | -        | -              |
| -    | -          | -    | -    | -         | -     | OPT        | OPT        | OPT  | OPT        | STD  | STD        | -         | -           | -        | -              |
| -    | -          | -    | -    | -         | -     | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | -         | -           | -        | -              |
| -    | -          | -    | -    | -         | -     | -          | -          | -    | -          | OPT  | OPT        | -         | -           | -        | -              |
| -    | -          | -    | -    | -         | -     | STD        | STD        | STD  | STD        | STD  | STD        | -         | -           | -        | -              |
| -    | -          | -    | -    | STD       | STD   | -          | -          | -    | -          | -    | -          | STD       | STD         | STD      | STD            |
| STD  | STD        | STD* | STD* | -         | -     | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| OPT  | OPT        | -    | -    | -         | -     | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | OPT       | OPT         | OPT      | OPT            |
| -    | -          | STD  | OPT  | OPT       | OPT   | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| OPT  | OPT        | STD  | STD  | OPT       | OPT   | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | OPT       | OPT         | OPT      | OPT            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | -         | -           | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | -          | OPT* | STD  | -         | -     | -          | -          | -    | -          | OPT  | OPT        | -         | -           | -        | -              |
| OPT  | OPT        | OPT  | -    | -         | -     | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | -         | -           | -        | -              |
| OPT  | OPT        | OPT  | OPT  | OPT       | OPT   | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | -         | -           | -        | -              |
| -    | -          | -    | OPT  | -         | -     | -          | -          | -    | -          | -    | -          | -         | -           | -        | -              |
| OPT  | STD        | -    | -    | OPT       | OPT   | OPT        | STD        | OPT  | STD        | OPT  | STD        | OPT       | STD         | -        | -              |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| OPT  | OPT        | OPT  | STD  | OPT       | OPT   | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | OPT       | OPT         | OPT      | OPT            |
| 4    | 4          | 4    | 6    | 4         | 4     | 4          | 4          | 4    | 4          | 4    | 4          | 4         | 4           | 4        | 4              |
| OPT  | OPT        | OPT  | STD  | OPT       | OPT   | OPT        | OPT        | OPT  | OPT        | OPT  | OPT        | OPT       | OPT         | OPT      | OPT            |
| STD  | STD        | STD  | STD  | STD       | STD   | STD        | STD        | STD  | STD        | STD  | STD        | STD       | STD         | STD      | STD            |
| -    | -          | OPT  | OPT  | -         | -     | -          | -          | -    | -          | OPT  | OPT        | -         | -           | -        | -              |

## STANDARDS & OPTIONS

| SERIES  | HORIZON     |               |            |            |              |            |            |            |            |              |              |            |            |
|---|-------------|---------------|------------|------------|--------------|------------|------------|------------|------------|--------------|--------------|------------|------------|
|   | H180 OB     | H180 OB RS/SS | H180       | H180 RS/SS | FREEDOM 190  | H190       | H190 RS/SS | H200       | H200 RS/SS | H210         | H210 RS/SS   | H230       | H230 RS/SS |
| <b>TRAILER</b>  |             |               |            |            |              |            |            |            |            |              |              |            |            |
| Four Winns® custom-matched trailer, w/brakes & swing away tongue            | STD         | STD           | STD        | STD        | STD          | STD        | STD        | STD        | STD        | STD          | STD          | STD        | STD        |
| Galvanized trailer w/GatorHyde®   | OPT         | OPT           | OPT        | OPT        | OPT          | OPT        | OPT        | OPT        | OPT        | OPT          | OPT          | OPT        | OPT        |
| Rugged Duty Towing Package  | -           | -             | -          | -          | -            | OPT        | OPT        | OPT        | OPT        | OPT          | OPT          | OPT        | OPT        |
| Spare tire & wheel  | OPT         | -             | OPT        | -          | OPT          | OPT        | -          | OPT        | -          | OPT          | -            | OPT        | -          |
| Spare tire & wheel, aluminum or galvanized                                  | OPT         | OPT           | OPT        | OPT        | -            | OPT        | OPT        | OPT        | OPT        | OPT          | OPT          | OPT        | OPT        |
| Wheels, aluminum  | OPT         | STD           | OPT        | STD        | -            | OPT        | STD        | OPT        | STD        | OPT          | STD          | OPT        | STD        |
| <b>CANVAS</b>   |             |               |            |            |              |            |            |            |            |              |              |            |            |
| Bimini top (Incl. w/wakeboard tower packages)                               | OPT         | OPT           | OPT        | OPT        | OPT          | OPT        | OPT        | OPT        | OPT        | OPT          | STD          | OPT        | STD        |
| Camper Canvas   | -           | -             | -          | -          | -            | -          | -          | -          | -          | -            | -            | -          | -          |
| Cockpit cover & forward cover (cockpit cover only on S215 - S265)           | OPT         | OPT           | OPT        | OPT        | OPT          | OPT        | OPT        | OPT        | OPT        | OPT          | OPT          | OPT        | OPT        |
| Care Cover (Black)  | OPT         | OPT           | OPT        | OPT        | OPT          | OPT        | OPT        | OPT        | OPT        | OPT          | OPT          | OPT        | OPT        |
| <b>POWER OPTIONS</b>  |             |               |            |            |              |            |            |            |            |              |              |            |            |
| Volvo Penta®  | -           | -             | 200-240 HP | 200-240 HP | 200 HP       | 200-240 HP | 200-240 HP | 200-300 HP | 200-300 HP | 225 - 300 HP | 225 - 300 HP | 280-380 HP | 280-380 HP |
| MerCruiser®   | -           | -             | 135-250 HP | 135-250 HP | 180 - 220 HP | 190-250 HP | 190-250 HP | 220-300 HP | 220-300 HP | 220-300 HP   | 220-300 HP   | 250-350 HP | 250-350 HP |
| Volvo Penta® Forward Drive Propulsion System                                | -           | -             | -          | -          | -            | -          | -          | -          | -          | -            | -            | -          | -          |
| Outboard: Evinrude®   | 90 - 150 HP | 90 - 150 HP   | -          | -          | -            | -          | -          | -          | -          | -            | -            | -          | -          |
| Outboard: Mercury®  | 90 - 150 HP | 90 - 150 HP   | -          | -          | -            | -          | -          | -          | -          | -            | -            | -          | -          |
| Outboard: Yamaha®   | 90 - 150 HP | 90 - 150 HP   | -          | -          | -            | -          | -          | -          | -          | -            | -            | -          | -          |
| <b>LX PACKAGE</b>   | OPT         |               | OPT        |            |              | OPT        |            | OPT        |            | OPT          |              | OPT        |            |
| Bimini top  | INC.        | -             | INC.       | -          | -            | INC.       | -          | INC.       | -          | INC.         | -            | INC.       | -          |
| Bow scuff plate   | INC.        | -             | INC.       | -          | -            | INC.       | -          | INC.       | -          | INC.         | -            | INC.       | -          |
| Bucket seats, ComfortRide, dual, adjustable w/flip-up bolster               | -           | -             | -          | -          | -            | -          | -          | -          | -          | -            | -            | INC.       | -          |
| Bucket seat, flip up bolster, starboard                                     | INC.        | -             | INC.       | -          | -            | INC.       | -          | INC.       | -          | INC.         | -            | -          | -          |
| Carpet, snap in   | INC.        | -             | INC.       | -          | -            | INC.       | -          | INC.       | -          | INC.         | -            | INC.       | -          |
| Cleats, pull-up, stainless steel  | INC.        | -             | INC.       | -          | -            | INC.       | -          | INC.       | -          | INC.         | -            | INC.       | -          |
| Convenience Package: Depth sounder with water & air temperature, Hour meter | INC.        | -             | INC.       | -          | -            | INC.       | -          | INC.       | -          | -            | -            | -          | -          |
| <b>SLX PACKAGE* REQUIRES LX PACKAGE</b>                                     | OPT         |               | OPT        |            |              | OPT        |            | OPT        |            | OPT          |              | OPT        |            |
| Cockpit cover & forward cover (cockpit cover only on S215 - S265)           | INC.        | -             | INC.       | -          | -            | INC.       | -          | INC.       | -          | INC.         | -            | INC.       | -          |
| Bow fill in cushions  | INC.        | -             | INC.       | -          | -            | INC.       | -          | INC.       | -          | INC.         | -            | INC.       | -          |
| Docking lights  | -           | -             | -          | -          | -            | -          | -          | -          | -          | INC.         | -            | INC.       | -          |
| Swim platform mat (tan or grey)   | INC.        | -             | INC.       | -          | -            | INC.       | -          | INC.       | -          | INC.         | -            | INC.       | -          |
| Sunpads, deck   | -           | -             | -          | -          | -            | -          | -          | -          | -          | -            | -            | -          | -          |
| Table w/mount   | -           | -             | -          | -          | -            | -          | -          | -          | -          | INC.         | -            | INC.       | -          |
| Walk-thru doors   | -           | -             | -          | -          | -            | INC.       | -          | INC.       | -          | INC.         | -            | INC.       | -          |

FOR A COMPLETE LIST OF STANDARDS AND OPTIONS, PLEASE VISIT [FOURWINNS.COM](http://fourwinns.com) OR YOUR LOCAL PROFESSIONAL FOUR WINNS MARINE RETAILER.







VISTA 475



VISTA 435



VISTA 440



VISTA 350



## Cabin & Day Cruiser Series

GETTING YOU THERE IN STYLE

---

Our vast series of Horizon and Vista express cruisers offer the ultimate in elegance for relaxing or entertaining. Choose from 9 models ranging from 25 to 49 feet.

---



# GROUPE BENETEAU



FOURWINNS.COM | FACEBOOK.COM/FOURWINNSBOATS | 925 FRISBIE STREET | CADILLAC, MI 49601 | 231.775.1351

Copyright 2015, Rec Boat Holdings, LLC. ©/TM signifies trademarks of Four Winns, LLC, its affiliates or suppliers. Models are shown with non-Four Winns options and accessories. Some models are shown with optional equipment. While Four Winns makes every effort to ensure that the information contained in this brochure is correct, unending product refinement and design changes may result in revisions to current models that may not be shown in this brochure. Four Winns reserves the right to make changes in specifications, models, features and colors at any time. Representations made in this brochure do not constitute a warranty of any of the products shown. All limited warranties are outlined in the Four Winns limited warranty that accompanies each boat. Please see your authorized Four Winns dealer for additional information, available options and specific limited warranty details. Standards and options vary by model.