

1988

PRODUCT

FAST

FACTS



FOUR WINNS

# TABLE OF CONTENTS

<b>SPORTBOATS</b>	<b>PAGES</b>
160 Freedom	2, 3
180 Horizon	4, 5
200 Horizon	6, 7
210 Horizon	8, 9
Price/Weight/Options/Accessories	10-13
<b>DECKBOATS</b>	
180 Candia	14, 15
200 Candia	16, 17
Price/Weight/Options/Accessories	18, 19
<b>CUDDYS</b>	
205 Sundowner	20, 21
215 Sundowner	22, 23
225 Sundowner	24, 25
235 Sundowner	26, 27
Price/Weight/Options/Accessories	28-31
<b>CRUISERS</b>	
245 Vista	32, 33
267 Quest	34, 35
285 Vista	36, 37
315 Vista	38, 39
Price/Weight/Options/Accessories	40-43
<b>PERFORMANCE</b>	
201 Liberator	44, 45
211 Liberator	46, 47
241 Liberator	48, 49
261 Liberator	50, 51
Price/Weight/Options/Accessories	52, 53
<b>TECHNICAL DATA</b>	54-57
<b>I/O SPECIFICATIONS</b>	58, 59
<b>OB SPECIFICATIONS</b>	60, 61
<b>TRAILER SPECIFICATIONS</b>	62, 63
<b>AMORTIZATION</b>	64, 65
<b>WINNING EDGE</b>	66
<b>NOTES</b>	67, 68

# 160 FREEDOM

## Specifications:

LOA:	16'
Beam:	7'2"
Boat Weight (OB) (excluding engine):	1200 lbs.
Boat Weight (I/O) (excluding engine):	1280 lbs.
Fuel:	19 gal. / 18 gal. (OB)
Power (HP):	(I/O) Single 130; (OB) 70, 90, 120 (Johnson or Evinrude)
Passengers:	7 (I/O) / 6 (OB)
Keel to Windshield Height:	59"
Freeboard:	28"

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 18 oz. woven roving fiber-glass construction
- Five-stringer wood floor reinforcement
- Foam added for rigidity and sound deadening
- Full width and depth, one piece, plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Bow rails, stainless
- Cleats (4)
- Gel coat, two tone White/Red, Grey/Mariner
- Horn
- Navigation lights

- Ski eye, (I/O)
- Step pads, teak
- Swim platform, half teak w/ladder
- Windshield, tinted/tempered, with walk-through

### Functional and Convenience

- Aluminum fuel tank
- Battery retainer
- Bilge blower (I/O)
- Color-coded wiring
- Custom bunk trailer, color-coordinated
- Fused switches
- Instrumentation (I/O): fuel; oil pressure; water temp.; speedometer; tachometer; voltmeter. (OB): tachometer; speedometer; fuel; voltmeter
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette in weather-proof box

### Interior

- Carpeting
- Canvas top
- Drink holders (cockpit)
- Engine compartment insulation (I/O)
- Glove box
- Ice chest, insulated removeable
- Seating: hinged bow seats; back-to-back seats (folds to sleeper); adjustable driver's seat; jump seats remove or make sundeck (I/O)
- Storage: bow area; sidewall; floor (ski); concealed top (I/O)


# OPTIONS

- |  |   |
|--|---|
| <input type="checkbox"/> Canvas, Full (Aft, Side, Forward) | <input type="checkbox"/> Canvas, Walk-through Curtain |
| <input type="checkbox"/> Canvas, Aft                       | Trailer Options:                                      |
| <input type="checkbox"/> Canvas, Side                      | <input type="checkbox"/> Brakes                       |
| <input type="checkbox"/> Canvas, Forward                   | <input type="checkbox"/> Galvanized                   |
| <input type="checkbox"/> Canvas, Mooring Cover             | <input type="checkbox"/> Spare Tire & Wheel           |

## OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
130 HP	4 CYL	680	1960
70 TL*	3 CYL	257	1457
90 TL*	V-4	301	1501
120 TL*	V-4	370	1571

\*(OB) Johnson or Evinrude includes tilt, trim and VRO<sup>2</sup>™



# 180 HORIZON

## Specifications:

LOA:	18'6" / 17'1" (transom to bow)
Beam:	7'3"
Boat Weight (OB) (excluding engine):	1620 lbs.
Boat Weight (I/O) (excluding engine):	1575 lbs.
Fuel:	27 gal.
Power (HP):	(I/O) Single 130, 175, 205; (OB) 120, 150 (Johnson or Evinrude)
Passengers:	8
Keel to Windshield Height:	57"
Freeboard:	30"

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 18 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow rails, stainless
- Cleats (4)
- Gel coat, two tone
- Horn
- Navigation lights
- Ski eye, stainless (I/O)
- Swim platform, fiberglass, integrated with ladder

- Taffrails, stainless
- Windshield, tinted/tempered, bent glass with walk-through

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (27 gal.) in-floor
- Battery retainer
- Bilge blower (I/O)
- Color-coded wiring
- Custom bunk trailer, color-coordinated
- Fused switches
- Instrumentation (I/O): fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter. (OB): tachometer; speedometer; fuel; voltmeter
- Power steering (175-HP I/O and up)
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 2 speakers

### Interior

- Carpeting
- Canvas top
- Drink holders (cockpit)
- Engine compartment insulation (I/O Only)
- Engine hatch, easy access, hinged
- Glove box
- Ice chest, insulated
- Passenger grab rail
- Seating: adjustable driver's seat; hinged bow seats; back-to-back seats (folds to sleeper); jump seats remove or make sundeck (I/O)
- Ski locker door, teak
- Storage: bow area; sidewall; floor (ski); concealed top (I/O)

## OPTIONS

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li><input type="checkbox"/> Anchor with 100' Line</li> <li><input type="checkbox"/> Battery Switch (Dual)</li> <li><input type="checkbox"/> Bilge, Auto Pump</li> <li><input type="checkbox"/> Canvas, Full (Aft, Side, Forward)</li> <li><input type="checkbox"/> Canvas, Aft</li> <li><input type="checkbox"/> Canvas, Side</li> <li><input type="checkbox"/> Canvas, Forward</li> <li><input type="checkbox"/> Canvas, Cockpit Cover<sup>1</sup></li> <li><input type="checkbox"/> Canvas, Mooring Cover</li> <li><input type="checkbox"/> Canvas, Walk-through Curtain</li> <li><input type="checkbox"/> Chart Lighter</li> <li><input type="checkbox"/> Courtesy Lights (Cockpit)</li> <li><input type="checkbox"/> Cushions, Bow (Fill-in)</li> <li><input type="checkbox"/> Depth Sounder</li> <li><input type="checkbox"/> Flush Out Kit, Engine (OMC only)</li> <li><input type="checkbox"/> Gel Coat Hull, Three Tone</li> <li><input type="checkbox"/> Halon Fireboy</li> <li><input type="checkbox"/> Hour Meter (I/O Only)</li> <li><input type="checkbox"/> Seat Adjuster, Port (Std on BRGM)</li> <li><input type="checkbox"/> Seat, Bucket</li> <li><input type="checkbox"/> Seating, Brougham (I/O Only):<br/>Two Buckets, Couch, Sundeck</li> </ul> | <ul style="list-style-type: none"> <li><input type="checkbox"/> Stainless Prop (OMC) Exchange</li> <li><input type="checkbox"/> Steering, Hydraulic (OB)<sup>2</sup></li> <li><input type="checkbox"/> Stereo Upgrade, AM/FM Cassette<br/>45W Equalizer, Seek-Scan<br/>w/Weatherband, LED Clock</li> <li><input type="checkbox"/> Swim Platform Teak Insert</li> </ul> <p>Trailer Options:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Brakes</li> <li><input type="checkbox"/> Chrome Wheels (Exchange)</li> <li><input type="checkbox"/> Galvanized</li> <li><input type="checkbox"/> Spare Tire and Wheel</li> <li><input type="checkbox"/> Windshield Wiper (STBD)</li> <li><input type="checkbox"/> SLX-1 Package:<br/>Three Tone Gel Coat;<br/>Stereo Upgrade AM/FM Cassette;<br/>Depth Sounder; Chrome Vents;<br/>Courtesy Lights; Chart Lighter;<br/>Color-coordinated Top, Forward<br/>Cover and Cockpit Cover</li> <li><input type="checkbox"/> SLX-2 Package:<br/>Same as SLX-1 Except: Replace<br/>Cockpit Cover with Color-<br/>coordinated Side and Aft<br/>Curtains</li> </ul> |
|---|---|


<sup>1</sup> Add 20% for Color-coordinated cockpit cover if purchased with SLX-2 Package.

<sup>2</sup> Recommended on 150-HP and up (OB).

### OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
130-HP	4-CYL	680	2255
175-HP	V-6	805	2380
205-HP	V-6	805	2380
120 TX*	V-4	370	1990
150 TX*	V-6	386	2006

\*(OB) Johnson or Evinrude includes tilt, trim and VR0<sup>2</sup>™



# 200 HORIZON

## Specifications:

LOA:	20'9" / 19'4" (transom to bow)
Beam:	7'8"
Boat Weight (OB) (excluding engine):	1800 lbs.
Boat Weight (I/O) (excluding engine):	1755 lbs.
Fuel:	44 gal.
Power (HP):	Single 175, 200, 205, 230, 260, 270 (OB) 120, 150, 175, 200 (Johnson or Evinrude)
Passengers:	10
Keel to Windshield Height:	64"
Freeboard:	33"

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 18 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow rails, stainless
- Cleats (4)
- Gel coat, two tone
- Horn
- Navigation lights
- Ski eye, stainless (I/O)

- Swim platform, fiberglass, integrated with ladder
- Taffrails, stainless
- Windshield, tinted/tempered, bent glass with walk-through

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (44 gal.) in-floor
- Battery retainer
- Bilge blower (I/O)
- Color-coded wiring
- Fused switches
- Instrumentation (I/O): fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter. (OB): tachometer; speedometer; fuel; voltmeter
- Power steering (I/O)
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 2 speakers

#### Interior

- Carpeting
- Canvas top
- Drink holders (cockpit)
- Engine compartment insulation (I/O)
- Engine hatch, easy access, hinged (I/O)
- Glove box
- Ice chest, insulated
- Passenger grab rail
- Seating: adjustable driver's seat; hinged bow seats; back-to-back seats (folds to sleeper); jump seats remove or make sundeck (I/O)
- Ski locker door, teak
- Storage: bow area; sidewall; floor (ski); concealed top (I/O)



# OPTIONS

- Anchor with 100' Line
- Battery Switch (Dual)
- Bilge, Auto Pump
- Canvas, Full (Aft, Side, Forward)
- Canvas, Aft
- Canvas, Side
- Canvas, Forward
- Canvas, Cockpit Cover<sup>1</sup>
- Canvas, Mooring Cover
- Canvas, Walk-Through Curtain
- Chart Lighter
- Compass
- Courtesy Lights (Cockpit)
- Cushions, Bow (Fill-in)
- Depth Sounder
- Fiberglass Floor
- Flush Out Kit, Engine (OMC only)
- Gel Coat Hull, Three Tone
- Halon Fireboy
- Hour Meter (I/O Only)
- Seat Adjuster, Port (Std on BRGM)
- Seat, Bucket
- Seating, Brougham (I/O Only):  
Two Buckets, Couch, Sundeck
- Snap-in Carpet
- Stainless Prop (OMC) Exchange
- Steering, Hydraulic (OB)<sup>2</sup>
- Stereo Upgrade AM/FM Cassette,  
45W Equalizer, Seek-Scan  
w/Weatherband, LED Clock
- Swim Platform Teak Insert
- Thru Hull Exhaust w/Mufflers<sup>3</sup>
- Windshield Wiper (STBD)
- SLX-1 Package:  
Three Tone Gel Coat;  
Stereo Upgrade AM/FM Cassette;  
Depth Sounder; Chrome Vents;  
Courtesy Lights; Chart Lighter;  
Color-coordinated Top, Forward  
Cover and Cockpit Cover
- SLX-2 Package:  
Same as SLX-1 Except: Replace  
Cockpit Cover with Color-  
coordinated Side and Aft  
Curtains


<sup>1</sup> Add 20% for Color-coordinated cockpit cover if purchased with SLX-2 Package.

<sup>2</sup> Recommended on 150-HP and up (OB). <sup>3</sup> Brougham only (270-HP OMC)

## OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
175-HP	V-6	805	2560
200-HP	V-8	906	2661
205-HP	V-6	805	2560
230-HP	V-8	916	2671
260-HP	V-8	911	2666
270-HP	V-8	906	2661
120 TX*	V-4	370	2170
150 TX*	V-6	386	2186
175 TX*	V-6	401	2201
200 TX*	V-6	455	2255

\*(OB) Johnson or Evinrude includes tilt, trim and VRO<sup>2</sup>™





# 210 HORIZON

## Specifications:

LOA:	21'
Beam:	8'
Boat Weight (excluding engine):	2080 lbs.
Fuel:	44 gal.
Power (HP):	Single 175, 200, 205, 230, 260, 270 <sup>1</sup> , 340 <sup>1</sup>
Passengers:	10
Keel to Windshield Height:	68"
Freeboard:	33"

<sup>1</sup> Only with Brougham Package

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 18 oz. woven roving fiber-glass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Full width and depth, one piece, plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Bow rails, stainless
- Cleats (4)
- Gel coat, two tone
- Horn
- Navigation lights

- Ski eye, stainless
- Step pads, teak
- Swim platform, full teak, with ladder
- Taffrails, teak
- Windshield, tinted/tempered, with walk-through

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (44 gal.) in-floor
- Battery retainer
- Bilge blower
- Color-coded wiring
- Depth sounder
- Fused switches
- Instrumentation: fuel; oil pressure; water temp.; speed-ometer; tachometer; trim indicator; voltmeter.
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 2 speakers

#### Interior

- Bow cushions (fill-in)
- Carpeting
- Canvas top
- Drink holders (cockpit)
- Engine compartment insulation
- Engine hatch, easy access, hinged
- Glove box
- Ice chest, insulated (48 quart)
- Passenger grab rail
- Seating: adjustable driver's seat; hinged bow seats; back-to-back seats (folds to sleeper); jump seats remove or make sundeck (I/O)
- Ski locker door, teak
- Storage: bow area; sidewall; floor (ski); concealed top



## OPTIONS


- Anchor with 100' Line
- Battery Switch (Dual)
- Bilge, Auto Pump
- Canvas, Full (Aft, Side, Forward)
- Canvas, Aft
- Canvas, Side
- Canvas, Forward
- Canvas, Camper (Incl. Main Sides)
- Canvas, Cockpit Cover<sup>1</sup>
- Canvas, Mooring Cover
- Canvas, Walk-through Curtain
- Chart Lighter
- Compass
- Courtesy Lights
- Fiberglass Floor
- Flush Out Kit, Engine (OMC only)
- Gel Coat Hull, Three Tone
- Halon Fireboy
- Hour Meter
- Seat Adjuster, Port (Std on BRGM)
- Seat, Bucket
- Seating, Brougham:  
Two Buckets, Couch, Sundeck
- Snap-in Carpet
- Stainless Prop (OMC) Exchange
- Stereo Upgrade, 45W Equalizer, Seek-Scan w/Weatherband, LED Clock
- Swim Platform Fiberglass
- Thru Hull Exhaust w/Mufflers<sup>2</sup>
- Trim Tabs (Hydraulic)
- Windshield Wiper (STBD)
- SLX-1 Package:  
Three Tone Gel Coat;  
Stereo Upgrade AM/FM Cassette;  
Chrome Vents; Courtesy Lights (Cockpit);  
Chart Lighter; Color-coordinated Top,  
Forward Cover and Cockpit Cover
- SLX-2 Package:  
Same as SLX-1 Except: Replace  
Cockpit Cover with Color-  
coordinated Side and Aft  
Curtains
- SLX-3 Package:  
Same as SLX-2 Except: Replace  
Aft Curtain with Color-coordinated  
Camper Top, Side and Aft Curtains

<sup>1</sup> Add 20% for Color-coordinated cockpit cover if purchased with SLX-2 or SLX-3 Packages.

<sup>2</sup> Broughlam only (270, 340-HP OMC)

### OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
175-HP	V-6	805	2885
200-HP	V-8	906	2986
205-HP	V-6	805	2885
230-HP	V-8	916	2996
260-HP	V-8	911	2991
270-HP	V-8	906	2986
340-HP	V-8	1210	3320



# SPORTBOATS

MODEL	HP	OMC LIST	MERC LIST
160 FREEDOM	OB 70 <sup>2</sup>	\$ 9,295	NA
	OB 90 <sup>2</sup>	9,695	NA
	OB 120 <sup>2</sup>	10,245	NA
	130	9,995	NA
180 HORIZON	OB 120 <sup>2</sup>	13,821	NA
	OB 150 <sup>2</sup>	14,922	NA
	130	14,268	15,412
	175	15,257	17,078
	205	16,560	18,724
200 HORIZON	OB 120 <sup>2</sup>	13,667	NA
	OB 150 <sup>2</sup>	14,492	NA
	OB 175 <sup>2</sup>	14,953	NA
	OB 200 <sup>2</sup>	15,857	NA
	175	15,939	17,788
	200	16,941	19,145
	205	17,220	19,416
	230	17,771	20,392
	260	18,915	21,673
270 <sup>1</sup>	19,284	22,141	
210 HORIZON	175	18,102	19,950
	200	19,112	21,317
	205	19,394	21,591
	230	19,992	22,614
	260	21,067	23,824
	270 <sup>1</sup>	21,727	24,629
	340 <sup>3</sup> /330	22,828	25,963

<sup>1</sup> Must have Thru Hull Exhaust – add \$805.00. (Must be Brougham Package)

<sup>2</sup> Johnson or Evinrude

<sup>3</sup> Only with Brougham Package

# SPORTBOATS

## RECOMMENDED ENGINE(S) / EQUIPMENT AVG. WEIGHTS (LBS.)


MODEL	ENG. TYPE	BOAT	ENG.	BATY	FUEL	ACC.	TRAIL. WT.	PROP SIZE	PERF* MPH
160 FREEDOM	130	1280	680	50	117	150	2277	15	36-39
180 HORIZON	175	1575	805	50	166	150	2746	21	43-45
200 HORIZON	175	1755	805	50	270	150	3030	19	42-44
210 HORIZON	205	2080	805	50	270	150	3355	19	41-43

\* Performance is an estimate and the following items can cause a variation:  
water condition - humidity - temperature - altitude - boat weight (people, hull, equipment, etc.)

## TOTAL ENGINE WEIGHTS - OUTBOARDS\* (LBS.)

70 TL	3-CYL In-Line	257
90 TL	V-4	301
120 TL/TX*	V-4	365
150 TX*	V-6	386
175 TX*	V-6	401
200 TX*	V-6	455

\*Includes tilt, trim and VRO<sup>2™</sup>



# SPORTBOATS

OPTIONS / ACCESSORIES	RETAIL	160 F	180 H	200 H	210 H
ANCHOR WITH 100' LINE	\$ 55.00		•	•	•
AUTOMATIC BILGE PUMP	42.00		•	•	•
BATTERY SWITCH (DUAL)	105.00		•	•	•
BRGM SEATING (I/O ONLY) 2 BUCKET SEATS W/ADJUSTERS & HEADRESTS, STERN COUCH, SUNDECK	385.00		•	•	•
CANVAS*, FULL (AFT, SIDE, FORWARD)	314.00	•			
CANVAS*, FULL (AFT, SIDE, FORWARD)	347.00		•	•	•
CANVAS*, AFT	116.00	•			
	133.00		•	•	•
CANVAS*, SIDE	87.00	•			
	92.00		•	•	•
CANVAS*, FORWARD	111.00	•			
	123.00		•	•	•
CAMPER* (INCL. MAIN SIDES)	574.00				•
CANVAS*, COCKPIT COVER	157.00		•	•	•
CANVAS, MOORING COVER	199.00	•			
	207.00		•	•	
	245.00				•
CANVAS, WALK THROUGH CURTAIN	34.00	•	•	•	•
CHART LIGHTER	21.00		•	•	•
COMPASS (AQUA METER SATURN)	119.00			•	•
COURTESY LIGHTS (COCKPIT)	28.00		•	•	•
CUSHIONS, BOW (FILL IN)	70.00		•	•	STD
DEPTH SOUNDER	294.00		•	•	STD
FIBERGLASS FLOOR SNAP-IN CARPETING	427.00			•	•
	154.00			•	•
FLUSH OUT KIT, ENGINE (OMC ONLY)	70.00		•	•	•
GEL COAT, THREE TONE	140.00		•	•	•
HALON FIREBOY (STD INTERIOR) (BRGM INTERIOR)	238.00		•	•	•
	291.00		•	•	•
HOUR METER (I/O ONLY)	66.00		•	•	•
PROP, STAINLESS (EXCHNG-OMC ONLY)	140.00		•	•	•
SEAT, BUCKET	NC		•	•	•
SEAT ADJUSTER PORT (STD ON BGHM)	42.00		•	•	•

# SPORTBOATS

OPTIONS / ACCESSORIES	RETAIL	160F	180H	200H	210H
STEREO UPGRADE AM/FM CASSETTE, 45W, SEEK-SCAN, WEATHERBAND, 4 SPEAKERS, LED CLOCK	168.00		•	•	•
STEERING, HYDRAULIC (OB 150-HP AND UP)	390.00		•	•	
SWIM PLATFORM, GLASS (FULL)	N/C				•
PLATFORM, TEAK INSERT	161.00		•	•	
THRU-HULL EXHAUST w/MUFFLER <sup>1</sup>	805.00			•	•
TRIM TABS (HYDRAULIC)	420.00				•
WINDSHIELD WIPER (STBD)	84.00		•	•	•
SLX-1 PACKAGE: STEREO UPGRADE, THREE TONE GEL, COURTESY LIGHTS, CHART LIGHTER, DEPTH SOUNDER, COLOR-COORDINATED TOP, FORWARD COVER, COCKPIT COVER & CHROME ENGINE VENTS (I/O)	630.00 490.00		•	•	•
SLX-2 PACKAGE: SAME AS SLX-1 EXCEPT REPLACE COCKPIT COVER WITH COLOR COORDINATED SIDE AND AFT CURTAINS	630.00 490.00		•	•	•
SLX-3 PACKAGE: SAME AS SLX-2 EXCEPT REPLACE AFT CURTAIN WITH COLOR-COORDINATED CAMPER TOP, SIDE AND AFT CURTAINS	630.00				•
TRAILER OPTIONS: BRAKES	330.00	•	•		
CHROME WHEELS (EXCHANGE)	28.00		•		
GALVANIZED TRAILER	105.00	•			
	140.00		•		
SPARE TIRE AND WHEEL	105.00	•			
	119.00		•		

\* White Sport Topping. Color-coordinated canvas available only with SLX Packages.

<sup>1</sup> Brougham only, 270 & 340 HP (OMC).

# 180 CANDIA

## Specifications:

LOA:	19'8" / 18'3" (transom to bow)
Beam:	7'8"
Boat Weight (OB) (excluding engine):	1935 lbs.
Boat Weight (I/O) (excluding engine):	1890 lbs.
Fuel:	27 gal.
Power (HP):	(I/O) 175, 200, 205, 230 (OB) 120, 150, 175 (Johnson or Evinrude)
Passengers:	10
Freeboard:	31"

### Value Features

- Hand lay-up 18 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Cleats (4)
- Gel coat, two tone
- Horn
- Navigation lights
- Ski eye, stainless (I/O)
- Stainless rails
- Step pads, teak
- Swim platform, fiberglass, integrated with ladder
- Venturi windshield

### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (27 gal.) in-floor
- Battery retainer
- Bilge blower (I/O)
- Color-coded wiring
- Fused switches
- Instrumentation (I/O): fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter. (OB): Speedometer; tachometer; fuel; voltmeter
- Power steering (I/O)
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 4 speakers

### Interior

- Carpeting
- Canvas top
- Courtesy lights
- Drink holders
- Engine compartment insulation (I/O)
- Engine hatch, hinged (I/O)
- Glove box
- Ice chest, insulated
- Port console
- Seating: adjustable driver's seat; bucket seat; hinged bow seats; jump seats remove or make sundeck (I/O)
- Ski locker door, teak
- Storage: bow area; sidewall; in-floor ski; concealed top (I/O)
- U-Shaped bow seating

## OPTIONS



- Anchor with 100' Line
- Battery Switch (Dual)
- Bilge, Auto Pump
- Canvas, Mooring Cover
- Chart Lighter
- Cushions, Bow (Fill-in)
- Depth Sounder
- Flush Out Kit, Engine (OMC only)
- Gel Coat Hull, Three Tone
- Halon Fireboy
- Hour Meter (I/O Only)
- Seat Adjuster, Port (Std on BRGM)
- Seating, Brougham:  
Two Bucket Seats with Adjusters and Headrests, Stern Couch, Sundeck
- Stainless Prop (OMC) Exchange
- Steering, Hydraulic (OB)<sup>1</sup>
- Stereo Upgrade AM/FM Cassette, 45W Equalizer, Seek-Scan w/Weatherband & LED Clock
- Swim Platform Teak Insert
- Table with Front and Rear Mounts
- Windshield Console (Each)
- SLX-1 Package:  
Three Tone Gel Coat;  
Stereo Upgrade AM/FM Cassette;  
Depth Sounder; Chrome Vents;  
Chart Lighter; Color-coordinated Top; Table with 2 Mounts; Bow Fill-in Cushions

<sup>1</sup> Recommended on 150-HP and up (OB).

### OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
175-HP	V-6	805	2695
200-HP	V-8	906	2796
205-HP	V-6	805	2695
230-HP	V-8	916	2806
120 TX*	V-4	370	2305
150 TX*	V-6	386	2321
175 TX*	V-6	401	2336

\*(OB) Johnson or Evinrude includes tilt, trim and VRO<sup>2</sup>™





# 200 CANDIA

## Specifications:

LOA:	21'7" / 20' (transom to bow)
Beam:	8'
Boat Weight (excluding engine):	2300 lbs.
Fuel:	27 gal.
Power (HP):	Single 175, 200, 205, 230, 260,
Passengers:	13
Freeboard:	30"

### Value Features

- Hand lay-up 18 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Cleats (4)
- Gel coat, two tone
- Horn
- Navigation lights
- Ski eye, stainless
- Stainless rails
- Step pads, teak
- Swim platform, fiberglass, integrated with ladder
- Venturi windshield

### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (27 gal.) in-floor
- Battery retainer
- Bilge blower
- Color-coded wiring
- Fused switches
- Instrumentation: fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter.
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 4 speakers

### Interior


- Carpeting
- Canvas top
- Courtesy lights
- Drink holders
- Engine hatch, hydraulic assist
- Glove box
- Ice chest, insulated
- Port console
- Seating: adjustable driver's seat; bucket seats; hinged bow seats; wrap-around stern couch with sundeck
- Ski locker door, teak
- Storage: bow area; sidewall; in-floor ski; concealed top
- U-Shaped bow seating

## OPTIONS

- |   |  |
|---|--|
| <input type="checkbox"/> Anchor with 100' Line            | <input type="checkbox"/> Stainless Prop (OMC) Exchange   |
| <input type="checkbox"/> Battery Switch (Dual)            | <input type="checkbox"/> Stereo Upgrade, AM/FM Cassette<br>45W Equalizer, Seek-Scan<br>w/Weatherband & LED Clock   |
| <input type="checkbox"/> Bilge, Auto Pump                 | <input type="checkbox"/> Swim Platform, Teak Insert  |
| <input type="checkbox"/> Canvas, Mooring Cover            | <input type="checkbox"/> Table with Front and Rear Mounts  |
| <input type="checkbox"/> Chart Lighter                    | <input type="checkbox"/> Windshield, Console   |
| <input type="checkbox"/> Cushions, Bow (Fill-in)          | <input type="checkbox"/> SLX-1 Package:<br>Three Tone Gel Coat;<br>Stereo Upgrade AM/FM Cassette;<br>Depth Sounder; Chrome Vents;<br>Chart Lighter; Color-coordinated Top;<br>Table w/2 Mounts; Bow Fill-in Cushions |
| <input type="checkbox"/> Depth Sounder                    |  |
| <input type="checkbox"/> Flush Out Kit, Engine (OMC only) |  |
| <input type="checkbox"/> Gel Coat Hull, Three Tone        |  |
| <input type="checkbox"/> Halon Fireboy                    |  |
| <input type="checkbox"/> Hour Meter                       |  |

### OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
175-HP	V-6	805	3105
200-HP	V-8	906	3206
205-HP	V-6	805	3105
230-HP	V-8	916	3216
260-HP	V-8	911	3211



# DECKBOATS

MODEL		OMC LIST	MERC LIST
180 CANDIA	OB 120*	13,792	NA
	OB 150*	14,850	NA
	OB 175*	15,112	NA
	175	16,065	17,914
	200	17,011	19,215
	205	17,274	19,471
	230	17,836	20,458
200 CANDIA	175	17,612	19,461
	200	18,632	20,836
	205	18,917	21,114
	230	19,479	22,509
	260	20,644	23,402

\* Johnson or Evinrude

## RECOMMENDED ENGINE(S) / EQUIPMENT AVG. WEIGHTS (LBS.)

MODEL	ENG TYPE	BOAT	ENG	BATY	FUEL	ACC.	TRAIL. WT.	PROP SIZE	PERF* MPH
180 CANDIA	175	1890	805	50	166	150	3061	19	38-40
200 CANDIA	205	2300	805	50	166	150	3471	21	41-44

\* Performance is an estimate and the following items can cause a variation: - water condition - humidity - temperature - altitude - boat weight (people, hull, equipment, etc.)

## TOTAL ENGINE WEIGHTS - OUTBOARDS\*

120 TX*	V-4	370
150 TX*	V-6	386
175 TX*	V-6	401

\*Includes tilt, trim and VRO<sup>2</sup>™





# 205 SUNDOWNER

## Specifications:

LOA:	20'9" / 19'4" (transom to bow)
Beam:	7'8"
Boat Weight (OB) (excluding engine):	1980 lbs.
Boat Weight (I/O) (excluding engine):	1935 lbs.
Fuel:	44 gal.
Power (HP):	Single 175, 200, 205, 230, 260, 270' (OB) 120, 150, 175 (Johnson or Evinrude)
Passengers:	10
Keel to Windshield Height:	67"
Freeboard:	38"

'Only with Brougham Package

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 18 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow rails, stainless
- Cleats (4)
- Deck hatch
- Gel coat, two tone
- Horn
- Navigation lights
- Port lights (2)
- Ski eye, stainless (I/O)
- Step pads, teak

- Swim platform, fiberglass, integrated with ladder
- Taffrails, stainless
- Windshield, tinted/tempered, bent glass with vented wings

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (44 gal.) in-floor
- Auto bilge pump
- Battery retainer
- Bilge blower (I/O)
- Color-coded wiring
- Depth sounder
- Fused switches
- Instrumentation (I/O): fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter. (OB): tachometer; speedometer; fuel; voltmeter
- Power steering
- Power trim & tilt

- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 4 speakers

#### Interior

- Cabin light
- Cabin door w/hasp, plexiglass
- Carpeting
- Canvas top
- Drink holders (cockpit)
- Engine compartment insulation (I/O)
- Engine hatch, easy access hinged
- Glove box
- Ice chest, insulated
- Passenger grab rail
- Seating: adjustable driver's seat; back-to-back seat (folds to sleeper); jump seats remove or make sundeck (I/O); vee-berth cushions
- Sleeping for 2; vee-berth
- Storage: bow area; sidewall; under berth; concealed top; (I/O)



## OPTIONS

- Anchor with 100' Line
- Battery Switch (Dual)
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Sides
- Canvas, Camper (Incl. Main Sides)
- Canvas, Cockpit Cover
- Canvas, Mooring Cover
- Chart Lighter
- Compass
- Courtesy Lights (Cockpit)
- Fiberglass Floor
- Flush Out Kit, Engine (OMC only)
- Gel Coat, Three Tone
- Halon Fireboy
- Hatch Screen
- Head, Portable
- Head, Pumpout
- Hour Meter (I/O only)
- Seat Adjuster, Port (Std on BRGM)
- Seating, Brougham (I/O only):  
Two Buckets, Couch, Sundeck
- Seat, Bucket (Std on Brougham)
- Seating, Bucket Seat on Insulated  
Fishwell w/Teak Rod Holders
- Snap-in Carpet
- Stainless Prop (OMC) Exchange
- Steering, Hydraulic (OB)<sup>1</sup>
- Stereo Upgrade, AM/FM Cassette  
45W Equalizer, Seek-Scan  
w/Weatherband & LED Clock
- Swim Platform, Teak Insert
- Table Cabin
- Extra Cockpit Mount, Table
- Thru Hull Exhaust w/Mufflers<sup>2</sup>
- Windshield Wipers
- SLX-1 Package:  
Three Tone Gel Coat;  
Stereo Upgrade AM/FM Cassette;  
Chrome Vents; Courtesy Lights (Cockpit);  
Chart Lighter; Color-coordinated  
Top, and Cockpit Cover
- SLX-2 Package:  
Same as SLX-1 Except: Replace  
Cockpit Cover with Color-coordinated  
Side and Aft Curtains
- SLX-3 Package:  
Same as SLX-2 Except: Replace  
Aft Curtain with Color-coordinated  
Camper Top, Side and Aft Curtains


<sup>1</sup> Recommended on 150-HP and up (OB)

<sup>2</sup> Brougham only (270 OMC)

### OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
175-HP	V-6	805	2740
200-HP	V-8	906	2841
205-HP	V-6	805	2740
230-HP	V-8	916	2851
260-HP	V-8	911	2846
270-HP	V-8	906	2841
120 TX*	V-4	370	2350
150 TX*	V-6	386	2366
175 TX*	V-6	401	2381

\* (OB) Johnson or Evinrude includes tilt, trim and VRO<sup>2™</sup>



# 215 SUNDOWNER

## Specifications:

LOA:	21'
Beam:	8'
Boat Weight (excluding engine):	2280 lbs.
Fuel:	50 gal.
Power (HP):	Single 175, 200, 205, 230, 260
Passengers:	10
Keel to Windshield Height:	74"
Freeboard:	40"

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 18 oz. woven roving fiber-glass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck
- Full width and depth, one piece, plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow rails, stainless
- Cleats (4)
- Deck hatch
- Gel coat, two tone
- Horn
- Navigation lights
- Port lights (2)
- Ski eye, stainless

- Step pads, teak
- Swim platform, full teak with ladder
- Taffrails, teak
- Windshield, tinted/tempered, with vented wings

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (50 gal.) in-floor
- Auto bilge pump
- Battery retainer
- Bilge blower
- Color-coded wiring
- Depth sounder
- Fused switches
- Instrumentation: fuel; oil pressure; water temp. gauges; speed-ometer; tachometer; trim indicator; voltmeter.
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 4 speakers

#### Interior


- Cabin light
- Cabin door w/hasp, teak
- Carpeting
- Canvas top
- Drink holders (cockpit)
- Engine compartment insulation
- Engine hatch, easy access hinged
- Ice chest, insulated
- Passenger grab rail
- Seating: adjustable driver's seat; back-to-back seat (folds to sleeper); jump seats remove or make sundeck; vee-berth cushions
- Sleeping for 2; vee-berth
- Storage: bow area; sidewall; under berth; concealed top

## OPTIONS

- Anchor with 100' Line
- Battery Switch (Dual)
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Sides
- Canvas, Camper
- Canvas, Cockpit Cover
- Canvas, Mooring Cover
- Chart Lighter
- Compass
- Courtesy Lights (Cockpit)
- Fiberglass Floor
- Flush Out Kit, Engine (OMC only)
- Gel Coat, Three Tone
- Halon Fireboy
- Hatch Screen
- Head, Portable
- Head Pumpout
- Hour Meter
- Seat Adjuster, Port
- Seating, Bucket Seat on Insulated Fishwell w/Teak Rod Holders
- Snap-in Carpet
- Stainless Prop (OMC) Exchange
- Stereo Upgrade AM/FM Cassette, 45W Equalizer, Seek-Scan w/Weatherband & LED Clock
- Swim Platform, Fiberglass
- Table Cabin
- Extra Cockpit Mount, Table
- Trim Tabs (Hydraulic)
- Windshield Wipers
- SLX-1 Package:  
Three Tone Gel Coat;  
Stereo Upgrade AM/FM Cassette;  
Chrome Vents; Courtesy Lights (Cockpit); Chart Lighter; Color-coordinated Top, and Cockpit Cover
- SLX-2 Package:  
Same as SLX-1 Except: Replace Cockpit Cover with Color-coordinated Side and Aft Curtains
- SLX-3 Package:  
Same as SLX-2 Except: Replace Aft Curtain with Color-coordinated Camper Top, Side and Aft Curtains

### OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
175-HP	V-6	805	3085
200-HP	V-8	906	3186
205-HP	V-6	805	3085
230-HP	V-8	916	3196
260-HP	V-8	911	3191





# 225 SUNDOWNER

## Specifications:

LOA:	22'5"
Beam:	8'
Boat Weight (excluding engine):	2613 lbs.
Fuel:	70 gal.
Power (HP):	Single 200, 205, 230, 260
Passengers:	10
Keel to Windshield Height:	82½"
Freeboard:	45"

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 24 oz. woven roving fiber-glass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck
- Full width and depth, one piece, plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow rails, stainless
- Cleats (4)
- Gel coat, two tone
- Horn (dual)
- Navigation lights
- Nonskid walk around deck
- Port lights (4)

- Ski eye, stainless
- Step pads, teak
- Swim platform, full teak, with ladder
- Taffrails, teak
- Transom light
- Windshield, tinted/tempered, curved glass, w/vented wings

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (70 gal.) in-floor
- Auto bilge pump
- Battery retainer
- Bilge blower
- Color-coded wiring
- Depth sounder
- Fused switches
- Instrumentation: fuel; oil pressure; water temp. gauges; speedometer; tachometer; trim indicator; voltmeter.
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 4 speakers

#### Interior



- Cabin lights
- Cabin door w/hasp, teak
- Carpeting
- Canvas top
- Courtesy lights
- Drink holders (cockpit)
- Engine compartment insulation
- Engine hatch, easy access, hinged
- Head, portable, enclosed
- Ice chest, insulated
- Passenger grab rail
- Seating: adjustable driver's seat; back-to-back seat (folds to sleeper); removeable jump seats; vee-berth cushions
- Sleeping for 2; vee-berth
- Storage: bow area; sidewall; under berth; concealed top

## OPTIONS

- Anchor with 100' Line
- Battery Switch (Dual)
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Sides
- Canvas, Camper (Incl. Main Sides)
- Canvas, Cockpit Cover
- Canvas, Mooring Cover
- Chart Lighter
- Compass
- Fiberglass Floor
- Flush Out Kit, Engine (OMC only)
- Gel Coat, Three Tone
- Halon Fireboy
- Hatch Screen
- Head, Pumpout
- Hour Meter
- Seat Adjuster, Port
- Seating, Bucket Seat on Insulated Fishwell w/Teak Rod Holders
- Snap-in Carpet
- Stainless Prop (OMC) Exchange
- Stereo Upgrade AM/FM Cassette 45W Equalizer, Seek-Scan w/Weatherband, 4 Speakers & LED Clock
- Swim Platform, Fiberglass
- Table Cabin
- Extra Cockpit Mount, Table
- Trim Tabs (Hydraulic)
- Windshield Wipers
- SLX-1 Package:  
Three Tone Gel Coat;  
Stereo Upgrade AM/FM Cassette;  
Chrome Vents; Chart Lighter;  
Color-coordinated Top, and  
Cockpit Cover
- SLX-2 Package:  
Same as SLX-1 Except: Replace  
Cockpit Cover with Color-  
coordinated Side and Aft  
Curtains
- SLX-3 Package:  
Same as SLX-2 Except: Replace  
Aft Curtain with Color-coordinated  
Camper Top, Side and Aft Curtains

### OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
200-HP	V-8	906	3519
205-HP	V-6	805	3418
230-HP	V-8	916	3529
260-HP	V-8	911	3524



# 235 SUNDOWNER

## Specifications:

LOA:	23'8"
Beam:	8'6"
Boat Weight (excluding engine):	3107 lbs.
Fuel:	100 gal.
Power (HP):	Single 230, 260, 340 Twin 130, 175, 200, 205
Passengers:	10
Keel to Windshield Height:	78¾"
Freeboard:	38"

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 24 oz. woven roving fiber-glass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck
- Full width and depth, one piece, plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow rails, stainless
- Cleats (6), stainless
- Deck hatch
- Gel coat, two tone
- Horn (dual)
- Navigation lights
- Nonskid walk around deck
- Port lights (4)
- Ski eye, stainless
- Step pads, teak
- Swim platform, teak, with ladder
- Taffrails, teak
- Transom light

- Windshield, tinted/tempered, with vented wings

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (100 gal.) in-floor
- Auto bilge pump
- Battery retainer
- Battery switch, dual (with twin engines)
- Bilge blower
- Color-coded wiring
- Counter rotating outdrives (OMC twin only)
- Depth sounder
- Fused switches
- Hour meter
- Instrumentation: fuel; oil pressure; water temp; speedometer tachometer; trim indicator; voltmeter
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette, 45W equalizer seek-scan w/weather-band, 4 speakers & LED clock
- Trim tabs (w/twin engines)

#### Interior

- Cabin lights
- Cabin door w/hasp, teak
- Carpeting
- Canvas top
- Courtesy lights (cockpit) mood lights (cabin)
- Dinette table
- Drink holders (cockpit)
- Engine compartment insulation
- Engine hatch, easy access, hinged
- Galley w/ice box
- Head, portable enclosed
- Mirror
- Passenger grab rail
- Pillows (cabin decor)
- Seating: adjustable driver's seat; back-to-back seat (folds to sleeper); removeable jump seats; vee-berth cushions
- Sleeping for 2; vee-berth
- Storage: bow area; sidewall; under berth; concealed top; in-floor storage
- Table, cabin
- Water storage (15 gal.)
- Wet bar sink

# OPTIONS



- Anchor with 100' Line
- Battery Switch (Dual)<sup>2</sup>
- Bow Pulpit
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Sides
- Canvas, Camper (Incl. Main Sides)
- Canvas, Cockpit Cover
- Canvas, Mooring Cover
- Chart Lighter
- Compass
- Fiberglass Floor
- Flush Out Kit, Engine (OMC only)
- Gel Coat Hull, Three Tone
- Halon Fireboy
- Hatch Screen
- Head, Pumpout
- Power, Dockside w/Isolator, (50' cable) w/Battery Charger/Converter
- Refrigerator, Dual Voltage <sup>1</sup>
- Seat Adjuster, Port
- Seating, Bucket Seat on Insulated Fishwell w/Teak Rod Holders
- Snap-in Carpet
- Spot/Floodlight, Remote
- Stainless Prop (OMC) Exchange
- Stove, Alcohol - 1 Burner
- Swim Platform, Fiberglass
- Trim Tabs (Hydraulic)<sup>2</sup>
- Windshield Wipers
- SLX-1 Package:  
Three Tone Gel Coat;  
Chrome Vents; Chart Lighter;  
Color-coordinated Top, and  
Cockpit Cover
- SLX-2 Package:  
Same as SLX-1 Except: Replace Cockpit  
Cover with Color-coordinated  
Side and Aft Curtains
- SLX-3 Package:  
Same as SLX-2 Except: Replace  
Aft Curtain with Color-coordinated  
Camper Top, Side and Aft Curtains

<sup>1</sup> Requires Dockside Power  
<sup>2</sup> Standard on Twins

## OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
130-HP*	4-Cyl	680	4467
175-HP*	V-6	805	4717
200-HP*	V-8	893	4893
205-HP*	V-6	805	4717
230-HP	V-8	916	4023
260-HP	V-8	911	4018
340-HP	V-8	1210	4317

\* Twins



# CUDDYS

MODEL	HP	OMC LIST	MERC LIST
205 SUNDOWNER	OB120	\$15,765	NA
	OB 150	16,618	NA
	OB 175	17,086	NA
	OB 200	17,958	NA
	175	18,038	19,886
	200	19,058	21,262
	205	19,345	21,542
	230	19,905	22,526
	260	21,070	23,827
	270 <sup>2</sup>	22,601	25,503
215 SUNDOWNER	175	20,292	22,141
	200	21,308	23,512
	205	21,591	23,788
	230	22,191	24,812
	260	23,268	26,026
225 SUNDOWNER	200	24,138	26,342
	205	24,419	26,617
	230	25,020	27,641
	260	26,095	28,853
235 SUNDOWNER	230	28,603	31,224
	260	29,738	32,495
	340	32,009	35,191
	130 Twin	32,533	34,821
	175 Twin	36,170	39,867
	200 Twin	37,639	41,973
	205 Twin	38,627	43,021

<sup>1</sup> Counter Rotating Outdrives (OMC Only). Add retail price for stainless steel props x 2.

<sup>2</sup> Requires Brougham Package

# CUDDYS

## RECOMMENDED ENGINE(S) / EQUIPMENT AVG. WEIGHTS (LBS.)


MODEL	ENG. TYPE	BOAT	ENG.	BATY	FUEL	ACC.	TRAIL. WT.	PROP SIZE	PERF* MPH
205 SUNDOWNER	175	1935	805	50	270	200	3260	19	41-43
215 SUNDOWNER	205	2280	805	50	308	200	4093	19	40-42
225 SUNDOWNER	230	2613	916	50	431	200	4205	17	39-41
235 SUNDOWNER	260	3107	911	50	615	250	4933	17	41-43

\* Performance is an estimate and the following items can cause a variation:  
water condition - humidity - temperature - altitude - boat weight (people, hull, equipment, etc.)

## TOTAL ENGINE WEIGHTS - OUTBOARDS\* (LBS.)

120 TX*	V-4	370
150 TX*	V-6	386
175 TX*	V-6	401
200 TX*	V-6	455

\*Includes tilt, trim and VRO<sup>2</sup>™



# CUDDYS

OPTIONS / ACCESSORIES	RETAIL	205 S	215 S	225 S	235 S
ANCHOR WITH 100' LINE	\$ 55.00	•	•	•	•
BATTERY SWITCH (DUAL) <sup>2</sup>	105.00	•	•	•	•
BOW PULPIT	210.00				•
BRGM SEATING (I/O ONLY): 2 BUCKET SEATS W/ADJUSTERS & HEAD RESTS, STERN COUCH, SUNDECK	385.00	•			
CANVAS*, FULL (SIDES, AFT)	226.00	•	•		
	265.00			•	
	319.00				•
CANVAS*, AFT	132.00	•	•		
	158.00			•	
	196.00				•
CANVAS*, SIDES	94.00	•	•		
	107.00			•	
	123.00				•
CANVAS*, CAMPER (INCL. MAIN SIDES)	539.00	•			
	574.00		•		
	616.00			•	
	809.00				•
CANVAS*, COCKPIT COVER	158.00	•			
	165.00		•		
	175.00			•	
	185.00				•
CANVAS, MOORING COVER	256.00	•			
	269.00		•		
	280.00			•	
	304.00				•
CHART LIGHTER	21.00	•	•	•	•
COMPASS (AQUA METER SATURN)	119.00	•	•	•	•
COURTESY LIGHTS (COCKPIT)	42.00	•	•	STD	STD
DOCKSIDE POWER WITH ISOLATOR, 50' CABLE & BATTERY CHARGER/ CONVERTER	700.00				•
DRINK DECANTERS WITH GLASSES	108.00				•
FIBERGLASS FLOOR SNAP-IN CARPET	427.00	•	•	•	•
	154.00	•	•	•	•
FLUSH OUT KIT, ENGINE (OMC ONLY)	70.00	•	•	•	•

OPTIONS / ACCESSORIES	RETAIL	205 S	215 S	225 S	235 S
GEL COAT, THREE TONE	140.00	•	•	•	•
HALON FIREBOY – SINGLE ENG/STD – TWIN ENG/BRGM	238.00	•	•	•	•
	291.00	•			•
HATCH SCREEN	11.00	•	•	•	•
HEAD, PORTABLE	100.00	•	•	STD	STD
HEAD PUMPOUT	315.00	•	•		
	189.00			•	•
HOUR METER (EACH) <sup>3</sup> (I/O ONLY)	66.00	•	•	•	STD
PROP, STAINLESS STEEL (OMC)	140.00	•	•	•	•
REFRIGERATOR, DUAL VOLTAGE <sup>1</sup>	462.00				•
SEAT ADJUSTER, PORT-STD ON BRGM	42.00	•	•	•	•
SEAT, BUCKET-STD ON BRGM	N/C	•			
SEATING: BUCKET SEAT ON INSULATED FISHWELL WITH TEAK ROD HOLDERS (EACH)	231.00	•	•	•	•
SPOT/FLOODLIGHT, REMOTE	427.00				•
STEERING, HYDRAULIC (OB, 150-HP & UP)	390.00	•			
STEREO UPGRADE, AM/FM CASSETTE, 45W, SEEK-SCAN, WEATHERBAND, 4 SPEAKERS, LED CLOCK	168.00	•	•	•	STD
STOVE, ALCOHOL – 1 BURNER	137.00				•
SWIM PLATFORM, TEAK (FULL) GLASS (FULL) OPTION			STD	STD	STD
	N/C		•	•	•
SWIM PLATFORM TEAK INSERTS	161.00	•			
TABLE, CABIN EXTRA COCKPIT MOUNT	98.00	•	•	•	STD
	35.00	•	•	•	
TRIM TABS (HYDRAULIC) <sup>2</sup>	420.00		•	•	•
WINDSHIELD WIPER (EACH)	84.00	•	•	•	•
SLX-1 PACKAGE: STEREO UPGRADE, THREE TONE GEL, COURTESY LIGHTS CHART LIGHTER, COLOR-COORDI- NATED TOP & COCKPIT COVER, AND CHROME ENGINE VENTS ON I/O	\$490.00	•	•	•	•
SLX-2 PACKAGE: SAME AS SLX-1 EXCEPT REPLACE COCKPIT COVER WITH COLOR-COORDINATED SIDE AND AFT CURTAINS	490.00	•	•	•	•
SLX-3 PACKAGE: SAME AS SLX-2 EXCEPT REPLACE AFT CURTAIN WITH COLOR-COORDINATED CAMPER TOP, SIDE AND AFT CURTAINS (I/O ONLY)	770.00	•	•	•	•

\* White Sport Topping. Color-coordinated Canvas available only with SLX Packages.

<sup>1</sup> Requires Dockside Power    <sup>2</sup> Standard on Twins    <sup>3</sup> Engine Mount on 205, 215, 225



# 245 VISTA

## Specifications:

LOA:	23'8"
Beam:	8'6"
Boat Weight (excluding engine):	4083 lbs.
Fuel:	72 gal.
Water:	20 gal.
Power (HP):	Single 260, 340, Twin 130, 175, 205
Passengers:	10
Keel to Windshield Height:	96¼"
Freeboard:	32"
Bridge Clearance:	6'8"
Draft:	31"

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 24 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck
- Full width and depth, one piece, plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow rails, stainless
- Cleats (6) stainless
- Deck hatch
- Gel coat, three tone
- Horn (dual)
- Navigation lights
- Nonskid walk around deck
- Port lights (4)
- Ski eye, stainless
- Step pads, teak

- Swim platform, full teak, with ladder
- Taffrails, teak
- Transom light
- Walk-through transom door
- Windshield, tinted/tempered, w/vented wings

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (72 gal.) in-floor
- Auto bilge pump
- Battery retainer
- Bilge blower
- Color-coded wiring
- Counter rotating outdrives (OMC twin only)
- Depth sounder
- Fused switches
- Hour meter
- Instrumentation: fuel; oil pressure; water temp; speedometer tachometer; trim indicator; voltmeter
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette, 45W equalizer, seek-scan w/weatherband, 4 speakers & LED clock
- Trim tabs, hydraulic

### Interior

- Aft cabin
- Cabin lights
- Cabin door w/lock, teak
- Carpeting, cabin
- Canvas top, color-coordinated
- Chart lighter
- Chrome vents
- Courtesy lights
- Curtains, aft cabin
- Curtains, windows
- Dinette table
- Drink holders (cockpit)
- Fiberglass liner, self-bailing
- Galley: alcohol stove, ice box sink, storage
- Head, portable, enclosed
- Indirect lighting (cabin)
- Mirror
- Pillows (cabin decor)
- Seating: bucket seat (adjustable driver's seat); L-shaped passenger seating
- Shower (pressurized water)
- Sleeping for 4; aft cabin; vee-berth
- Storage: bow area; sidewall; under berth; floor (under steps)
- Vanity & sink, enclosed
- Water inlet (dockside)
- Water storage (20 gal.)
- Windows: aft cabin w/screens; side w/screens

## OPTIONS

- |   |  |
|---|--|
| <input type="checkbox"/> Air Conditioning/Heater  | <input type="checkbox"/> Halon Fireboy   |
| <input type="checkbox"/> Anchor with 100' Line  | <input type="checkbox"/> Hatches (2), Ventilating 12"x12"                                    |
| <input type="checkbox"/> Battery Switch (Dual) <sup>2</sup>   | <input type="checkbox"/> Hatch Screen  |
| <input type="checkbox"/> Bow Pulpit   | <input type="checkbox"/> Head Pumpout  |
| <input type="checkbox"/> Canvas, Full (Aft, Sides)  | <input type="checkbox"/> Power, Dockside w/Isolator, (50' Cable) w/Battery Charger/Converter |
| <input type="checkbox"/> Canvas, Aft  | <input type="checkbox"/> Refrigerator, (110/12V) <sup>1</sup>                                |
| <input type="checkbox"/> Canvas, Sides  | <input type="checkbox"/> Rotating Passenger Seat   |
| <input type="checkbox"/> Canvas, Camper (Incl. Main Sides)  | <input type="checkbox"/> Seating, Stern Couch  |
| <input type="checkbox"/> Canvas, Cockpit Cover  | <input type="checkbox"/> Snap-in Carpet  |
| <input type="checkbox"/> Canvas, Mooring Cover  | <input type="checkbox"/> Spot/Floodlight, Remote   |
| <input type="checkbox"/> CO (Carbon Monoxide) Monitor   | <input type="checkbox"/> Stove, Alcohol/Electric <sup>1</sup>                                |
| <input type="checkbox"/> Compass  | <input type="checkbox"/> Swin Platform, Fiberglass   |
| <input type="checkbox"/> Convenience Group: Dockside Power w/ Isolator (50' Cable) Battery Switch, Compass, Refrigerator (110/12V), Alcohol Electric Stove, Water Heater, Starboard Wiper | <input type="checkbox"/> Water Heater  |
| <input type="checkbox"/> Flush Out Kit, Engine (OMC only)   | <input type="checkbox"/> Windshield Wiper  |


<sup>1</sup> Requires Dockside Power

<sup>2</sup> Standard on Twins

### OMC Maximum Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
130-HP*	4-Cyl	680	5443
175-HP*	V-6	805	5693
205-HP*	V-8	805	5693
260-HP	V-8	911	4994
340-HP	V-8	1210	5293

\* Twins



# 267 QUEST

## Specifications:

LOA:	26'
Beam:	8'
Boat Weight (excluding engine):	4143 lbs.
Fuel:	100 gal.
Power:	Single 260
Passengers:	10
Water:	15 gal.
Keel to Windshield Height:	96 $\frac{1}{4}$ "
Freeboard:	fwd, 47"; aft 21 $\frac{1}{2}$ "
Bridge Clearance:	6' 8"
Draft:	31"

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 24 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck
- Full width and depth, one piece, plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow pulpit
- Bow rails, stainless
- Cleats (6) stainless
- Deck hatch
- Gel coat, two tone
- Horn (dual)
- Navigation lights
- Nonskid walk around deck
- Step pads, teak

- Swim platform, fiberglass
- Transom light
- Windshield, tinted/tempered, with vented wings

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (100 gal.) in-floor
- Auto bilge pump
- Battery retainer
- Bilge blower
- Color-coded wiring
- Depth sounder
- Fused switches
- Hour meter
- Instrumentation: fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter.
- Power steering
- Power trim & tilt
- Remote oil filter
- Steering wheel (padded)
- Stereo AM/FM cassette, w/weather-band & 4 speakers
- Trim tabs (hydraulic)

#### Interior

- Bait well
- Cabin lights
- Cabin door w/hasp, teak
- Carpeting, cabin
- Canvas top
- Courtesy lights
- Curtains (windows)
- Dinette table
- Drink holders, cockpit
- Fishwell
- Fiberglass liner (self-bailing)
- Galley: alcohol stove, 1-burner, ice box, sink, storage
- Glove box
- Hanging locker
- Head, portable, enclosed
- Ice chest
- Mirror
- Pillows (cabin decor)
- Seating: bucket seats (adjustable driver's seat)
- Sleeping: mid ship berth; vee-berths
- Storage: bow area; sidewall; under berth; fishing rod
- Washdown system
- Windows: front cabin; side w/screens


## OPTIONS

- |  |   |
|--|---|
| <input type="checkbox"/> Anchor with 100' Line             | <input type="checkbox"/> Hatch Screen   |
| <input type="checkbox"/> Battery Switch (Dual)             | <input type="checkbox"/> Head Pumpout   |
| <input type="checkbox"/> Canvas, Full (Aft, Sides)         | <input type="checkbox"/> Power, Dockside w/Isolator, (50' cable) and Battery Charger/Converter              |
| <input type="checkbox"/> Canvas, Aft                       | <input type="checkbox"/> Refrigerator, (110/12V) <sup>1</sup>   |
| <input type="checkbox"/> Canvas, Sides                     | <input type="checkbox"/> Seating: Stern Couch   |
| <input type="checkbox"/> Canvas, Camper (Incl. Main Sides) | <input type="checkbox"/> Snap-in Carpet   |
| <input type="checkbox"/> Canvas, Cockpit Cover             | <input type="checkbox"/> Spot/Floodlight, Remote  |
| <input type="checkbox"/> Canvas, Mooring Cover             | <input type="checkbox"/> Stereo Upgrade AM/FM Cassette, 45W, Seek-Scan w/Equalizer & Weatherband, LED Clock |
| <input type="checkbox"/> Chart Lighter                     | <input type="checkbox"/> Swim Platform, Teak  |
| <input type="checkbox"/> CO (Carbon Monoxide) Monitor      | <input type="checkbox"/> Windshield Wiper   |
| <input type="checkbox"/> Compass                           |   |
| <input type="checkbox"/> Flush Out Kit, Engine (OMC only)  |   |
| <input type="checkbox"/> Halon Fireboy                     |   |

<sup>1</sup> Requires Dockside Power

### OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
260-HP	V-8	911	5054



# 285 VISTA

## Specifications:

LOA:	28'11" / 27'5" (transom to bow)
Beam:	10'
Boat Weight (excluding engine):	7860 lbs.
Fuel:	150 gal.
Water:	35 gal.
Power (HP):	Twin: 175, 200, 205, 230, 260, 340
Passengers:	12
Keel to Windshield Height:	9'
Freeboard:	fwd. 34"; aft 28"
Bridge Clearance:	7'6" (with arch 9')
Draft:	33"

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 24 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck & hull
- Full width and depth, one piece, plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow rails, 1" stainless, welded
- Cleats, (6) stainless
- Deck hatches, (2) round
- Gel coat, three tone
- Horn (dual)
- Navigation lights
- Nonskid walk around deck
- Port lights (2)

- Swim platform, fiberglass, integrated w/ladder
- Taffrails, stainless
- Walk-through transom door
- Windshield, tinted/tempered, curved glass

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Adjustable helm seat
- Aluminum fuel tank, (twin, 75 gal.)
- Auto bilge pump
- Battery retainer
- Bilge blower
- Bulkhead pass-through hatch
- Chart lighter
- Color-coded wiring
- Compass
- Counter rotating outdrives (OMC only)
- Depth sounder
- Dockside power with battery charger/converter
- Dual battery switch
- Engine oil alarms
- Engine synchronizer
- Fused switches
- Hour meter
- Instrumentation: fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter

- Power steering
- Power trim & tilt
- Rotating L-shape passenger seat
- Steering wheel (padded)
- Stereo AM/FM cassette, 45W equalizer, seek-scan w/ weatherband 4 speakers & LED clock
- Trim tabs (hydraulic)
- Water inlet (dockside)
- Windshield wiper (stbd)

#### Interior

- Aft cabin (converts to seating)
- Cabin lights
- Cabin mirrors
- Cabin door w/lock, plexiglass
- Cabin window curtains/blinds
- Carpeting, plush (cabin)
- Canvas top, color-coordinated
- Courtesy lights
- Dinette table
- Dinette (converts to berth)
- Drink holders, cockpit
- Enclosed head w/vac-u-flush toilet
- Fiberglass floor, self-bailing (cockpit)

### Standard Features (cont)

- Full Galley: (alcohol/ electric stove, 110/12V refrigerator, sink, storage)
- Hanging storage, vee-berth
- Head holding tank (20 gal.)
- Hot water heater
- Indirect lighting
- Pillows (cabin decor)
- Seating: adjustable driver's bucket, rotating L-shape passenger seat, stern couch
- Shower (pressurized water)
- Sleeping: aft cabin, dinette, vee-berth
- Storage: bow area; sidewalls; under berth; floor
- Vanity & sink, enclosed
- Water storage (35 gal.)
- Windows: aft cabin & side, w/screens


## OPTIONS

- |  |  |
|--|--|
| <input type="checkbox"/> Air Conditioning/Heater           | <input type="checkbox"/> Halon Fireboy           |
| <input type="checkbox"/> Anchor with 100' Line             | <input type="checkbox"/> Hatch Screen            |
| <input type="checkbox"/> Canvas, Full (Aft, Sides)         | <input type="checkbox"/> Ice Maker               |
| <input type="checkbox"/> Canvas, Aft                       | <input type="checkbox"/> Loran                   |
| <input type="checkbox"/> Canvas, Sides                     | <input type="checkbox"/> Microwave               |
| <input type="checkbox"/> Canvas, Camper (Incl. Main Sides) | <input type="checkbox"/> Radar Arch              |
| <input type="checkbox"/> Canvas, Cockpit Cover             | <input type="checkbox"/> Ship to Shore Radio     |
| <input type="checkbox"/> Carpet, Snap-in                   | <input type="checkbox"/> Spot/Floodlight, Remote |
| <input type="checkbox"/> CO (Carbon Monoxide) Monitor      | <input type="checkbox"/> Windshield Wiper        |
| <input type="checkbox"/> Flush Out Kit, Engine (OMC only)  |  |
| <input type="checkbox"/> Generator, 4 kw                   |  |

### OMC Maximum Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
175-HP*	V-6	805	9470
200-HP*	V-8	906	9672
205-HP*	V-6	805	9470
230-HP*	V-8	916	9692
260-HP*	V-8	911	9682
340-HP*	V-8	1210	10,280

\* Twins



# 315 VISTA

## Specifications:

LOA:	30'6" / 29' (transom to bow)
Beam:	11'
Boat Weight (excluding engine):	9140
Fuel:	150 gal.
Water:	35 gal.
Power (HP):	Twin: 205, 230, 260, 340
Passengers:	12
Keel to Windshield Height:	9'
Freeboard:	34" fwd., 28" aft
Bridge Clearance:	7' 6" (w/arch 9')
Draft (Drives Down):	33"

## Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 24 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck & hull
- Full width and depth, one piece, plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

## Standard Features

### Exterior and Trim

- Anchor locker, bow
- Bow rails, 1" stainless welded
- Cleats, (6) stainless
- Deck hatches, (3) round
- Gel coat, three tone
- Horn (dual)
- Navigation lights
- Nonskid walk around deck

- Port lights (4)
- Swim platform, fiberglass, integrated w/ladder
- Taffrails, teak
- Walk-through transom door
- Windshield, tinted/tempered, curved glass

### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Adjustable helm seat
- Aluminum fuel tank, (twin, 75 gal.)
- Auto bilge pump
- Battery retainer
- Bilge blower
- Bulkhead pass-through hatch
- Chart lighter
- Color-coded wiring
- Compass
- Counter rotating outdrives (OMC only)
- Depth sounder
- Dockside power with battery charger/converter
- Dual battery switch
- Engine oil alarms
- Fused switches
- Hour meter

- Instrumentation: fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter.
- Power steering
- Power trim & tilt
- Rotating L-shaped passenger seat
- Steering wheel (padded)
- Stereo AM/FM cassette, 45W equalizer, seek-scan w/weatherband, 4 speakers & LED clock
- Trim tabs, hydraulic
- Water inlet (dockside)
- Windshield wiper (stbd)

### Interior

- Aft cabin (converts to seating)
- Cabin lights
- Cabin mirrors
- Cabin door w/lock, plexiglass
- Cabin windows curtains/blinds
- Carpeting, plush, cabin
- Canvas top, color-coordinated
- Courtesy lights
- Dinette table
- Dinette (converts to berth)
- Drink holders, cockpit

**Standard Features (cont)**

- Enclosed head with vac-u-flush toilet
- Fiberglass floor, self-bailing (cockpit)
- Full galley: (alcohol/ electric stove, 110/12V refrigerator, sink, storage)
- Hanging storage, vee-berth
- Head holding tank (20 gal.)
- Hot water heater
- Indirect lighting
- Pillows (cabin decor)
- Seating: adjustable driver's bucket, rotating L-shaped passenger seat, stern couch
- Shower (pressurized)
- Sleeping: aft cabin, dinette, vee-berth
- Storage: bow area; sidewalls; under berth; floor
- Vanity & sink, enclosed
- Water storage (35 gal.)
- Windows: aft cabin & side, w/screens


**OPTIONS**

- Air Conditioning/Heater
- Anchor with 100' Line
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Sides
- Canvas, Camper (Incl. Main Sides)
- Canvas, Cockpit Cover
- Carpet, Snap-in
- CO (Carbon Monoxide) Monitor
- Flush Out Kit, Engine (OMC only)
- Generator, 4 kw
- Halon Fireboy
- Hatch Screen
- Ice Maker
- Loran
- Microwave
- Radar Arch
- Ship to Shore Radio
- Spot/Floodlight, Remote
- Television
- Windshield Wiper

**OMC Maximum Engine Weights (LBS.)**

		Engine Weights	Boat & Engine Weights
205-HP*	V-6	805	10,750
230-HP*	V-8	916	10,972
260-HP*	V-8	911	10,962
340-HP*	V-8	1210	11,560

\* Twins





# CRUISERS

MODEL	HP	OMC LIST	MERC LIST
245 VISTA	260	\$32,511	\$35,228
	340	34,666	37,800
	130 Twin	35,100	37,354
	175 Twin	38,679	42,321
	205 Twin	41,099	45,442
267 QUEST	260	35,155	37,912
285 VISTA	175 Twin	61,642	65,284
	200 Twin	63,642	67,985
	205 Twin	64,200	68,582
	230 Twin	65,382	70,487
	260 Twin	67,618	73,051
	340 Twin	71,197	77,466
315 VISTA	205 Twin	70,281	74,609
	230 Twin	71,463	76,627
	260 Twin	73,582	79,015
	340 Twin	78,056	84,325



## RECOMMENDED ENGINE(S) / EQUIPMENT AVG. WEIGHTS (LBS.)

MODEL	ENG. TYPE	BOAT	ENG.	BATY	FUEL	ACC.	TRAIL. WT.	PROP. SIZE	PERF. * MPH
245 VISTA	260	4083	911	50	430	250	5,724	15	37-39
267 QUEST	260	4143	911	50	615	350	6,068	15	35-37
285 VISTA	175**	7860	1610	50	923	840	11,103	14	TBD
315 VISTA	260**	9140	1822	100	923	840	12,825	14	41-43

\* Performance is an estimate and the following items can cause a variation:  
water condition - humidity - temperature - altitude - boat weight (people, hull, equipment, etc.)

\*\* Twins

# CRUISERS



# CRUISERS

OPTIONS / ACCESSORIES	RETAIL	245 V	267 Q	285 V	315 V
AIR CONDITIONER/HEATER <sup>1</sup>	\$2,380.00	•			
	3,872.00			•	•
ANCHOR WITH 100' LINE	105.00	•	•	•	•
BATTERY SWITCH (DUAL) <sup>2</sup>	105.00	•	•	STD	STD
BOW PULPIT	125.00	•	STD	STD	STD
CANVAS, FULL (SIDES, AFT)	319.00	•	•		
	641.00			•	•
CANVAS, SIDE CURTAIN	123.00	•	•		
	246.00			•	•
CANVAS, AFT	196.00	•	•		
	395.00			•	•
CANVAS, CAMPER (INCL MAIN SIDES)	809.00	•	•		
	1,620.00			•	•
CANVAS, COCKPIT COVER	266.00	•	•		
	532.00			•	•
CANVAS, MOORING COVER	350.00	•	•		
CARPET, SNAP-IN	231.00	•	•	•	•
CHART LIGHTER	21.00	STD	•	STD	STD
CO (CARBON MONOXIDE) MONITOR	205.00	•	•	•	•
COMPASS (AQUA METER SATURN)	119.00	•	•	STD	STD
CONVENIENCE GROUP: DOCKSIDE POWER w/ISOLATOR (50' CABLE), BATTERY SWITCH, COMPASS, REFRIGERATOR (110/12V), ALCOHOL ELECTRIC STOVE, WATER HEATER, STBD. WIPER	1821.00	•			
DOCKSIDE POWER WITH ISOLATOR, 50' CABLE AND BATTERY CHARGER/CONVERTER	700.00	•	•	STD	STD
FLUSH OUT KIT, ENGINE- OMC ONLY EACH	70.00	•	•	•	•
GENERATOR, 4KW	5,460.00			•	•
HALON FIREBOY	291.00	•	•	•	•
HATCHES (TWO), VENTILATING 12"x12"	289.00	•			
HATCH SCREEN (EACH)	11.00	•	•	•	•
HEAD, PUMPOUT	189.00	•	•		
ICE MAKER	654.00			•	•
LORAN NAVIGATION	1,095.00			•	•

OPTIONS / ACCESSORIES	RETAIL	245 V	267 Q	285 V	315 V
MICROWAVE	420.00			•	•
RADAR ARCH	1,386.00			•	•
REFRIGERATOR, DUAL VOLTAGE <sup>1</sup>	462.00	•	•	STD	STD
SEATING: STERN COUCH	350.00	•	•	STD	STD
PSGR SEAT - ROTATING	315.00	•		STD	STD
SHIP TO SHORE RADIO	995.00			•	•
SPOT/FLOODLIGHT, REMOTE	427.00	•	•	•	•
STEREO UPGRADE, AM/FM CASSETTE, 45W, SEEK-SCAN, WEATHERBAND, 4 SPEAKERS, LED CLOCK	168.00	STD	•	STD	STD
STOVE, ALCOHOL/ELECTRIC	336.00	•			
SWIM PLATFORM: FIBERGLASS	N/C	•			
TEAK	N/C		•		
TELEVISION	370.00				•
WATER HEATER <sup>1</sup>	350.00	•		STD	STD
WINDSHIELD WIPER (EACH)	84.00	•	•	•	•

<sup>1</sup> Requires Dockside Power    <sup>2</sup> Standard on Twins



# 201 LIBERATOR

## Specifications:

LOA:	20'9" / 19'4" (transom to bow)
Beam:	7'8"
Boat Weight (excluding engine):	1980 lbs.
Fuel:	44 gal.
Power (HP):	270
Passengers:	8
Keel to Windshield Height:	64"
Freeboard:	32"

## Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 18 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

## Standard Features

### Exterior and Trim

- Anchor locker, bow
- Bow rails, stainless
- Cleats (4)
- Deck hatch
- Gel coat, three tone
- Horn
- Navigation lights
- Prop, stainless
- Ski eye, stainless

- Swim platform, fiberglass, integrated w/ladder
- Taffrails, stainless
- Thru hull exhaust w/mufflers
- Windshield, tinted/tempered, bent glass, with vented wings

### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (44 gal.) in-floor
- Auto bilge pump
- Battery retainer
- Bilge blower
- Color-coded wiring
- Depth sounder
- Engine hatch, hydraulic assist with mirror
- Fused switches
- Instrumentation: fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter.
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette, 45W equalizer, w/weatherband, 4 speakers & LED clock

### Interior


- Cabin lights
- Cabin door w/hasp, plexiglass
- Carpeting
- Canvas top, color-coordinated
- Chart lighter
- Cockpit cover, color-coordinated
- Courtesy lights
- Drink holders (cockpit)
- Engine compartment lights
- Ice chest
- Indirect lighting, (cabin)
- Mirror
- Seating: cushioned aft sundeck; custom molded bucket seats (adjustable driver's seat); wrap-around stern couch; vee-berth cushions
- Sleeping for 2: vee-berth
- Storage: bow area; sidewall; under berth; ski; engine compartment; concealed top

# OPTIONS

- Anchor with 100' Line
- Battery Switch (Dual)
- Canvas, Full (Side, Aft)
- Canvas, Aft
- Canvas, Side
- Canvas, Mooring Cover
- Compass
- Fiberglass Floor
- Flush Out Kit, Engine (OMC only)
- Halon Fireboy
- Hatch Screen
- Head, Portable
- Head Pumpout
- Hour Meter
- Snap-in Carpet
- Swim Platform, Teak Insert
- Windshield Wiper

## OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
270-HP	V-8	906	2886



# 211 LIBERATOR

## Specifications:

LOA:	21"
Beam:	8'
Boat Weight (excluding engine):	2110 lbs.
Fuel:	44 gal.
Power (HP):	Single 270 or 340
Passengers:	8
Keel to Windshield Height:	66"
Freeboard:	35"

## Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 18 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck
- Full width and depth, one piece plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

## Standard Features

### Exterior and Trim

- Bow rails, stainless
- Cleats (4)
- Deck hatch
- Gel coat, three tone
- Horn
- Navigation lights
- Prop, stainless

- Ski eye, stainless
- Swim platform, full teak, w/ladder
- Taffrails, stainless
- Thru hull exhaust w/mufflers
- Windshield, tinted/tempered, with vented wings

### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (44 gal.) in-floor
- Auto bilge pump
- Battery retainer
- Bilge blower
- Color-coded wiring
- Depth sounder
- Engine hatch, hydraulic, assist, with mirror
- Fused switches
- Instrumentation: fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter.
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette, 45W equalizer, seek-scan w/weatherband, 4 speakers & LED clock

### Interior


- Cabin lights
- Cabin door w/hasp, teak
- Carpeting
- Canvas top, color-coordinated
- Chart lighter
- Cockpit cover, color-coordinated
- Courtesy lights
- Drink holders (cockpit)
- Engine compartment lights
- Ice chest
- Indirect lighting (cabin)
- Mirror
- Seating: cushioned aft sundeck; custom molded bucket seats (adjustable driver's seat); wrap-around stern couch; vee-berth cushions
- Sleeping for 2: vee-berth
- Storage: bow area; sidewall; under berth; ski; engine compartment; concealed top

# OPTIONS

- Anchor with 100' Line
- Battery Switch, Dual
- Canvas, Full (Side, Aft)
- Canvas, Aft
- Canvas, Side
- Canvas, Mooring Cover
- Compass
- Docking Lights
- Exhaust Thru Prop (340 Only)
- Fiberglass Floor
- Flush Out Kit, Engine (OMC only)
- Halon Fireboy
- Hatch Screen
- Head, Portable
- Head Pumpout
- Hour Meter
- Snap-in Carpet
- Swim Platform, Fiberglass
- Table, Cockpit Mount
- Trim Tabs (Hydraulic)
- Windshield Wiper

## OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
270-HP	V-8	906	3016
340-HP	V-8	1210	3320





# 241 LIBERATOR

## Specifications:

LOA:	23'8"
Beam:	8'6"
Boat Weight (excluding engine):	3107 lbs.
Fuel:	100 gal.
Water:	15 gal.
Power:	Single 270, 340 Twin 205*, 230*, 260*, 270
Passengers:	10
Keel to Windshield Height:	76½"
Freeboard:	38"

\* Thru prop exhaust only

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 24 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck
- Full width and depth, one piece plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow rails, stainless
- Cleats (6) stainless
- Deck hatch
- Gel coat, three tone
- Horns, dual
- Navigation lights
- Prop(s), stainless
- Ski eye, stainless
- Swim platform, full teak w/ladder

- Taffrails, stainless
- Thru hull exhaust w/mufflers
- Transom light
- Windshield, tinted/tempered, with vented wings

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (100 gal.) in-floor
- Auto bilge pump
- Battery retainer
- Bilge blower
- Color-coded wiring
- Compass
- Counter rotating outdrives (OMC twins only)
- Depth sounder
- Engine hatch, hydraulic assist, with mirror
- Fused switches
- Hour meter
- Instrumentation: fuel; oil pressure; water temp.; speedometer; tachometer; trim indicator; voltmeter.
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette, 45W equalizer, seek-scan w/weatherband, 4 speakers & LED clock
- Trim tabs (hydraulic)

#### Interior

- Cabin lights
- Cabin door w/hasp, teak
- Carpeting
- Canvas top, color-coordinated
- Chart lighter
- Cockpit cover, color-coordinated
- Courtesy lights
- Dinette table
- Drink holders (cockpit)
- Engine compartment lights
- Head, portable
- Indirect lighting (cabin)
- Mirror
- Pillows, cabin decor
- Seating: cushioned aft sundeck; custom molded bucket seats (adjustable driver's seat); wrap-around stern couch; vee-berth cushions
- Sleeping for 2: vee-berth
- Storage: bow area; sidewall; under berth; ski; engine compartment, concealed top
- Water storage (15 gal.)
- Wet bar w/ice box, decanters, glasses (cabin)

## OPTIONS

- |   |   |
|---|---|
| <input type="checkbox"/> Anchor with 100' Line                | <input type="checkbox"/> Hatch Screen   |
| <input type="checkbox"/> Battery Switch (Dual) <sup>2</sup>   | <input type="checkbox"/> Head Pumpout   |
| <input type="checkbox"/> Bolster Seat,<br>Convertible-powered | <input type="checkbox"/> Power, Dockside, w/Isolator (50' cable)<br>and Battery Charger/Converter |
| <input type="checkbox"/> Canvas, Full (Side, Aft)             | <input type="checkbox"/> Refrigerator (110/12V) <sup>1</sup>                                      |
| <input type="checkbox"/> Canvas, Aft                          | <input type="checkbox"/> Snap-in Carpet   |
| <input type="checkbox"/> Canvas, Side                         | <input type="checkbox"/> Swim Platform, Fiberglass  |
| <input type="checkbox"/> Canvas, Mooring Cover                | <input type="checkbox"/> Table Mount, Cockpit Extra   |
| <input type="checkbox"/> Docking Lights                       | <input type="checkbox"/> Trim Tabs (Hydraulic) <sup>2</sup>                                       |
| <input type="checkbox"/> Exhaust Thru Prop (340 only)         | <input type="checkbox"/> Windshield Wiper   |
| <input type="checkbox"/> Fiberglass Floor                     |   |
| <input type="checkbox"/> Flush Out Kit, Engine (OMC only)     |   |
| <input type="checkbox"/> Halon Fireboy                        |   |


<sup>1</sup> Requires Dockside Power

<sup>2</sup> Standard on Twins

### OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
205-HP*	V-6	805	4717
230-HP*	V-8	911	4929
260-HP*	V-8	911	4929
270-HP	V-8	906	4013
340-HP	V-8	1210	4317

\* Twins



# 261 LIBERATOR

## Specifications:

LOA:	26'
Beam:	8'
Boat Weight (excluding engine):	3686 lbs.
Fuel:	100 gal.
Water:	15 gal.
Power:	Single 340; Twin 270, 340
Passengers:	10
Keel to Windshield Height:	75"
Freeboard:	35"

### Value Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up 24 oz. woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for rigidity and sound deadening
- Balsa core reinforced deck
- Full width and depth, one piece plywood transom
- Wood backing at all through-the-hull-and-deck fastening points
- Boating Industry Association certification
- *Winning Edge* 3-Year Owner Protection Plan

### Standard Features

#### Exterior and Trim

- Anchor locker, bow
- Bow rails, stainless
- Cleats (6) stainless
- Deck hatch
- Gel coat, three tone
- Horns (dual)
- Navigation lights
- Props, stainless
- Ski eye, stainless
- Swim platform, full teak, w/ladder
- Taffrails, stainless
- Thru hull exhaust w/mufflers

- Transom light
- Windshield, tinted/tempered, with vented wings

#### Functional and Convenience

- AM/FM antenna w/noise suppressor
- Aluminum fuel tank, (100 gal.) in-floor
- Auto bilge pump
- Battery retainer
- Battery switch (dual, twins only)
- Bilge blower
- Color-coded wiring
- Compass
- Counter rotating outdrives (OMC twins only)
- Depth sounder
- Engine hatch, hydraulic assist w/mirror
- Fused switches
- Instrumentation: engine synchronizer; hour meter; fuel; oil pressure; water temp. gauges; speedometer; tachometer; trim indicator; voltmeter.
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette, 45W, equalizer, seek-scan w/weatherband, 4 speakers & LED clock
- Trim tabs, hydraulic

#### Interior

- Cabin lights
- Cabin door w/hasp, teak
- Carpeting
- Canvas top color-coordinated
- Chart lighter
- Cockpit cover, color-coordinated
- Courtesy lights
- Curtain in vee-berth
- Dinette table
- Drink holders, cockpit
- Engine compartment lights
- Head, portable
- Indirect lighting (cabin)
- Mirror
- Pillows (cabin decor)
- Seating: cushioned aft sundeck; custom molded bucket seats (driver's adjustable); wrap around stern couch; vee-berth cushions
- Sleeping for 4: dinette converts to berth; vee-berth
- Storage: bow area; sidewall; under berth; ski; engine compartment; concealed top
- Water storage (15 gal.)
- Wet bar w/ice box, decanters, glasses (cabin)

# OPTIONS

- |   |  |
|---|--|
| <input type="checkbox"/> Anchor with 100' Line                | <input type="checkbox"/> Flush Out Kit, Engine (OMC only)  |
| <input type="checkbox"/> Battery Switch (Dual) <sup>2</sup>   | <input type="checkbox"/> Halon Fireboy   |
| <input type="checkbox"/> Bolster Seat,<br>Convertible-powered | <input type="checkbox"/> Hatch Screen  |
| <input type="checkbox"/> Canvas, Full (Aft, Sides)            | <input type="checkbox"/> Head Pumpout  |
| <input type="checkbox"/> Canvas, Aft                          | <input type="checkbox"/> Power, Dockside w/Isolator (50' cable)<br>and Battery Charger/Converter |
| <input type="checkbox"/> Canvas, Sides                        | <input type="checkbox"/> Refrigerator (110/12V) <sup>1</sup>                                     |
| <input type="checkbox"/> Canvas, Mooring Cover                | <input type="checkbox"/> Snap-in Carpet  |
| <input type="checkbox"/> Docking Lights                       | <input type="checkbox"/> Swim Platform, Fiberglass   |
| <input type="checkbox"/> Exhaust Thru Prop (340 Only)         | <input type="checkbox"/> Table Mount, Cockpit Extra  |
| <input type="checkbox"/> Fiberglass Floor                     | <input type="checkbox"/> Windshield Wiper  |


<sup>1</sup> Requires Dockside Power

<sup>2</sup> Standard on Twins

## OMC Maximum Boat & Engine Weights (LBS.)

		Engine Weights	Boat & Engine Weights
270-HP*	V-8	906	5498
340-HP*	V-8	1210	6106
340-HP	V-8	1210	4896

\* Twins



# PERFORMANCE

MODEL	HP	OMC LIST	MERC LIST
201 LIBERATOR	270	24,925	27,784
211 LIBERATOR	270	26,425	29,284
	340	27,981	31,115
241 LIBERATOR	270*	31,538	34,397
	340*	33,071	36,273
	205 Twin**1,2	39,600	43,994
	230 Twin**1,2	40,678	45,513
	260 Twin**1,2	42,619	47,724
	270 Twin**2	43,752	49,140
261 LIBERATOR	340**	38,393	41,527
	270 Twin**2	49,104	54,493
	340 Twin**2	51,945	58,213

\* Trim Tabs Recommended

\*\* Price Includes Trim Tabs

<sup>1</sup> Thru-Hull Exhaust Not Available

<sup>2</sup> Counter Rotating Outdrives (OMC Only)

## RECOMMENDED ENGINE(S) / EQUIPMENT AVG. WEIGHTS (LBS.)

MODEL	ENG. TYPE	BOAT	ENG.	BATY	FUEL	ACC.	TRAIL. WT.	PROP. SIZE	PERF* MPH
201 LIBERATOR	270	1980	906	50	270	100	3531		55-60
211 LIBERATOR	270	2110	906	50	270	150	3491		46-48
241 LIBERATOR	340	3107	1210	50	615	200	5182		45-50
261 LIBERATOR	270**	3686	1822	100	615	250	6473	21	50-55

\* Performance is an estimate and the following items can cause a variation: - water condition - humidity - temperature - altitude - boat weight (people, hull, equipment, etc.)

\*\* Twins


















# PERFORMANCE

OPTIONS / ACCESSORIES	RETAIL	201 L	211 L	241 L	261 L
ANCHOR WITH 100' LINE	\$ 55.00	•	•	•	•
BATTERY SWITCH (DUAL) <sup>2</sup>	105.00	•	•	•	•
BOLSTER SEAT - POWER, CONVERTIBLE - EACH	840.00		•	•	
CANVAS, FULL (SIDE, AFT)	232.00	•	•		
	319.00			•	•
CANVAS, AFT	137.00	•	•		
	196.00			•	•
CANVAS, SIDE	95.00	•	•		
	123.00			•	•
CANVAS MOORING, COVER	260.00	•	•		
	375.00			•	•
COMPASS (AQUA METER SATURN)	119.00	•	•	STD	STD
DOCKING LIGHTS	300.00		•	•	•
DOCKSIDE POWER WITH ISOLATOR, 50' CABLE AND BATTERY CHARGER/CONVERTER	700.00			•	•
EXHAUST THRU PROP <sup>3</sup>	N/C		•	•	•
FIBERGLASS FLOOR SNAP-IN CARPET	427.00	•	•	•	•
	154.00	•	•	•	•
FLUSH OUT KIT, ENGINE (OMC only-ea)	70.00	•	•	•	•
HALON FIREBOY	291.00	•	•	•	•
HATCH SCREEN (EACH)	11.00	•	•	•	•
HEAD-PORTABLE	126.00	•	•	STD	STD
HEAD PUMPOUT	315.00	•	•		
	189.00			•	•
HOUR METER	66.00	•	•	STD	STD
REFRIGERATOR, DUAL VOLTAGE <sup>1</sup>	462.00			•	•
SWIM PLATFORM, FIBERGLASS	N/C		•	•	•
SWIM PLATFORM, TEAK INSERTS	161.00	•			
TABLE, COCKPIT MOUNT	133.00		•		
TABLE MOUNT, COCKPIT (EXTRA)	35.00			•	•
TRIM TABS (HYDRAULIC) <sup>2</sup>	420.00		•	•	STD
WINDSHIELD WIPER (EACH)	84.00	•	•	•	•

<sup>1</sup> Requires Dockside Power    <sup>2</sup> Standard on Twins    <sup>3</sup> Not Available on OMC 270

# TECHNICAL DATA

1988 MODEL DATA	L.O.A.	TRANS. TO BOW	BEAM	KEEL TO W/S SHELF	TOTAL HEIGHT	TRANS. ANGLE
	A	B	C	D	E	
 160 FREEDOM I/O	16'	16'	7'2"	45½"	59"	13°
 160 FREEDOM OB	16'	16'	7'2"	45½"	59"	13°
 180 HORIZON I/O	18'6"	17'1"	7'3"	41½"	57"	14°
 180 HORIZON OB	18'6"	17'1"	7'3"	41½"	57"	14°
 200 HORIZON I/O	20'9"	19'4"	7'8"	49"	64"	14°
 200 HORIZON OB	20'9"	19'4"	7'8"	49"	64"	14°
 210 HORIZON I/O	21'	21'	8'	54"	68"	14°
 180 CANDIA I/O	19'8"	18'3"	7'8"	46"	61"	12°
 180 CANDIA OB	19'8"	18'3"	7'8"	46"	61"	12°
 200 CANDIA I/O	21'7"	20'	8'	43"	58"	12°
 205 SUNDOWNER I/O	20'9"	19'4"	7'8"	53"	67"	14°
 205 SUNDOWNER OB	20'9"	19'4"	7'8"	53"	67"	14°
 215 SUNDOWNER I/O	21'	21'	8'	59½"	74"	14°
 225 SUNDOWNER I/O	22'5"	22'5"	8'	66½"	82½"	11°
 235 SUNDOWNER I/O	23'8"	23'8"	8'6"	62¾"	78¾"	13°

# TECHNICAL DATA









DEAD RISE F	O.B. TRANS. HEIGHT G	FREEBOARD HEIGHTS		NO. OF PERS./CAP.	TOTAL WT. CAP.	GAL. FUEL CAP.	MAX H.P.	MAX WT. w/o ENGINE
		STERN H	DASH I					
23°		27"	28"	7/1,000	1,300	19	130	1,280
23°	20½"	27"	28"	6/850	1,400	18	120	1,200
18°		28"	29"	8/1,040	1,040	27	205	1,575
18°	25"	28"	29"	8/1,130	1,850	27	150	1,620
19°		29½"	33½"	10/1,410	1,510	44	270	1,755
19°	25"	29½"	33½"	10/1,410	2,270	44	200	1,800
19°		33"	36"	10/1,400	2,100	44	340	2,080
19°		31½"	31"	10/1,410	1,600	27	230	1,890
19°	25"	31½"	31"	10/1,410	2,200	27	175	1,935
19°		30"	30"	13/1,805	1,805	27	260	2,300
19°		32½"	38½"	10/1,410	1,470	44	270	1,935
19°	25"	32½"	38½"	10/1,410	2,185	44	175	1,980
19°		34"	40"	10/1,400	2,100	50	260	2,280
19°		37"	45"	10/1,400	2,410	70	260	2,613
22°		30¾"	38¾"	10/1,410	2,955	100	205*	3,107


\* Twin 205s

\* Single 340



# TECHNICAL DATA



1988 MODEL DATA	L.O.A. A	TRANS. TO BOW	BEAM B	KEEL TO W/S SHELF C	TOTAL HEIGHT D	TRANS. ANGLE E
 <b>245 VISTA</b>	23'8"	23'8"	8'6"	80"	96¼"	13°
 <b>267 QUEST</b>	26'	26'	8'	80½"	96¼"	14°
 <b>285 VISTA</b>	28'11"	27'5"	10'	93"	9'	12°
 <b>315 VISTA</b>	30'6"	29'	11'	95"	10'9"	12°
 <b>201 LIBERATOR I/O</b>	20'9"	19'4"	7'8"	51"	64"	14°
 <b>211 LIBERATOR I/O</b>	21'	21'	8'	54½"	66"	14°
 <b>241 LIBERATOR I/O</b>	23'8"	23'8"	8'6"	63"	76½"	13°
 <b>261 LIBERATOR I/O</b>	26'	26'	8'	61½"	75"	14°



# TECHNICAL DATA

DEAD RISE F	O. B. TRANS. HEIGHT G	FREEBOARD HEIGHTS STERN DASH H I		NO. OF PERS./CAP.	TOTAL WT. CAP.	GAL. FUEL CAP.	MAX H.P.	MAX WT. w/o ENGINE
22°		29"	32 1/4"	10/1,410	3,200	72	205*	4,083
20 1/2°		21 1/2"	47"	10/1,410	3,500	100	260	4,143
21°		27"	34"	12		150	340*	7,680
19°		28"	34"	12		150	340*	9,140
19°		36"	33"	8/1,160	1,565	44	270	1,980
19°		31"	35"	8/1,160	2,100	44	340	2,110
22°		31 3/4"	37 1/2"	10/1,410	2,955	100	270*	3,107
20 1/2°		31"	36 1/2"	10/1,410	3,645	100	340*	3,686

\* Twin 340s



# I/O SPECIFICATIONS

<b>ENGINE</b>	<b>2.3 Litre/128</b>	<b>3 Litre/130</b>	<b>4.3 Litre/175</b>
<b>Horsepower</b>	128	130	175
<b>Displacement (Litres/Cubic inches)</b>	2.3/140	3.0/181	4.3/262
<b>Cylinders</b>	4	4	6
<b>Bore/Stroke</b>	3.78" × 3.125"	4.000" × 3.600"	4.000" × 3.480"
<b>Compression Ratio</b>	9.0:1	8.5:1	9:3.1
<b>Main Bearings</b>	5	5	4
<b>Carburetion</b>	2-Venturi, adj. low speed/fixed high speed jets	2-Venturi, adj. low speed/fixed high speed jets	2-Venturi, adj. low speed/fixed high speed jets
<b>Choke</b>	Automatic	Automatic	Automatic
<b>Full Throttle Operating Range (in RPM's)</b>	5200-5600	4200-4600	4200-4600
<b>DRIVE UNIT</b>			
<b>Shift</b>	Mech. F-N-R	Mech. F-N-R	Mech. F-N-R
<b>Gear Ratio</b>	2.0:1	1.71:1	1.68:1
<b>Maximum Prop Diameter</b>	14"	14"	15½"
<b>DIMENSIONS</b>			
<b>Length</b>	34¾"	33 <sup>15</sup> / <sub>16</sub> "	31¾"
<b>*Height – Above Crankshaft Centerline</b>	19 <sup>1</sup> / <sub>8</sub> "	19 <sup>5</sup> / <sub>8</sub> "	19 <sup>9</sup> / <sub>16</sub> "
<b>Total Weight With Power Steering</b>	650 lbs.	680 lbs.	805 lbs.
<b>STANDARD/OPTIONAL FEATURES</b>			
<b>Power Trim</b>	STD.	STD.	STD.
<b>Power Steering</b>	OPT.	OPT.	STD.
<b>Thru-Hub™ Exhaust</b>	STD.	STD.	STD.
<b>Transom Mounting</b>	STD.	STD.	STD.
<b>High Output Alternator</b>	STD.	STD.	STD.
<b>4-Anode Saltwater Protection</b>	STD.	STD.	STD.
<b>Hardened Alloy Steel Drive Shaft</b>	STD.	STD.	STD.
<b>19-Step Metal Preparation</b>	STD.	STD.	STD.
<b>Deep Guard™ Anti-Corrosive Aluminum Alloy</b>	STD.	STD.	STD.
<b>CobraSkin™ High-Solid Paint Finish</b>	STD.	STD.	STD.
<b>Hydraulic Shock Absorbers</b>	STD.	STD.	STD.
<b>Easy Access Water Pump</b>	STD.	STD.	STD.
<b>Stainless Steel Heli-Coil® Inserts</b>	STD.	STD.	STD.
<b>Remote Oil Filter</b>	N.A.	N.A.	OPT.
<b>Engine Oil Cooler</b>	N.A.	N.A.	N.A.
<b>Thru-Transom Exhaust</b>	N.A.	N.A.	N.A.
<b>OMC 1 + 2™ Extended Protection Plan</b>	OPT.	OPT.	OPT.
<b>Counter Rotation</b>	N.A.	N.A.	Model Available

\*Add 13½" for height above anti-ventilation plate

# I/O SPECIFICATIONS

4.3 Litre/205	5 Litre/200	5 Litre/230	5.7 Litre/260	350 C.I./270	460 C.I./340
205	200	230	260	270	340
4.3/262	5.0/305	5.0/305	5.7/350	5.7/350	7.5/460
6	8	8	8	8	8
4.000" x 3.480"	3.736" x 3.480"	3.736" x 3.480"	4.000" x 3.480"	4.000" x 3.480"	4.36/3.85
9.3:1	9.3:1	9.3:1	9.3:1	9.3:1	9.0:1
4	5	5	5	5	5
4-Venturi, adj. low speed/fixed high speed jets	2-Venturi, adj. low speed/fixed high speed jets	4-Venturi, adj. low speed/fixed high speed jets	4-Venturi, adj. low speed/fixed high speed jets	4-Venturi, adj. low speed/fixed high speed jets	Holley, 4-Venturi adj. low speed/fxd high spd jets
Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
4400-4800	4200-4600	4200-4600	4200-4600	4200-4600	4400-4800
Mech. F-N-R	Mech. F-N-R	Mech. F-N-R	Mech. F-N-R	Mech. F-N-R	Mech. F-N-R
1.68:1	1.50:1	1.50:1	1.41:1	1.41:1	1.43:1
15½"	15½"	15½"	15½"	15½"	17"
31¾"	36¼"	36¼"	36¼"	36¼"	39⅝"
19¾"	20⅜"	19⅞"	19⅞"	20⅞"	22⅞"
805 lbs.	906 lbs.	916 lbs.	911 lbs.	906 lbs.	1210 lbs.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	N.A.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
STD.	STD.	STD.	STD.	STD.	STD.
OPT.	OPT.	OPT.	OPT.	STD.	STD.
N.A.	N.A.	N.A.	N.A.	STD.	STD.
N.A.	OPT.	OPT.	OPT.	STD.	OPT.
OPT.	OPT.	OPT.	OPT.	OPT.	OPT.
Model Available	Model Available	Model Available	Model Available	Model Available	Model Available

# OB SPECIFICATIONS

DESCRIPTION	200 X-Long	(1) 175 X-Long (2) 150 X-Long
	200 TX	175 TX / 150 TX
SHAFT LENGTH (inches)	25	25 / 25
WEIGHT (lbs.)	455	401 / 386
ENGINE TYPE	Loop Charged 90° V-6	90° V-6
BORE, STROKE DISPLACEMENT CUBIC INCHES (C.C.)	3.685x2.858 183 (3000 c.c.)	(175) 3.625x2.588 160.3 (2626 c.c.) (150) 3.5000x2.588 149.4 (2448 c.c.)
STARTING	Electric 12-volt key switch	Electric 12-volt key switch
TRIM METHOD	Power trim & tilt standard	Power trim & tilt standard
PROPSHAFT HORSEPOWER	200 at 5500 RPM	175-HP at 5250 RPM 150-HP at 5000 RPM
FULL-THROTTLE OPERATING RANGE	5000-6000 RPM	(175) 4750-5750 RPM (150) 4500-5500 RPM
GEAR RATIO/SHIFT	14:26 (.54)/F-N-R	14:26 (.54)/F-N-R
CARBURETION	4 carburetors, 6 throats	3 dual-throat carburetors
ALTERNATOR	35 amp with voltage regulator	(175) 35 amp with voltage regulator (150) 3/9 amp with voltage regulator
COOLING	Automatic throttle- temperature controlled	Automatic pressure- temperature controlled
STEERING: TILLER, REMOTE AND/OR POWER	Remote	Remote
ACCEPTS TILT TUBE STEERING	Standard	Standard
STOP BUTTON	Key Switch	Key Switch
THROTTLE & SHIFT CONTROLS*	Power Pilot control center	Power Pilot control center
EMERGENCY IGNITION CUT-OFF†	Standard	Standard
STEERING CONNECTOR KIT*	Standard	Standard

\* Power Pilot control center and a stainless steel drag link are shipped with every Evinrude remote electric start motor 20-HP and up but priced separately (except SPRINT and racing types).

† Only standard if you keep Power Pilot control. Otherwise is accessory.

° The propeller that comes with your new outboard (NOT SUPPLIED with 50-HP and up) is designed to give you the best performance for the vast majority of the applications and uses of that outboard. For special applications or uses, your dealer will help you select a propeller that may be different from the one that comes with the motor. For models of 50-HP and up, as well as for special needs, a wide variety of props is available at extra cost. Does not apply to 45SS and 15A.

# OB SPECIFICATIONS

(1) 120 X-Long

(2) 120 Long

**120 TX**

90 Long

**90 TX**

70 Long

**70 TX**

(1) 25 / (2) 20

20

20

370 / 365

301

257

Loop Charged  
90° V-4

90° V-4

Loop Charged  
3-cyl. in line

3.685x2.858  
122  
(2000 c.c.)

3.500x2.588  
99.6  
(1632 c.c.)

3.187x2.344  
56.1 (920 c.c.)

Electric 12-volt key switch

Electric 12-volt key switch

Electric 12-volt key switch

Power trim & tilt standard

Power trim & tilt standard

Power trim & tilt standard

120-HP at 5500 RPM

90-HP at 5000 RPM

70-HP at 5500 RPM

5000-6000 RPM

4500-5500 RPM

5000-6000 RPM

13:26 (.5)/F-N-R

13:26 (.5)/F-N-R

12:29 (.414)/F-N-R

2 dual-throat carburetors

2 dual-throat carburetors

3 carburetors

3/9 amp with  
voltage regulator

3/9 amp with  
voltage regulator

3/6 amp  
standard

Automatic throttle-  
temperature controlled

Automatic pressure-  
temperature controlled

Automatic pressure-  
temperature controlled

Remote

Remote

Remote

Standard

Standard

Standard

Key Switch

Key Switch

Key Switch

Power Pilot control center

Power Pilot control center

Power Pilot control center

Standard

Standard

Standard

Standard

Standard

Standard

## ALL OUTBOARD MODELS

**MAXIMUM BOAT HORSEPOWER:** Most outboard boats by law must now carry a plate certifying the maximum horsepower permitted under U.S. Coast Guard regulations.

**FUEL FACTS:** All new Evinrude motors can use lead-free gasoline, leaded regular gasoline, or gasoline with up to 10% ethanol, or up to 5% methanol with co-solvents, so long as the fuel is at least 87 octane, mixed with Evinrude TC-W outboard lubricant. See owner's manual for specifics.

If EVINRUDE Outboard Lubricant is not available another BIA certified TC-W or CEC approved lubricant (oil) may be used at the recommended mixing ratio.

# TRAILER SPECIFICATIONS

	160 FREEDOM D02214	180 HORIZON D02716	200 HORIZON D04018
Length with tongue	18'1"	19'3"	21'11"
Length without tongue	14'4"	15'8"	18'3"
Width	90"	95"	95"
Empty Weight	620#	700#	900#
Carrying Capacity	2,150#	2,700#	4,000#
GVWR (Gross Vehicle Wt. Rating)	2,770#	3,420#	5,000#
GAWR (Gross Axle Wt. Rating)	2,770#	3,420#	2,500#
Height (Top of Windshield, Boat on Trailer)	6'	6'	6'9"
Tire Size F78-14 ST	B Load Range	C Load Range	B Load Range
Raised White Letter Tires	4 Ply	6 Ply	4 Ply
Tire Capacity (Trailer Rating)	1,385#	1,710#	1,385#
Side Rails	1 Piece 4 x 2 x 11 Galvanized Structural Tubing		Same
Crossmembers	1 Piece 3 x 2 x 11 Galvanized Structural Tubing		Same
Tongue	1 Piece 3 x 3 x 11 Galvanized Structural Tubing		3 x 4 x 11
Step Pads (Front Floor Plate)	160 - 1/8 x 8" x 14" 180 - 1/8 x 9 1/2" x 20"		1/8 x 9 1/2" x 20"
Step Pads (Rear Floor Plate)	160 - 1/8 x 8" x 20" 180 - 1/8 x 9 1/2" x 26"		1/8 x 9 1/2" x 24"
Axle	2 x 2 x 1/4		Same
U-Bolts	1018 Grade Material		Same
Axle Rating	3,500#		Same
Inner Bearings	L44649		Same
Outer Bearings	L68149		Same
Seal (Spring Loaded DBL Lipped)	AD2548E		Same
Grease	Mystic JT6		Same
Springs	4 Leaf Double Eye 1,750# Each		Same
Bearing Protectors	Vannor		Same
Hub	5 Lug on 4 1/2" Bolt Pattern 1,750# Capacity		Same
Wheel Type	8 Spoke White Wheel 14 x 6 - 1,860# Capacity		Modstyle White Wheel 14 x 6 1,860# Cap.
Jack	Atwood 500# Dynamic Load Capacity - Swivel Type		Same



	160 FREEDOM D02214	180 HORIZON D02716	200 HORIZON D04018
<b>Winch</b>	Shelby 1,400#		Shelby 1,900#
<b>Winch Strap</b>	5,000# Rating on Strap and Hook		Same
<b>Bunks</b> Inner Outer	2 x 4 Syp #2 Treated Lumber 160-7' 180-8' 160-4' 180-4'		Same 10' 4'
<b>Side Guides</b>	2 x 4 x 2' Syp #2 Treated Lumber		2 x 4 x 7'6" Same
<b>Coupler</b>	Shelby 3,500#		Shelby 5,000#
<b>Lights (Submersible)</b>	Wesbar & Function Tail Lights		Same
<b>Wire Harness</b>	2 Pc Wishbone Type, Unplugs at Back of Tongue for Easy Removal		Same
<b>Paint</b>	Ditzler Starthane - Polyurethane Enamel Star 1000 - 2000 Catalyst DTR 600 - 601 Reducer		
<b>Primer</b>	Ditzler DPE 1537, DPE 1538 Zinc Chromate DTE 101 Reducer		
<b>Options</b>	For 160/180/200		
<b>Brake Coupler</b>	6,000# Surge Brake Actuator		
<b>Brake Cluster</b>	10" x 2" Shoe Brakes		
<b>Brake Line</b>	1/8" Steel Line		
<b>Wheels</b>	Chrome		

<b>Features</b>	<b>Benefits</b>
Eleven gauge structural tubing	Adds structural strength & longer life
All welded construction	No parts to vibrate loose
Swivel jack	Less exposure to damage
Removable tongue	Deters theft and allows home storage
Bow roll assembly	Protects bow of boat
Winch with nylon strap	Winds up neatly without kinks
Diamond plate step pads	Provides footing for easy boat entry
Recessed submersible lights	Protects from damage and corrosion
Light wire harness inside tubing	Protects wiring
Fender splash guard	Protects boat from gravel & road tar
Premium name brand raised white letter tires	Longer life
White spoke wheels	Adds lasting beauty
Bearing protected axle (3-year guarantee)	Lubricated bearings for longer life
Custom side guides	Ease of boat loading and unloading
Four longitudinal bunk system	Provides structural support for boat hull
Treated lumber in bunks and side guides	Insures longer life and structural strength
Tie down rings	Provides opportunity to secure boat
Polyurethane paint with stripe	Excellent shine and durability
Zinc chromate primer	Excellent rust inhibitor



# AMORTIZATION


12%	NUMBER OF YEARS IN TERM						
	Amt. of loan	1	2	3	4	5	6
\$ 50	4.45	2.36	1.67	1.32	1.12	0.98	0.89
100	8.89	4.71	3.33	2.64	2.23	1.96	1.77
200	17.77	9.42	6.65	5.27	4.45	3.92	3.54
300	26.66	14.13	9.97	7.91	6.68	5.87	5.30
400	35.54	18.83	13.29	10.54	8.90	7.83	7.07
500	44.43	23.54	16.61	13.17	11.13	9.78	8.83
600	53.31	28.25	19.93	15.81	13.35	11.74	10.60
700	62.20	32.96	23.26	18.44	15.58	13.69	12.36
800	71.08	37.66	26.58	21.07	17.80	15.65	14.13
900	79.97	42.37	29.90	23.71	20.03	17.60	15.89
1000	88.85	47.08	33.22	26.34	22.25	19.56	17.66
2000	177.70	94.15	66.43	52.67	44.49	39.11	35.31
3000	266.55	141.23	99.65	79.01	66.74	58.66	52.96
4000	355.40	188.30	132.86	105.34	88.98	78.21	70.62
5000	444.25	235.37	166.08	131.67	111.23	97.76	88.27
6000	533.10	282.45	199.29	158.01	133.47	117.31	105.92
7000	621.95	329.52	232.51	184.34	155.72	136.86	123.57
8000	710.80	376.59	265.72	210.68	177.96	156.41	141.23
9000	799.64	423.67	298.93	237.01	200.21	175.96	158.88
10000	888.49	470.74	332.15	263.34	222.45	195.51	176.53
11000	977.34	517.81	365.36	289.68	244.69	215.06	194.19
12000	1066.19	564.89	398.58	316.01	266.94	234.61	211.84
13000	1155.04	611.96	431.79	342.34	289.18	254.16	229.49
14000	1243.89	659.03	465.01	368.68	311.43	273.71	247.14
15000	1332.74	706.11	498.22	395.01	333.67	293.26	264.80
16000	1421.59	753.18	531.43	421.35	355.92	312.81	282.45
17000	1510.43	800.25	564.65	447.68	378.16	332.36	300.10
18000	1599.28	847.33	597.86	474.01	400.41	351.91	317.75
19000	1688.13	894.40	631.08	500.35	422.65	371.46	335.41
20000	1776.98	941.47	664.29	526.68	444.89	391.01	353.06
21000	1865.83	988.55	697.51	553.02	467.14	410.56	370.71
22000	1954.68	1035.62	730.72	579.35	489.38	430.11	388.37
23000	2043.53	1082.69	763.93	605.68	511.63	449.66	406.02
24000	2132.38	1129.77	797.15	632.02	533.87	469.21	423.67
25000	2221.22	1176.84	830.36	658.35	556.12	488.76	441.32
26000	2310.07	1223.92	863.58	684.68	578.36	508.31	458.98
27000	2398.92	1270.99	896.79	711.02	600.61	527.86	476.63
28000	2487.77	1318.06	930.01	737.35	622.85	547.41	494.28
29000	2576.62	1365.14	963.22	763.69	645.09	566.96	511.93
30000	2665.47	1412.21	996.43	790.02	667.34	586.51	529.59
31000	2754.32	1459.26	1029.65	816.35	689.58	606.06	547.24
32000	2843.17	1506.36	1062.86	842.69	711.83	625.61	564.89
33000	2932.02	1553.43	1096.08	869.02	734.07	645.16	582.55
34000	3020.86	1600.50	1129.29	895.36	756.32	664.71	600.20
35000	3109.71	1647.58	1162.51	921.69	778.56	684.26	617.85
37500	3331.83	1765.26	1245.54	987.52	834.17	733.14	661.98
40000	3553.96	1882.94	1328.58	1053.36	889.78	782.01	706.11
42500	3776.08	2000.63	1411.61	1119.19	945.39	830.89	750.25
45000	3998.20	2118.31	1494.65	1185.03	1001.01	879.76	794.38
47500	4220.32	2235.99	1577.68	1250.86	1056.62	928.64	838.51
50000	4442.44	2353.68	1660.72	1316.70	1112.23	977.51	882.64
52500	4664.57	2471.36	1743.76	1382.53	1167.84	1026.39	926.77
55000	4886.69	2589.05	1826.79	1448.37	1223.45	1075.27	970.91
57500	5108.81	2706.73	1909.83	1514.20	1279.06	1124.14	1015.04
60000	5330.93	2824.41	1992.86	1580.04	1334.67	1173.02	1059.17
65000	5775.18	3059.78	2158.94	1711.70	1445.89	1270.77	1147.43
70000	6219.42	3295.15	2325.01	1843.37	1557.12	1368.52	1235.70
75000	6663.66	3530.52	2491.08	1975.04	1668.34	1466.27	1323.96
80000	7107.91	3765.88	2657.15	2106.71	1779.56	1564.02	1412.22
85000	7552.15	4001.25	2823.22	2238.38	1890.78	1661.77	1500.49

# AMORTIZATION

## NUMBER OF YEARS IN TERM

8	9	10	11	12	13	14	15
0.82	0.76	0.72	0.69	0.66	0.64	0.62	0.61
1.63	1.52	1.44	1.37	1.32	1.27	1.24	1.21
3.26	3.04	2.87	2.74	2.63	2.54	2.47	2.41
4.88	4.56	4.31	4.11	3.95	3.81	3.70	3.61
6.51	6.08	5.74	5.48	5.26	5.08	4.93	4.81
8.13	7.60	7.18	6.84	6.57	6.35	6.16	6.01
9.76	9.12	8.61	8.21	7.89	7.62	7.39	7.21
11.38	10.63	10.05	9.58	9.20	8.89	8.63	8.41
13.01	12.15	11.48	10.95	10.51	10.15	9.86	9.61
14.63	13.67	12.92	12.32	11.83	11.42	11.09	10.81
16.26	15.19	14.35	13.68	13.14	12.69	12.32	12.01
32.51	30.37	28.70	27.36	26.27	25.38	24.63	24.01
48.76	45.56	43.05	41.04	39.41	38.06	36.95	36.01
65.02	60.74	57.39	54.72	52.54	50.75	49.26	48.01
81.27	75.93	71.74	68.39	65.68	63.44	61.58	60.01
92.52	91.11	86.09	82.07	78.81	76.12	73.89	72.02
113.77	106.29	100.43	95.75	91.94	88.81	86.21	84.02
130.03	121.48	114.78	109.43	105.08	101.50	98.52	96.02
146.28	136.66	129.13	123.11	118.21	114.18	110.83	108.02
162.53	151.85	143.48	136.78	131.35	126.87	123.15	120.02
178.79	167.03	157.82	150.46	144.48	139.56	135.46	132.02
195.04	182.22	172.17	164.14	157.62	152.24	147.78	144.03
211.29	197.40	186.52	177.82	170.75	164.93	160.09	156.03
227.54	212.58	200.86	191.50	183.88	177.62	172.41	168.03
243.80	227.77	215.21	205.17	197.02	190.30	184.72	180.03
260.05	242.95	229.56	218.85	210.15	202.99	197.03	192.03
276.30	258.14	243.91	232.53	223.29	215.68	209.35	204.03
292.56	273.32	258.25	246.21	236.42	228.36	221.66	216.04
308.81	288.51	272.60	259.88	249.55	241.05	233.98	228.04
325.06	303.69	286.95	273.56	262.69	253.74	246.29	240.04
341.31	318.87	301.29	287.24	275.82	266.42	258.61	252.04
357.57	334.06	315.64	300.92	288.96	279.11	270.92	264.04
373.82	349.24	329.99	314.60	302.09	291.80	283.23	276.04
390.07	364.43	344.34	328.27	315.23	304.48	295.55	288.05
406.33	379.61	358.68	341.95	328.36	317.17	307.86	300.05
422.58	394.80	373.03	355.63	341.49	329.86	320.18	312.05
438.83	409.98	387.38	369.31	354.63	342.54	332.49	324.05
455.08	425.16	401.72	382.99	367.76	355.23	344.81	336.05
471.34	440.35	416.07	396.66	380.90	367.92	357.12	348.05
487.59	455.53	430.42	410.34	394.03	380.60	369.43	360.06
503.84	470.72	444.76	424.02	407.16	393.29	381.75	372.06
520.10	485.90	459.11	437.70	420.30	405.98	394.06	384.06
536.35	501.08	473.46	451.37	433.43	418.66	406.38	396.06
552.60	516.27	487.81	465.05	446.57	431.35	418.69	408.06
568.85	531.45	502.15	478.73	459.70	444.04	431.01	420.06
609.49	569.41	538.02	512.93	492.54	475.75	461.79	450.07
650.12	607.37	573.89	547.12	525.37	507.47	492.58	480.07
690.75	645.33	609.76	581.31	558.21	539.19	523.36	510.08
731.38	683.30	645.62	615.51	591.04	570.90	554.15	540.08
772.01	721.26	681.49	649.70	628.88	602.62	584.93	570.08
812.65	759.22	717.36	683.90	656.71	634.34	615.72	600.09
853.28	797.18	753.23	718.09	689.55	666.05	646.51	630.09
893.91	835.14	789.10	752.29	722.39	697.77	677.29	660.10
934.54	873.10	824.96	786.48	755.22	729.49	708.08	690.10
975.18	911.06	860.83	820.68	788.06	761.20	738.86	720.11
1056.44	986.98	932.57	889.07	853.73	824.64	800.43	780.11
1137.70	1062.90	1004.30	957.46	919.40	888.07	862.01	840.12
1218.97	1138.82	1076.04	1025.85	985.07	951.50	923.58	900.13
1300.23	1214.74	1147.77	1094.24	1050.74	1014.94	985.15	960.14
1381.50	1290.66	1219.51	1162.62	1116.41	1078.37	1046.72	1020.15

# WINNING EDGE



Every boat Four Winns builds comes complete with the exclusive *Winning Edge* 3-Year Owner Protection Plan. In addition to a one-year limited warranty, *Winning Edge* provides two more years of extra protection on major boat systems and components. Three full years of protection on hull & deck structural, and on the factory installed fuel system, on OMC Cobra® and OMC King Cobra® and other factory installed stern drives including outdrives, engines, engine

electrical & controls, power trim and power steering. Three years on Johnson® or Evinrude® factory-rigged outboard boat/motor packages. Three years on the boat's electrical system, and on Four Winns manufactured Sure Load custom bunk trailers.

Building boats as if our future depended on it gives us the confidence to provide extra protection for the future of every Four Winns boat.

Your dealer has complete *Winning Edge* details.

# IMPORTANT INFORMATION ABOUT THE MATERIAL IN THIS BOOKLET.

*Product Fast Facts* has been designed exclusively for Four Winns® Dealer sales personnel. It's a pocket-sized, single reference source for all pertinent Four Winns boat model information including: model specifications and technical data; standard features; options availability; suggested retail prices; stern drive and outboard engine choices and specifications; boat model/engine weights; and trailering specifications.

Use your *Four Winns Product Fast Facts* to answer customer questions about a particular Four Winns model, or to compare features, specifications and/or suggested list prices of one Four Winns model to another.

You can also use it as a study guide to improve your ability to provide product information without "looking it up." Remember, the more poised, informative and professional you appear to your customers, the more impressed and confident they will be with you and the Four Winns product you sell.

Every effort has been made to provide complete and accurate data in this booklet. However, since we do reserve the right to make changes at anytime, without notice, in prices, features, specifications and colors, and to discontinue models, it is possible that some data may have changed herein since the time of printing. Four Winns will revise and reprint this *Product Fast Facts* periodically.

*Month of Printing: February, 1988*

© 1988 Four Winns, Inc.



FOUR WINNS