



TABLE OF CONTENTS

SPORTBOATS	PAGES
150 Freedom	2, 3
170 Freedom	4, 5
190 Freedom	6, 7
195 Freedom	8, 9
180 Horizon	14, 15, 16
200 Horizon	18, 19, 20
220 Horizon	22, 23, 24
DECKBOATS	
180 Candia	30, 31
200 Candia	32, 33
CUDDYS	
205 Sundowner	38, 39, 40
225 Sundowner	42, 43, 44
255 Sundowner	46, 47, 48
QUEST	
207 Quest CC	56, 57
207 Quest DC	56, 57
CRUISERS	
245 Vista	58, 59, 60, 61
265 Vista	62, 63, 64, 65
285 Vista	66, 67, 68, 69
315 Vista	70, 71, 72, 73
PERFORMANCE	
201 Liberator	78, 79
221 Liberator	80, 81
251 Liberator	82, 83
261 Liberator	84, 85
PRICE/WEIGHT/OPTIONS/ACCESSORIES	
Freedom	10, 11
Horizon	26, 27
Candia	34, 35
Sundowner	50, 51, 52
Vista	74, 75
Liberator	86, 87
TRAILER SPECIFICATIONS	
Freedom	12, 13
Horizon	28, 29
Candia	36, 37
Sundowner	54, 55
Vista	76, 77
Liberator	88, 89
DIMENSIONAL DATA	90, 91, 92, 93
OB SPECIFICATIONS	94, 95
I/O SPECIFICATIONS	96, 97
WINNING EDGE	98

150 FREEDOM

Specifications

LOA/Transom to Bow:	15'2"
Beam:	6'1"
Fuel (gal.):	12
Passengers:	5
Maximum Capacity (lbs.):	1150
Bridge Clearance:	43"
Cockpit Depth (helm):	26"
Draft (Engine Down):	25"

Four Winns Extra Value Standard Features

- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Four Winns Sure LoadTM Trailer, single axle, custom bunk, color-coordinated
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor/stringer system
- Maximum foam added for flotation, rigidity and sound deadening
- Molded fuel tank, in floor, accessible
- National Marine Manufacturers Association certification

- Premium gel coat w/superior buff back characteristics
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep vee hull
- Stainless, deep access 3-step swim ladder
- Cleats and rails, through bolted, metal backed
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Bilge pump
- Cleats (4)
- Gel coat, two tone White/Burgundy, White/Navy
- Horn
- Navigation lights
- Swim platform, fiberglass integrated w/stainless ladder
- Windshield, bent glass, tinted/tempered with walk-through
- Window, side glass

Functional and Convenience

- Color-coded wiring
- Drain plug, brass
- Fused switches
- Instrumentation: tachometer; speedometer; fuel; volt-meter; trim indicator
- Molded fuel tank (12 gal.)
- Power trim, tilt (60 only), and VRO^{2TM}
- Steering wheel (padded)
- Stereo AM/FM cassette in weather-resistant box

Interior

- Canvas top
- Carpeting, premium grade marine
- Cooler, portable
- Passenger console w/locking glove box
- Seating: snap-in bow seats; back-to-back seats (fold to lounger)
- Ski locker with teak trimmed lid
- Storage: bow area, sidewalls, under floor

OPTIONS

- Anchor, With Line
- Canvas, Aft
- Canvas, Cockpit Cover
- Canvas, Full (Aft, Side, Forward)
- Canvas, Forward
- Canvas, Mooring Cover
- Canvas, Side
- Canvas, Walk-through Curtain
- Prop, High Alt./Heavy Load
- Prop, Stainless (Exchange)
- Trailer Options:**
- Brakes
- Charcoal Trailer (Exchange)
- Chrome Wheels (Exchange)
- Galvanized
- Spare Tire & Wheel

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
50 BEL** / 2 CYL	NA	50 HP	1120*
60 TL** / 3 CYL	NA	60 HP	1180

Note: Boat weight based on design estimate

NA = Not applicable

*Recommended Engine Package

** (OB) Johnson® or Evinrude®

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
150F	50BEL	930	190	50	70	150	360

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
150F	50 BEL/50	11¼ x 19	AL	32-34	110
150F	60 TL/60	13¼ x 17	AL	37-39	105

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



170 FREEDOM

Specifications

LOA/Transom to Bow:	18'6"/17'1"
Beam:	7'3"
Fuel (gal.):	18
Passengers:	(I/O) 7 (OB) 6
Maximum Capacity (lbs.):	(I/O) 1050 (OB) 1600
Bridge Clearance:	44"
Cockpit Depth (helm):	30"
Draft (Drive Down):	26"

Four Winns Extra Value Standard Features

- Anchor locker with molded anchor well (closed bow)
- Bow access step
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation (I/O)
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Four Winns Sure Load™ Trailer, single axle, custom bunk, color-coordinated, detachable tongue
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor/stringer system
- Maximum foam added for flotation, rigidity and sound deadening

- Molded fuel tank, in floor, accessible
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep vee hull
- Cleats, rails, ski eye... through bolted, metal backed
- Swim ladder, deep access, 3-step
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Cleats (4)
- Gel coat, two tone White/Burgundy, White/Navy
- Horn
- Navigation lights
- Swim platform, fiberglass, integrated w/stainless ladder

- Windshield, bent glass, tinted/tempered, with walk-through
- Windows, side glass

Functional and Convenience

- Automatic bilge pump
- Bilge blower (I/O)
- Color-coded wiring
- Drain plug, brass
- Fused switches
- Instrumentation: (I/O) fuel; oil pressure; trim indicator; water temp; tachometer; speedometer; volt-meter; (OB): tachometer; speedometer; fuel; volt-meter; trim indicator
- Molded fuel tank (18 gal.)
- Power trim & tilt (I/O)
- Power trim, tilt & VRO^{2TM} (OB)
- Steering wheel (padded)
- Stereo AM/FM cassette in weather-resistant box

Interior

- Beverage holders oversized (cockpit)
- Canvas top



Additional Standard Features (cont.)

- Carpeting, premium grade marine
- Cooler, portable
- Passenger console w/locking glove box
- Seating: hinged bow seats; back-to-back seats (fold to lounger); adjustable driver's seat; jump seats remove or make sundeck (I/O)
- Ski locker with teak trimmed lid
- Storage: bow area; sidewall; concealed top (I/O); floor (ski)

OPTIONS

- Anchor, With Line
- Canvas, Aft
- Canvas, Cockpit Cover
- Canvas, Forward
- Canvas, Full (Aft, Side, Forward)
- Canvas, Mooring Cover
- Canvas, Walk-through Curtain
- Prop, High Alt./Heavy Load
- Prop, Stainless (Exchange)
- Trailer Options:**
- Brakes
- Charcoal Trailer (Exchange)
- Chrome Wheels (Exchange)
- Galvanized
- Spare Tire & Wheel

Power Rating & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
3.0L/L-4 (I/O)	130 HP	115 HP	2050
90 TL* /V-4 (OB)	NA	90 HP	1700

Note: Boat weight based on design estimate

* (OB) Johnson® or Evinrude® includes power tilt, trim & VRO™

NA = Not applicable

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
170F I/O	3.0L	1,400	650	50	110	150	580
170F OB	90L	1,400	300	50	110	150	580

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
170F	3.0L/130/115	14½ x 19	AL	40-42	140
170F	90 TL/90	13¼ x 17	AL	39-41	110

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



190 FREEDOM

Specifications

LOA/Transom to Bow:	19'8" / 18'3"
Beam:	7'3"
Fuel (gal.):	24
Passengers:	(I/O) 8 (OB) 7
Maximum Capacity (lbs.):	(I/O) 1085 (OB) 1640
Bridge Clearance:	44"
Cockpit Depth (helm):	30"
Draft (Drive Down):	29"

Four Winns Extra Value Standard Features

- Bow access step
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation (I/O)
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Four Winns Sure LoadTM Trailer, single axle, custom bunk, color-coordinated, detachable tongue
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor/stringer system
- Maximum foam added for flotation, rigidity and sound deadening
- Molded fuel tank, in floor, accessible

- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep vee hull
- Stainless, deep access 3-step swim ladder
- Cleats, rails, ski eye... through bolted, metal backed
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Cleats (4)
- Gel coat, two tone White/Burgundy, White/Navy
- Horn
- Navigation lights
- Swim platform, fiberglass integrated w/stainless ladder

- Windshield, bent glass, tinted/tempered, with walk-through
- Windows, side glass

Functional and Convenience

- Automatic bilge pump
- Bilge blower (I/O)
- Color-coded wiring
- Drain plug, brass
- Fused switches
- Instrumentation: (I/O) fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter; (OB): tachometer; speedometer; fuel; voltmeter; trim indicator
- Molded fuel tank (24 gal.)
- Power steering (I/O)
- Power trim, tilt & VRO^{2TM} (OB)
- Power trim & tilt (I/O)
- Steering wheel (padded)
- Stereo AM/FM cassette in weather-resistant box

Interior

- Beverage holders, oversized (cockpit)
- Canvas top
- Carpeting, premium grade marine



Additional Standard Features (cont.)

- Cooler, portable
- Passenger console w/locking glove box
- Seating: hinged bow seats; back-to-back seats (fold to lounger); adjustable driver's seat; jump seats remove or make sundeck (I/O)
- Ski locker with teak trimmed lid
- Storage: bow area; sidewall; concealed top (I/O); floor (ski)

OPTIONS

- Anchor With Line
- Canvas, Aft
- Canvas, Cockpit Cover
- Canvas, Forward
- Canvas, Full (Aft, Side, Forward)
- Canvas, Mooring Cover
- Canvas, Side
- Canvas, Walk-through Curtain
- Prop, High Alt./Heavy Load
- Prop, Stainless (Exchange)
- Trailer Options:
 - Brakes
 - Charcoal Trailer (Exchange)
 - Chrome Wheels (Exchange)
 - Galvanized
 - Spare Tire & Wheel

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
3.0L / L-4 (I/O)	130 HP	115 HP	2140
4.3L / V-6 (I/O)	175 HP	150 HP	2290*
120 TL** / V-4 (OB)	NA	120 HP	1860

Note: Boat weight based on design estimate

NA = Not applicable

*Recommended Engine Package

** (OB) Johnson® or Evinrude® includes power tilt, trim & VRO²™

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
190F (I/O)	4.3L	1,480	810	50	140	150	600
190F (OB)	120 TL	1,490	370	50	140	150	600

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
190F	3.0L/130/115	14½ x 19	AL	38-40	170
190F	4.3L/175/150	14¼ x 21	AL	45-48	150
190F	120 TL/120	13 x 19	AL	44-47	120

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



195 FREEDOM

Specifications

LOA/Transom to Bow:	19'8" / 18'3"
Beam:	7'3"
Fuel (gal.):	32
Passengers:	8
Maximum Capacity (lbs.):	1310
Bridge Clearance:	55"
Cockpit Depth (helm):	35"
Draft (Drive Down):	30"

Four Winns Extra Value Standard Features

- Anchor locker with molded anchor well
- Balsa core reinforced deck
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation (I/O)
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Four Winns Sure LoadTM Trailer, single axle, custom bunk, color-coordinated, detachable tongue
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor/stringer system
- Maximum foam added for flotation, rigidity and sound deadening

- Molded fuel tank, in floor, accessible
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep vee hull
- Stainless, deep-access 3-step swim ladder
- Cleats, rails, ski eye...through bolted, metal backed
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Cleats (4)
- Deck hatch (round)
- Gel coat, two tone White/Burgundy, White/Navy
- Horn
- Navigation lights

- Swim platform, fiberglass, integrated w/stainless ladder
- Windshield, bent glass, tinted/tempered
- Windows, side glass

Functional and Convenience

- Automatic bilge pump
- Bilge blower (I/O)
- Color-coded wiring
- Fused switches
- Instrumentation: (I/O) fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter; (OB): tachometer; speedometer; fuel; voltmeter; trim indicator
- Molded fuel tank (32 gal.)
- Power steering (I/O)
- Power trim, tilt & VROTM (OB)
- Power trim & tilt (I/O)
- Steering wheel (padded)
- Stereo AM/FM cassette in weather-resistant box

Interior

- Beverage holders, oversized (cockpit)
- Canvas top



Additional Standard Features (cont.)

- Carpeting, premium grade marine
- Cooler, portable
- Drain plug, brass
- Passenger console w/locking glove box
- Seating: cabin; back-to-back seats (fold to lounger); adjustable driver's seat; jump seats
- Storage: cabin; sidewall; concealed top (I/O)

OPTIONS

- Anchor, With Line
- Canvas, Aft
- Canvas, Cockpit Cover
- Canvas, Full (Aft, Side, Forward)&
- Canvas, Mooring Cover
- Canvas, Walk-through Curtain
- Hatch Screen
- Head, Portable
- Prop, High Alt./Heavy Load
- Prop, Stainless (Exchange)
- Windshield, Walk-Thru w/Ladder
- Trailer Options:**
 - Brakes
 - Charcoal Trailer (Exchange)
 - Chrome Wheels (Exchange)
 - Galvanized
 - Spare Tire & Wheel

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
4.3L / V-6	175 HP	150 HP	2740
120 TL* / V-4	NA	120 HP	2310

Note: Boat weight based on design estimate

NA = Not applicable

*(OB) Johnson® or Evinrude® includes power tilt, trim & VRO™

Recommended Engine(s)/Equipment Ave. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
195F (I/O)	4.3L	1,930	810	50	190	150	620
195F (OB)	120 TL	1,940	370	50	190	150	620

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
195F	4.3L/175/150	14½ x 19	AL	41-44	180
195F	120 TL/120	13¼ x 17	AL	39-42	150

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

FREEDOM

MODEL	HP	LIST
150 FREEDOM	50 BEL/2 CYL	6,995
	60 TL/3 CYL	7,795
170 FREEDOM	3.0L/L-4 (I/O)	10,495 (CB)10,861
	90TL/V-4 (OB)	10,495 (CB)10,861
190 FREEDOM	3.0L/V-4 (I/O)	12,370
	4.3L/V-6 (I/O)	13,375
	120TL/V-4 (OB)	13,117
195 FREEDOM	4.3L/V-6 (I/O)	15,649
	120TL/V-4 (OB)	15,649

Note: Pricing includes trailer. Delete Pricing on facing page.

OPTIONS / ACCESSORIES	150 F	170 F	170 FCB	190 F	195 F
ANCHOR w/LINE	98.00	98.00	98.00	98.00	98.00
CANVAS*, AFT	115.00	134.00	134.00	134.00	134.00
CANVAS*, COCKPIT COVER	169.00	182.00	182.00	182.00	182.00
CANVAS*, FORWARD	108.00	128.00	NA	128.00	NA
CANVAS*, FULL (AFT, SIDE, FORWARD)	232.00	271.00	175.00	271.00	175.00
CANVAS, MOORING COVER	195.00	229.00	229.00	229.00	229.00
CANVAS*, SIDE	86.00	100.00	100.00	100.00	100.00
CANVAS, WALK THROUGH CURTAIN	32.00	38.00	NA	38.00	NA
HATCH SCREEN	NA	NA	NA	NA	17.00
HEAD, PORTABLE	NA	NA	NA	NA	117.00
PROP, HIGH ALT./HEAVY LOAD	NC	NC	NC	NC	NC
PROP, STAINLESS (exchange)	162.00	162.00	162.00	162.00	162.00
WINDSHIELD, WALK-THRU w/LADDER	NA	NA	NA	NA	269.00



FREEDOM

TRAILER OPTIONS:	150 F	170 F	170 FCB	190 F	195 F
BRAKES	437.00	437.00	437.00	437.00	437.00
CHROME WHEELS (ea.)	65.00	65.00	65.00	65.00	65.00
GALVANIZED TRAILER	277.00	277.00	277.00	277.00	277.00
SPARE TIRE & WHEEL (WHITE)	131.00	131.00	131.00	131.00	131.00
(CHROME/GALVANIZED)	146.00	146.00	146.00	146.00	146.00
TRAILER DELETE	(615.00)	(846.00)	(846.00)	(846.00)	(885.00)

*White Sport Topping.

NOTE: Trailer brake regulations vary from state to state. See your dealer for trailer laws that apply to your state.



FREEDOM TRAILER SPECIFICATIONS

	150 FREEDOM DO 1612	170 FREEDOM DO 2716F	190 FREEDOM DO 2717	195 FREEDOM DO 2917
Length with tongue	16'5"	19'6"	20'6"	20'6"
Length without tongue	N/A	15'10"	16'10"	16'10"
Width	6'6"	8'	8'	8'
Empty Weight (lbs.)	360	580	600	620
Carrying Capacity (lbs.)	1,440	2,800	2,800	3,050
GVWR (lbs.) (Gross Vehicle Weight Rating)	1,800	3,410	3,410	3,700
GAWR (lbs.) (Gross Axle Wt. Rat.)	1,800	3,410	3,410	3,700
Height (Top of Windshield, with Boat on Trailer)	5'10"	5'10"	5'10"	7'
Tire Size	P175/80/B13	F78-14ST	F78-14ST	G78-14ST
Load Range	B	C	C	C
Tire Cap. (lbs.) (Trailer Rat.)	1,070	1,710	1,710	1,860
Side Rails	1 Piece 2 x 3 x 11GA	1 Piece 2 x 4 x 11 GA		
Crossmembers	1 Piece 2 x 3 x 11 GA			
Tongue	1 Piece 3 x 3 x 11 GA			
Step Pads (Front Floor Plate)	8' x 7" x 14" GA			
Step Pads (Rear Floor Plate)	8' x 7" x 14" GA			
Axle	1 3/4" Round	2" x 2" x 1/4"		3" x 2" x 1/4"
U-Bolts	1018 Grade Material			
Axle Rating (lbs.)	2,000	3,500		3700
Inner Bearing	L44643	L68149		
Outer Bearing	L44643	L44649		
Seal (Spring Loaded DBL Lipped)	AD1836	AD2548		
Grease	Mystic JT6			
Springs (capacity lbs.)	2 Leaf Slipper 1,000	4 Leaf Double Eye 1750		4 Leaf Double Eye 2400
Bearing Protectors	Vannor			
Hub (capacity lbs.)	1,000	5 Lug on 4 1/2" Bolt Pattern 1,750 1,750		NA
Wheel Type	13" x 4.5 Spoke	14" x 6 Modstyle 1,860 lbs. Capacity		
Jack	500 lbs. capacity (swivel)			
Winch (lbs.)	900	1,400		



	150 FREEDOM D01612	170 FREEDOM D02716F	190 FREEDOM D02717	195 FREEDOM D02917
Winch Straps	5/16" Rope With Hook	Nylon Strap With Hooks		
Bunks Inner Outer	5'9" NA	2 x 4 Syp #2 Treated Lumber 8' 4'		
Coupler (lbs.)	2,000	3,500	3,500	5,000
Lights (Submersible)	Wesbar			
Wire Harness	1 Piece Wishbone Harness	2 Piece Wishbone Type, (at back of tongue)		
Paint	Ful-thane 2K Urethane 483-15 Catalyst (Nason)			
Primer	615 & 616 Variprime (Dupont)	615S Variprime Self Etching 616S Variprime Converter (Dupont)		
Options				
Brake Coupler	NA	6000 lbs. Surge Brake act.		
Brake Cluster	NA	10" x 2" Shoe Brakes		
Brake Line	NA	3/16" Steel Line		
Wheels	NA	Chrome Modstyle		

Features

Eleven gauge structural tubing
 All welded construction
 Swivel jack
 Removable tongue (except 150)
 Bow roll assembly
 Winch with nylon strap
 Diamond plate step pads
 Recessed submersible lights
 Wire harness for lights inside tubing
 Fender splash guard
 Premium name brand tires
 White spoke wheels
 Leaf Spring Suspension
 Surge brakes (optional)

 Bearing protected axle
 (3-year guarantee)
 Custom side guides
 Four longitudinal bunk system
 Treated lumber in
 bunks and side guides
 Tie down rings
 Polyurethane paint with stripe
 Zinc chromate primer

Benefits

Adds structural strength & longer life
 No parts to vibrate loose
 Less exposure to damage
 Deters theft and allows home storage
 Protects bow of boat/tape stripe
 Winds up neatly without kinks
 Provides footing for easy boat entry
 Protects from damage and corrosion
 Protects wiring
 Protects boat from gravel & road tar
 Longer life
 Adds lasting beauty
 Ease of towing, smooth ride
 Controlled stopping with less
 load on tow vehicle brakes
 Lubricated bearings for longer life

 Ease of boat loading and unloading
 Provides structural support for boat hull
 Insures longer life and
 structural strength
 Provides opportunity to secure boat
 Excellent shine and durability
 Excellent rust inhibitor

180 HORIZON/ HORIZON CONVERTIBLE

Specifications:

LOA/Transom to Bow:	18'6"/17'1"
Beam:	7'3"
Fuel (gal.):	32
Passengers:	8
Maximum Capacity (lbs.):	(I/O) 1040 (OB) 1850
Bridge Clearance:	44"
Cockpit Depth (helm):	29"
Draft (Drive Down):	31"

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation (I/O)
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Four Winns Sure Load™ Trailer, single axle, custom bunk, color-coordinated, detachable tongue
- Fuel tank, in floor, accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction

• Interlocking floor system w/five stringer reinforcement

- Maximum foam added for flotation, rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Quick access hinged engine compartment lid (I/O)
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless, deep access 3-step swim ladder
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Vented side window glass
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Bow/staff rails, stainless
- Cleats (4) stainless
- Gel coat, two tone
- Horn
- Navigation lights
- Step pads, teak
- Swim platform, fiberglass, integrated w/stainless ladder
- Windshield, bent glass, tinted/tempered, with walk-through; vented wings

Functional and Convenience

- Bilge blower (I/O)
- Color-coded wiring
- Drain plug, brass
- Fused switches
- Instrumentation: (I/O) fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter; (OB): tachometer; speedometer; fuel; voltmeter; trim indicator
- Molded fuel tank (32 gal.)
- Power trim, tilt & VRO²™ (OB)
- Power trim & tilt (I/O)



Additional Standard Features (cont.)

- Steering wheel (padded)
 - Stereo AM/FM cassette w/weather-band & 2 speakers in weather-resistant box
- Interior**
- Beverage holders, oversized (cockpit)
 - Canvas top
 - Carpeting, premium grade marine
 - Passenger console w/locking glove box and integrated insulated ice chest
 - Seating: adjustable driver's seat; hinged bow seats (except convertible); back-to-back seats (fold to lounger); jump seats remove or make sundeck (I/O)
 - Ski locker with teak lid
 - Storage: bow area; sidewall; floor (ski); concealed top (I/O)

OPTIONS

- Anchor with Line
 - Battery Switch (Dual)
 - Brougham Interior (I/O): Two Buckets, Couch, Sundeck
 - Canvas, Aft
 - Canvas, Cockpit Cover
 - Canvas, Forward³
 - Canvas, Full (Aft, Side, Forward)
 - Canvas, Mooring Cover
 - Canvas, Walk-through Curtain³
 - Chart Lighter¹
 - Cockpit Galley
 - Compass
 - Cooler, 68 quart
 - Courtesy Lights (Cockpit)¹
 - Cushions, Bow (Fill-in)³
 - Depth Sounder¹
 - Fiberglass Floor Liner
 - Flush Out Kit, Engine (I/O only)
 - Gel Coat, Three Tone¹
 - Halon Fireboy
 - Head, Portable w/Privacy Curtain (Convertible Model only)
 - Hour Meter (I/O Only)
 - Prop, High Alt./Heavy Load
 - Prop, Stainless (Exchange)
 - Seat Adjuster, Port (Std on BRGHM)
 - Seat, Bucket(s) (Std on BRGHM)
 - Snap-In Carpet
 - Steering, Hydraulic (OB)²
 - Stereo Upgrade, AM/FM Cassette 60W Equalizer, Seek-Scan w/Weatherband, 2 Coaxial Speakers, LED Clock¹
 - Swim Platform Teak Insert
 - Three-tone Gel Coat
 - Windshield Wiper (STBD)
 - SLX Package: Three Tone Gel Coat; Stereo Upgrade AM/FM Cassette; Depth Sounder; Courtesy Lights; Chart Lighter; Color-coordinated Top, Forward Cover and Cockpit Cover
 - SLX Option 2: Same as above except instead of Cockpit Cover has Color-coordinated Side and Aft Curtains
- Trailer Options:**
- Brakes
 - Charcoal Trailer (Exchange)
 - Chrome Wheels (Exchange)
 - Galvanized
 - Spare Tire and Wheel

¹ Included in SLX Packages.

² Recommended on 150-HP (OB).

³ NA Convertible.

180 HORIZON/ HORIZON CONVERTIBLE

Power Ratings & Weights (Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
4.3L / V-6 (I/O)	175 HP	150 HP	2480*
5.0L-HO / V-8 (I/O)	200 HP	175 HP	2580
120TX** / V-4 (OB)	NA	120 HP	1970*
150TX** / V-6 (OB)	NA	150 HP	1990

Note: Boat weight based on design estimate

NA = Not applicable

*Recommended Engine Package

** (OB) Johnson® or Evinrude® includes power tilt, trim & VRO™

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
180H (I/O)	4.3L	1,670	810	50	190	150	620
180H (OB)	120TX	1,600	370	50	190	150	620

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
180H	4.3L/175/150	14½ x 19	AL	42-45	140
180H	5.0L-HO/200/175	14¼ x 21	AL	47-50	130
180H	120TX/120	13 x 19	AL	42-45	150
180H	150TX/150	14½ x 19	AL	46-49	130

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



200 HORIZON/ HORIZON CONVERTIBLE

Specifications

LOA/Transom to Bow:	20'9" / 19'4"
Beam:	7'8"
Fuel (gal.):	44
Passengers:	10
Maximum Capacity (lbs.):	(I/O) 1510 (OB) 2270
Bridge Clearance:	46"
Cockpit Depth (helm):	33½"
Draft (Drive Down):	34"

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation (I/O)
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Four Winns Sure Load™ Trailer, single axle, custom bunk, color-coordinated, detachable tongue
- Fuel tank, in floor, accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction

- Interlocking floor system w/five stringer reinforcement
- Maximum foam added for flotation, rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Quick access hinged engine compartment lid (I/O)
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless, deep access 3-step swim ladder
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Vented side window glass
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Bow/taff rails, stainless
- Cleats (4) stainless
- Gel coat, two tone
- Horn
- Navigation lights
- Step pads, teak
- Swim platform, fiberglass, integrated w/stainless ladder
- Windshield, bent glass, tinted/tempered, with walk-through; vented wings

Functional and Convenience

- Aluminum fuel tank (44 gal.)
- Bilge blower (I/O)
- Color-coded wiring
- Drain plug, brass
- Fused switches
- Instrumentation: (I/O) fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter; (OB): tachometer; speedometer; fuel; voltmeter; trim indicator
- Power trim, tilt & VRO²™ (OB)
- Power trim & tilt (I/O)



Additional Standard Features (cont.)

- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 2 speakers in weather-resistant box

Interior

- Beverage holders, oversized (cockpit)
- Canvas top
- Carpeting, premium grade marine
- Passenger console w/locking glove box and integrated insulated ice chest
- Seating: adjustable

- driver's seat; hinged bow seats (except convertible); back-to-back seats (fold to lounge); jump seats remove or make sundeck (I/O)
- Ski locker with teak lid
- Storage: bow area; sidewall; floor (ski); concealed top (I/O)

OPTIONS

- Anchor with 150 line
- Battery Switch (Dual) (I/O only)
- Brougham Seating (I/O Only): Two Buckets, Couch, Sundeck
- Canvas, Aft
- Canvas, Cockpit Cover
- Canvas, Forward³
- Canvas, Full (Aft, Side, Forward)
- Canvas, Mooring Cover
- Canvas, Walk-Thru Curtain³
- Chart Lighter¹
- Cockpit Galley
- Compass
- Cooler, 68 quart
- Courtesy Lights (Cockpit)¹
- Cushions, Bow (Fill-in)³
- Depth Sounder¹
- Fiberglass Floor Liner

- Flush Out Kit, Engine (I/O only)
- Gel Coat, Three Tone¹
- Halon Fireboy
- Hour Meter (I/O Only)
- Head, Portable w/Privacy Curtain (Convertible Model only)
- Seat Adjuster, Port (Std on BRGHM)
- Seat, Bucket(s) (Std on BRGHM)&
- Snap-in Carpet
- Stainless Prop (Exchange)
- Steering, Hydraulic (OB)²
- Stereo Upgrade AM/FM Cassette, 60W Equalizer, Seek-Scan w/Weatherband, 2 Coaxial Speakers, LED Clock¹
- Swim Platform Teak Insert (I/O only)

- Windshield Wiper (STBD)
- SLX Package: Three Tone Gel Coat; Stereo Upgrade AM/FM Cassette; Depth Sounder; Courtesy Lights; Chart Lighter; Color-coordinated Top, Forward Cover and Cockpit Cover
- SLX Option 2: Same as above except instead of Cockpit Cover has Color-coordinated Side and Aft Curtains

Trailer Options:

- Brakes
- Charcoal Trailer (Exchange)
- Chrome Wheels (Exchange)
- Galvanized
- Spare Tire and Wheel
- Tandem Axle

¹ Included in SLX Packages.

² Recommended on 150-HP and up (OB).

³ NA Convertible.

200 HORIZON/ HORIZON CONVERTIBLE

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
4.3L / V-6 (I/O)	175 HP	150 HP	2770
5.0L-HO / V-8 (I/O)	200 HP	175 HP	2870*
5.8L / V-8 (I/O)	235 HP	210 HP	2940
5.7L / V-8 (I/O)	260 HP	220 HP	2870
120 TX** / V-4 (OB)	NA	120 HP	2350
150 TX** / V-6 (OB)	NA	150 HP	2370*
175 TX** / V-6 (OB)	NA	175 HP	2380
200 TX** / V-6 (OB)	NA	200 HP	2440

Note: Boat weight based on design estimate

NA = Not applicable at time of printing

*Recommended Engine Package

** (OB) Johnson® or Evinrude® includes power tilt, trim & VRO™

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
200H (I/O)	5.0L-HO	1,960	910	50	260	150	980
200H (OB)	150 TX	1,980	390	50	260	150	980

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
200H	4.3L/175/150	15 x 17	AL	39-42	180
200H	5.0L-HO/200/175	14¼ x 21	AL	44-47	170
200H	5.8L/235/210	14½ x 19	AL	47-50	140
200H	5.7L/260/220	14½ x 19	AL	48-51	140
200H	120 TX/120	13¼ x 17	AL	37-40	190
200H	150 TX/150	14½ x 19	AL	43-46	170
200H	175 TX/175	14¼ x 21	AL	47-50	160
200H	200 TX/200	14¼ x 21	AL	51-54	150

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

220 HORIZON

Specifications

LOA/Transom to Bow:	23'3"/21'7"
Beam:	8'4"
Fuel (gal.):	65
Passengers:	10
Maximum Capacity:	2410
Bridge Clearance:	56"
Cockpit Depth (helm):	33"
Draft (Drive Down):	33"

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Four Winns Sure LoadTM Trailer, tandem axle, custom bunk, color-coordinated, detachable tongue
- Fuel tank, in floor, accessible
- Full width & depth plywood transom

- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement
- Maximum foam added for flotation, rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Quick access hinged engine compartment lid
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Unique stainless, deep access swim ladder, serves as handrail in upright position
- Vented side window glass

- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Bow/staff rails, stainless
- Cleats (4) stainless
- Gel coat, two tone
- Horn
- Navigation lights
- Swim platform, fiberglass, integrated w/stainless ladder
- Windshield, bent glass, tinted/tempered, with walk-through, vented wings

Functional and Convenience

- Aluminum fuel tank (65 gal.)
- Bilge blower
- Color-coded wiring
- Drain plug, brass
- Fused switches
- Instrumentation: fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter
- Power trim & tilt



Additional Standard Features (cont.)

- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 2 speakers in weather-resistant box

Interior

- Beverage holders, oversized (cockpit)
- Canvas top
- Carpeting, premium grade marine
- Passenger console w/locking glove box and integrated insulated ice chest

- Seating: adjustable driver's seat; hinged bow seats; back-to-back seats (fold to lounger); jump seats remove or form sundeck
- Ski locker with teak lid
- Storage: bow area; sidewall; floor (ski); concealed top

OPTIONS

- Anchor with 150' Line
- Battery Switch (Dual)
- Brougham Seating: Two Buckets, Couch, Sundeck
- Canvas, Aft
- Canvas, Bow Canopy
- Canvas, Camper (Incl. Main Sides)
- Canvas, Cockpit Cover
- Canvas, Forward
- Canvas, Full (Aft, Side, Forward)
- Canvas, Mooring Cover
- Canvas, Walk-thru Curtain
- Chart Lighter¹
- Compass
- Cooler, 68 quart
- Courtesy Lights¹
- Cushion, Bow Fill-in (standard on 220)

- Fiberglass Floor
- Flush Out Kit, Engine
- Gel Coat Hull, Three Tone¹
- Halon Fireboy
- Hour Meter
- Seat Adjuster, Port (Std on BRGHM)
- Seat, Bucket(s) (Std on BRGHM)
- Snap-in Carpet
- Stainless Prop (Exchange)
- Prop, High Altitude/Heavy Load
- Stereo Upgrade, 60W Equalizer, Seek-Scan w/Weatherband, LED Clock¹
- Windshield Wiper (STBD)
- SLX Package: Three Tone Gel Coat; Stereo Upgrade; Courtesy Lights (Cockpit); Depth Sounder; Bow Fill In Cushions; Chart Lighter; Color-coordinated Top, Forward Cover and Cockpit Cover

- SLX Option 2: Same as above except instead of Cockpit Cover has Color-coordinated Side & Aft Curtains
- SLX Option 3: Same as above except instead of Cockpit Cover has color-coordinated Side Curtains & Camper Top, Side & Aft Curtains

Tandem Axle

Trailer Options:

- Brakes
- Charcoal Trailer (Exchange)
- Chrome Wheels
- Galvanized
- Spare Tire and Wheel

¹ Included in SLX Package.

220 HORIZON

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
5.0L-HO / V-8	200 HP	175 HP	3650
5.8L / V-8	235 HP	210 HP	3720*
5.7L / V-8	260 HP	220 HP	3650
460CI / V-8	340 HP	295 HP	3990

Note: Boat weight based on design estimate

*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
220H	5.8L	2740	980	50	390	150	1200

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
220H	5.0L-HO/200/175	14½ x 19	AL	40-43	280
220H	5.8L/235/210	15 x 17	AL	44-47	250
220H	5.7L/260/220	15 x 17	AL	45-48	240
220H	460 CI/340/295	14½ x 19	AL	51-54	190

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



HORIZON

MODEL	HP	LIST
180 HORIZON	4.3L/V-6 (I/O)	17,183 conv. 17,783
	5.0L-HO/V-8 (I/O)	18,307 conv. 18,907
	120 TX/V-4 (OB)	16,147 conv. 16,747
	150 TX/V-6 (OB)	17,496 conv. 18,096
200 HORIZON	4.3L/V-6 (I/O)	19,495 conv. 20,244
	5.0L-HO/V-8 (I/O)	20,619 conv. 21,369
	5.8L/V-8	21,219 conv. 21,969
	5.7L/V-8 (I/O)	22,343 conv. 23,093
	150 TX/V-6 (OB)	19,043
	175 TX/V-6 (OB)	19,643
	200 TX/V-6 (OB)	20,243
220 HORIZON	5.0L-HO/V-8	23,567
	5.8L/V-8	24,166
	5.7L/V-8	25,291
	460CI/V-8	27,165

Pricing includes trailer. Delete Pricing on facing page.

OPTIONS / ACCESSORIES	180 H	180 H CONV	200 H	200 H CONV	220 H
ANCHOR WITH LINE	98.00	98.00	98.00	98.00	98.00
BATTERY SWITCH (DUAL)	231.00	231.00	231.00	231.00	231.00
BRGHM SEATING (I/O ONLY) 2 BUCKET SEATS W/ADJUSTERS & HEADRESTS, STERN COUCH, SUNDECK	445.00	445.00	445.00	445.00	445.00
CANVAS*, FULL (AFT, SIDE, FORWARD)	271.00	175.00	328.00	211.00	360.00
CANVAS*, AFT	134.00	134.00	162.00	162.00	177.00
CANVAS*, SIDE	100.00	100.00	120.00	120.00	132.00
CANVAS*, FORWARD	128.00	NA	155.00	NA	171.00
CANVAS*, CAMPER INCL. MAIN SIDES	NA	NA	NA	NA	513.00
CANVAS*, COCKPIT COVER	182.00	182.00	212.00	212.00	229.00
CANVAS, MOORING COVER	229.00	229.00	265.00	265.00	285.00
CANVAS, WALK THROUGH CURTAIN	38.00	NA	38.00	NA	38.00
CHART LIGHTER ¹	24.00	24.00	24.00	24.00	24.00
COCKPIT GALLEY 1: ICE BOX, ALCOHOL STOVE	940.00	940.00	940.00	940.00	940.00
COCKPIT GALLEY 2: REFRIGERATOR, ALCOHOL STOVE	1,531.00	1,531.00	1,531.00	1,531.00	1,531.00
COCKPIT GALLEY 3: REFRIGERATOR, ALCOHOL ELECTRIC STORE, DOCKSIDE POWER	2,075.00	2,075.00	2,075.00	2,075.00	2,075.00
COMPASS	62.00	62.00	62.00	62.00	62.00

**OPTIONS / ACCESSORIES**

180 H

180 H
CONV

200 H

200 H
CONV

220 H

OPTIONS / ACCESSORIES	180 H	180 H CONV	200 H	200 H CONV	220 H
COURTESY LIGHTS (COCKPIT) ¹	32.00	32.00	32.00	32.00	32.00
CUSHIONS, BOW (FILL IN)	82.00	82.00	82.00	82.00	STD
DEPTH SOUNDER ¹	340.00	340.00	340.00	340.00	340.00
FIBERGLASS FLOOR LINER	NA	446.00	492.00	492.00	492.00
SNAP-IN CARPETING	NA	148.00	178.00	178.00	178.00
FLUSH OUT KIT, ENGINE (I/O ONLY)	82.00	82.00	82.00	82.00	82.00
GEL COAT, THREE TONE ¹	160.00	160.00	160.00	160.00	160.00
HALON FIREBOY (STD INTERIOR)	142.00	142.00	142.00	142.00	142.00
(BRGM INTERIOR)	171.00	171.00	171.00	171.00	171.00
HOUR METER (I/O ONLY)	78.00	78.00	78.00	78.00	78.00
PORTABLE HEAD W/PRIVACY CURTAIN ²	NA	231.00	NA	231.00	NA
PROP, STAINLESS (EXCH-I/O ONLY)	162.00	162.00	162.00	162.00	162.00
SEAT, BUCKET (EA.) w/FISHWELL	NA	NA	NA	NA	285.00
SEAT ADJUSTER PORT (STD ON BRGHM)	49.00	49.00	49.00	49.00	49.00
STEREO UPGRADE AM/FM CASSETTE, 60W EQUALIZER, SEEK-SCAN, WEATHERBAND, 2 COAXIAL SPEAKERS, LED CLOCK ¹	194.00	194.00	194.00	194.00	217.00
STEERING, HYDRAULIC (OB) ³	692.00	692.00	692.00	NA	NA
SWIM PLATFORM, TEAK INSERT	186.00	186.00	209.00	209.00	240.00
WINDSHIELD WIPER (STBD)	108.00	108.00	108.00	108.00	108.00
SLX PACKAGE: STEREO UPGRADE, THREE TONE GEL COAT, COURTESY LIGHTS, CHART LIGHTER, DEPTH SOUNDER, COLOR-COORDINATED TOP, FORWARD COVER, COCKPIT COVER & BOW FILL-IN CUSHIONS	800.00	692.00	846.00	731.00	892.00
SLX OPTION 2: SAME AS ABOVE EXCEPT INSTEAD OF COCKPIT COVER HAS COLOR COORDINATED SIDE AND AFT CURTAINS	800.00	692.00	846.00	731.00	892.00
SLX OPTION 3: SAME AS ABOVE EXCEPT INSTEAD OF COCKPIT COVER HAS COLOR- COORDINATED SIDE CURTAINS AND CAMPER TOP, SIDE AND AFT CURTAINS	NA	NA	NA	NA	1,077.00

TRAILER OPTIONS:

BRAKES (ONE AXLE)	437.00	437.00	437.00	437.00	STD
BRAKES (BOTH AXLES)	NA	NA	646.00	646.00	209.00
CHROME WHEELS (SINGLE)	65.00	65.00	65.00	65.00	NA
CHROME WHEELS (TANDEM)	NA	NA	129.00	129.00	129.00
GALVANIZED (SINGLE AXLE)	277.00	277.00	277.00	277.00	NA
GALVANIZED (TANDEM AXLE)	NA	NA	308.00	308.00	308.00
CHARCOAL TRAILER (EXCHANGE)	NC	NC	NC	NC	NC
SPARE TIRE & WHEEL (WHITE)	131.00	131.00	131.00	131.00	131.00
(CHROME/GALVANIZED)	146.00	146.00	146.00	146.00	146.00
TANDEM AXLE	NA	NA	445.00	445.00	STD
TRAILER DELETE	(1,077.00)	(1,077.00)	(1,500.00)	(1,500.00)	(2,308.00)

* White Sport Topping. Color-coordinated canvas available only with SLX Packages.

¹ Included in SLX Packages² Convertible models only.³ Recommended on 150 HP and up.



HORIZON TRAILER SPECIFICATIONS

	180 HORIZON DO 2716	200 HORIZON SINGLE AXLE DO 4018	200 HORIZON TANDEM AXLE DO 2918	220 HORIZON DO 4820
Length with tongue	19'3"	22'	22'	24'3"
Length without tongue	15'8"	18'6"	18'6"	19'9"
Width	7'9"	8'	8'	8'6"
Empty Weight (lbs.)	620	980	1,070	1,200
Carrying Capacity (lbs.)	2,800	3,760	3,930	4,800
GVWR (lbs.) (Gross Vehicle Weight Rating)	3,420	4,740	5,000	6,000
GAWR (lbs.) (Gross Axle Wt. Rat.)	3,420	4,740	2,500 each	3,000 each
Height (Top of Windshield, with Boat on Trailer)	6'	6'10"	6'9"	7'6"
Tire Size	F78-14ST	H78 x 15	P205	F78-14ST
Load Range	C	D	B	C
Tire Cap. (lbs.) (Trailer Rat.)	1,710	2,370	1,380	1,710
Side Rails	4 x 2 x 11GA	2 x 4 x 11GA		5 x 2 x 11GA
Crossmembers	3 x 2 x 11 GA			
Tongue	3 x 3 x 11GA	3 x 3 x 5' x 3/16"		
Step Pads (Front Floor Plate)	20 x 9 1/2 x 1/8			
Step Pads (Rear Floor Plate)	30 x 9 1/2 x 1/8	38 x 9 1/2 x 1/8	20 x 9 1/2 x 1/8	30 x 9 1/2 x 1/8
Axle	2" x 2" x 1/4"	2" x 3" x 1/4"	2" x 2" x 1/4"	
U-Bolts	1018 Grade Material			
Axle Rating (lbs.)	3,500	4,740	3500	
Inner Bearing	L68149	25580	68149	L68149
Outer Bearing	L44649	15123	44649	L44649
Seal (Spring Loaded DBL Lipped)	AD2548E	AD3135	AD2548E	AD2548E
Grease	Mystic JT6			
Springs - 4 Leaf (capacity lbs.)	1,750	2,400	1,750	
Bearing Protectors	Vannor			
Hub	5 Lug on 4 1/2" Bolt Pattern	5 Lug on 5 1/2" Bolt Pattern	5 Lug on 4 1/2" Bolt Pattern	
Wheel Type	5 Hole Mod Style	6 Hole Mod Style	5 Hole Mod Style	5 Hole Mod Style
Jack	500 lbs. capacity (swivel)			1000 lbs. capacity (swivel)
Winch (lbs.)	1,400	1,900		2,500
Winch Straps	Nylon Strap with Hook			



	180 HORIZON DO 2716	200 HORIZON SINGLE AXLE DO 4018	200 HORIZON TANDEM AXLE DO 2918	220 HORIZON DO 4820
Bunks	2 x 4 Syp #2 Treated Lumber			
Inner	8'	10'	10'	11'8"
Outer	4'6"	4'	4'	4'3"
Side Guides	NA	NA	NA	3'4"
Coupler (lbs.)	3,500	5,000	5,000	6,000
Lights (Submersible)	Wesbar	Atwood	Wesbar	
Wire Harness	2 Piece Wishbone Type (at back of tongue)			
Paint	Ful-thane 2K Urethane 483-15 Cat- alyst (Nason)	PPG Delta	PPG Delta	Delta DU-6 Polyester Polyurethane
Primer	615 & 616 Variprime (Dupont)	PPG Delta	PPG Delta	DPU-166 DU-6
Options				
Brake Coupler	6000 lbs. Surge Brake			
Brake Cluster	10x2 Shoe Brake	12x2 Shoe Brake	10x2 Shoe Brake	
Brake Line	3/16" Steel			
Wheels	Chrome			

Features

Eleven gauge structural tubing
 All welded construction
 Swivel jack
 Removable tongue
 Bow roll assembly
 Winch with nylon strap
 Diamond plate step pads
 Recessed submersible lights
 Wire harness for lights inside tubing
 Fender splash guard
 Premium name brand tires
 White spoke wheels
 Leaf Spring Suspension
 Surge brakes (optional)
 Bearing protected axle
 (3-year guarantee)
 Custom side guides
 Four longitudinal bunk system
 Treated lumber in
 bunks and side guides
 Tie down rings
 Polyurethane paint with stripe
 Zinc chromate primer

Benefits

Adds structural strength & longer life
 No parts to vibrate loose
 Less exposure to damage
 Deters theft and allows home storage
 Protects bow of boat/tape stripe
 Winds up neatly without kinks
 Provides footing for easy boat entry
 Protects from damage and corrosion
 Protects wiring
 Protects boat from gravel & road tar
 Longer life
 Adds lasting beauty
 Ease of towing, smooth ride
 Controlled stopping with less
 load on tow vehicle brakes
 Lubricated bearings for longer life
 Ease of boat loading and unloading
 Provides structural support for boat hull
 Insures longer life and
 structural strength
 Provides opportunity to secure boat
 Excellent shine and durability
 Excellent rust inhibitor

180 CANDIA

Specifications

LOA/Transom to Bow:	19'8" / 18'3"
Beam:	7'8"
Fuel (gal.):	27
Passengers:	10
Maximum Capacity (lbs.):	(I/O) 1600 (O/B) 2200
Bridge Clearance:	45"
Cockpit Depth (helm):	31"
Draft (Drive Down):	26"

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Automatic bilge pump
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation (I/O)
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge* 3-Year Owner Protection Plan*
- Four Winns Sure Load™ Trailer, single axle, custom bunk, color-coordinated, detachable tongue
- Fuel tank, in floor, accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement

- Maximum foam added for flotation, rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Quick access hinged engine compartment lid (I/O)
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing step pad hull
- Stainless, deep access 3-step swim ladder
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

- Exterior and Trim
- Cleats (4) stainless
- Gel coat, two tone
- Horn

- Navigation lights
- Step pads, teak
- Swim platform, fiberglass, integrated w/stainless ladder
- Venturi windshield

Functional and Convenience

- Aluminum fuel tank (27 gal.)
- Bilge blower (I/O)
- Color-coded wiring
- Drain plug, brass
- Fused switches
- Instrumentation (I/O): fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter; (OB): speedometer; tachometer; fuel; voltmeter; trim indicator
- Power steering (I/O)
- Power trim & tilt (I/O)
- Power trim, tilt & VRO™ (OB)
- Steering wheel (padded)
- Stereo AM/FM cassette w/weatherband & 2 speakers in weather-resistant box

Interior

- Beverage holders oversized (cockpit)
- Canvas top
- Carpeting, premium grade marine
- Courtesy lights



Additional Standard Features (cont.)

- Passenger console w/locking glove box and integrated insulated ice chest
- Seating: adjustable bucket seats; hinged U-shaped bow seats; jump seats remove or make sundeck (I/O)
- Ski locker with teak lid
- Storage: bow area; sidewall; in-floor (ski); concealed top (I/O)

OPTIONS

- Anchor with 150' Line
 - Battery Switch (Dual)
 - Canvas, Mooring Cover
 - Chart Lighter¹
 - Cooler, 68 quart
 - Cushions, Bow (Fill-in)¹
 - Depth Sounder¹
 - Flush Out Kit, Engine (I/O only)
 - Gel Coat, Three Tone¹
 - Halon Fireboy
 - Hour Meter (I/O Only)
 - Prop, High Altitude/Heavy Load
 - Seating, Brougham: Two Bucket Seats with Adjusters and Headrests, Stern Couch, Sundeck
 - Stainless Prop (I/O) (Exchange)
 - Steering, Hydraulic (OB)
 - Stereo Upgrade AM/FM Cassette, 60W Equalizer, Seek-Scan w/Weatherband & 4 Coaxial Speakers, LED Clock¹
 - Swim Platform Teak Insert (I/O only)
 - Table w/Front and Rear Mounts¹
 - Windshield Console
 - SLX Package: (I/O only) Three Tone Gel Coat; Stereo Upgrade AM/FM Cassette; Depth Sounder; Chart Lighter; Color-coordinated Top; Table w/2 Mounts; Bow Fill-in Cushions
- Trailer Options:**
- Brakes
 - Charcoal Trailer (Exchange)
 - Chrome Wheels (Exchange)
 - Galvanized
 - Spare Tire and Wheel

¹ Included in SLX Packages

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
3.0L/L-4 (I/O)	130 HP	115 HP	2740
4.3L/V-6 (I/O)	175 HP	150 HP	2860*
5.0L-HO/V-8 (I/O)	200 HP	175 HP	2960
120TX**/V-4 (OB)	NA	120 HP	2440*
150TX**/V-6 (OB)	NA	150 HP	2460

Note: Boat weight based on design estimate NA = Not applicable

* Recommended Engine Package ** (OB) Johnson® or Evinrude® includes power tilt, trim & VRO™

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
180C (I/O)	4.3L	2,050	810	50	160	150	700
180C (OB)	120 TX	2,070	370	50	160	150	960

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
180C	3.0L (I/O)/130/115	15½ x 15	AL	30-33	115
180C	4.3L (I/O)/175/150	15 x 17	AL	39-41	105
180C	5.0L-HO (I/O)/200/175	14¼ x 21	AL	43-46	100
180C	120 TX (OB)/120	13 x 19	AL	38-41	105
180C	150 TX (OB)/150	15 x 17	AL	41-45	95

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

200 CANDIA

Specifications

LOA/Transom to Bow:	21'7" / 20'
Beam:	8'
Fuel (gal.):	27
Passengers:	13
Maximum Capacity (lbs.):	1805
Bridge Clearance:	45"
Cockpit Depth (helm):	31"
Draft (Drive(s) Down):	28"

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Automatic bilge pump
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation (I/O)
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge* 3-Year Owner Protection Plan*
- Four Winns Sure Load™ Trailer, tandem axle, custom bunk, color-coordinated, detachable tongue
- Fuel tank, in floor, accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/live stringer reinforcement

- Maximum foam added for flotation, rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Quick access hinged engine compartment lid (I/O)
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing step pad hull
- Stainless, deep access 3-step swim ladder
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Cleats (4) stainless
- Gel coat, two tone

- Horn
- Navigation lights
- Step pads, teak
- Swim platform, fiberglass, integrated w/stainless ladder
- Venturi windshield

Functional and Convenience

- Aluminum fuel tank (27 gal.)
- Bilge blower
- Color-coded wiring
- Drain plug, brass
- Fused switches
- Instrumentation: fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter
- Power steering
- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette w/weatherband & 2 speakers in weather-resistant box

Interior

- Beverage holders, oversized (cockpit)
- Canvas top
- Carpeting, premium grade marine
- Courtesy lights



Additional Standard Features (cont)

- Passenger console w/locking glove box and integrated insulated ice chest
- Seating: adjustable bucket seats; hinged U-shaped bow seats; jump seats remove or make sundeck
- Ski locker with teak lid
- Storage: bow area; sidewall; in-floor (ski); concealed top

OPTIONS

- Anchor with 150' Line
- Battery Switch (Dual)
- Canvas, Mooring Cover
- Chart Lighter¹
- Cooler, 68 quart
- Cushions, Bow (Fill-in)¹
- Depth Sounder¹
- Flush Out Kit, Engine
- Gel Coat, Three Tone¹
- Halon Fireboy
- Hour Meter
- Prop, High Altitude/ Heavy Load
- Seating, Brougham: Two buckets, couch and sundeck
- Stainless Prop (I/O) Exchange
- Stereo Upgrade, AM/FM Cassette, 60W Equalizer, Seek-Scan w/Weatherband, 4 Coaxial Speakers, LED Clock¹
- Swim Platform, Teak Insert
- Table with Front and Rear Mounts¹
- Windshield, Console
- SLX Package: Three Tone Gel Coat; Stereo Upgrade AM/FM Cassette; Depth Sounder; Chart Lighter; Color-Coordinated
- Top; Table w/2 Mounts; Bow Fill-in Cushions
- Tandem Axle Trailer Options:
 - Brakes
 - Charcoal Trailer
 - Chrome Wheels
 - Galvanized
 - Spare Tire and Wheel

¹ Included in SLX Package

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
5.0L-HO / V-8	200 HP	175 HP	3240
5.8L / V-8	235 HP	210 HP	3310*
5.7L / V-8	260 HP	220 HP	3240

*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
200C	5.8L	2330	980	50	160	150	1150

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
200C	5.0L-HO (I/O)/200/175	14½ x 19	AL	41-43	90
200C	5.8L-HO (I/O)/235/210	14½ x 19	AL	44-47	85
200C	5.7L (I/O)/260/220	14½ x 19	AL	46-49	85

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

CANDIA

MODEL	HP	LIST
180 CANDIA	120 TX* / V-4 (OB)	17,075.00
	150 TX* / V-6 (OB)	18,424.00
	4.3L / V-6 (I/O)	18,441.00
	5.0L-HO / V-8	19,565.00
200 CANDIA	5.0L-HO / V-8	22,355.00
	5.8L / V-8	22,955.00
	5.7L / V-8	24,079.00

* Johnson or Evinrude

* Pricing includes trailer. Delete Pricing on facing page.

OPTIONS / ACCESSORIES	180 CANDIA	200 CANDIA
ANCHOR WITH LINE	\$ 98.00	\$ 98.00
BATTERY SWITCH (DUAL)	231.00	231.00
BROUGHAM SEATING (I/O ONLY): 2 BUCKET SEATS, COUCH, SUNDECK	445.00	445.00
CANVAS, MOORING COVER	329.00	364.00
CHART LIGHTER ¹	24.00	24.00
COCKPIT GALLEY 1: ICEBOX, ALCOHOL STOVE	940.00	940.00
COCKPIT GALLEY 2: REFRIGERATOR, ALCOHOL STOVE	1,531.00	1,531.00
COCKPIT GALLEY 3: REFRIGERATOR, ALCOHOL/ELECTRIC STOVE & DOCKSIDE POWER	2,075.00	2,075.00
CUSHIONS, BOW (FILL-IN) ¹	137.00	137.00
DEPTH SOUNDER	340.00	340.00
FLUSH OUT KIT, ENGINE (I/O ONLY)	90.00	90.00
GEL COAT, THREE TONE ¹	160.00	160.00
HALON FIREBOY, I/O (STANDARD)	142.00	142.00
(BROUGHAM)	171.00	171.00
HOUR METER (I/O ONLY)	78.00	78.00
PROP, STAINLESS STEEL (EXCH-I/O)	162.00	162.00
STEERING, HYDRAULIC ² (OB ONLY)	692.00	NA
STEREO UPGRADE AM/FM CASSETTE, 60W, EQ., SEEK-SCAN, WEATHERBAND, 4 COAXIAL SPEAKERS, LED CLOCK ¹	157.00	157.00
SWIM PLATFORM, TEAK INSERT (I/O)	208.00	274.00
TABLE WITH EXTRA MOUNT ¹	152.00	152.00
WINDSHIELD CONSOLE (PAIR)	206.00	206.00
SLX PACKAGE: STEREO UPGRADE AM/FM CASSETTE, THREE TONE GEL COAT, CHART LIGHTER, DEPTH SOUNDER, TABLE WITH TWO MOUNTS, BOW FILL-IN CUSHIONS, COLOR-COORDINATED TOP	862.00	862.00



CANDIA

TRAILER OPTIONS:	180 CANDIA	200 CANDIA
BRAKES ² (ONE AXLE)	436.00	436.00
BRAKES ² (BOTH AXLES)	NA	646.00
CHARCOAL TRAILER PAINT		
CHROME WHEELS	65.00	129.00
GALVANIZED TRAILER	277.00	308.00
SPARE TIRE & WHEEL (WHITE)	131.00	131.00
(CHROME/GALVANIZED)	146.00	146.00
TANDEM AXLE	NA	STD
SINGLE AXLE	STD	NA
TRAILER DELETE	(1,077.00)	(1,654.00)

¹ Included in SLX Packages

² Recommended on 150-HP and up

³ Trailer brake regulations vary from state to state. See your dealer for trailer laws that apply to your state.



CANDIA TRAILER SPECIFICATIONS

	180 CANDIA SINGLE AXLE DO 3817 C	180 CANDIA TANDEM AXLE DO 4017 C	200 CANDIA TANDEM AXLE DO 4018 C
Length with tongue	21'4"	21'4"	23'
Length without tongue	16'8"	16'8"	18'10"
Width	8'6"	8'6"	8'6"
Empty Weight (lbs.)	940	960	1,150
Carrying Capacity (lbs.)	3,800	4,000	3,850
GVWR (lbs.) (Gross Vehicle Weight Rating)	4,740	5,000	5,000
GAWR (lbs.) (Gross Axle Wt. Rat.)	4,740	5,000	2,500 each axle
Height (Top of Windshield, with Boat on Trailer)	66"	NA	67"
Tire Size	H78-15ST	P 205 75B14	
Load Range	D	B	B
Tire Cap. (lbs.) (Trailer Rating)	2,370	1,380	1,380
Side Rails	4 x 2 x 11 GA		
Crossmembers	3 x 2 x 11 GA		
Tongue	3 x 3 x 3/16		3 x 3 x 3/16 x 6'
Step Pads (Front Floor Plate)	20" x 9 1/2" x 1/8"		
Step Pads (Rear Floor Plate)	30 x 9 1/2 x 1/8	20 x 9 1/2 x 1/8	32 x 9 1/2 x 1/8
Axle	2" x 3" x 1/4"	2" x 2" x 1/4"	2" x 2" x 1/4"
U-Bolts	1018 Grade Material		9/16 Dia.
Axle Rating (lbs.)	1@ 4,740	2@ 2,500	2,500 each
Inner Bearing	25580	L68149	
Outer Bearing	15128	L44649	
Seal (Spring Loaded DBL Lipped)	AD3135	AD2548E	
Grease	Mystic JT6		
Springs - 4 Leaf	2,400 Each	1,750 Each	
Bearing Protectors	Vannor		
Hub	6 Lug on 5 1/2" Bolt Pattern	5 Lug on 4 1/2" Bolt Pattern	
Wheel Type	15" x 6 Mod Style	14" x 6 Mod Style	
Jack	500 lbs. capacity (swivel)		
Winch (lbs.)	1,900		
Winch Straps	Nylon Strap with Hook		2" w/Hook
Bunks	2 x 4 Syp #2 Treated Lumber		
Inner	9'	9'	10'6"
Outer	5'	5'	7'
Side Guides	6'	8'	8'



	180 CANDIA SINGLE AXLE DO 3817 C	180 CANDIA TANDEM AXLE DO 4017 C	200 CANDIA TANDEM AXLE DO 4018 C
Coupler (lbs.)	5,000		
Lights (Submersible)	Wesbar		
Wire Harness	2 Piece Wishbone Type (at back of tongue)		20'
Paint	Delta DU-6 Polyester Polyurethane		PPG Delta
Primer	DPU-166	DU-6	PPG Delta
Options			
Brake Coupler	6000 lbs. Surge Brake Activator		
Brake Cluster	10" x 2" Shoe Brakes		
Brake Line	3/16" Steel Line		
Wheels	Chrome Modstyle		

Features

Eleven gauge structural tubing
 All welded construction
 Swivel jack
 Removable tongue
 Bow roll assembly
 Winch with nylon strap
 Diamond plate step pads
 Recessed submersible lights
 Wire harness for lights inside tubing
 Fender splash guard
 Premium name brand tires
 White spoke wheels
 Leaf Spring Suspension
 Surge brakes (optional)
 Bearing protected axle
 (3-year guarantee)
 Custom side guides
 Four longitudinal bunk system
 Treated lumber in
 bunks and side guides
 Tie down rings
 Polyurethane paint with stripe
 Zinc chromate primer

Benefits

Adds structural strength & longer life
 No parts to vibrate loose
 Less exposure to damage
 Deters theft and allows home storage
 Protects bow of boat/tape stripe
 Winds up neatly without kinks
 Provides footing for easy boat entry
 Protects from damage and corrosion
 Protects wiring
 Protects boat from gravel & road tar
 Longer life
 Adds lasting beauty
 Ease of towing, smooth ride
 Controlled stopping with less
 load on tow vehicle brakes
 Lubricated bearings for longer life
 Ease of boat loading and unloading
 Provides structural support for boat hull
 Insures longer life and
 structural strength
 Provides opportunity to secure boat
 Excellent shine and durability
 Excellent rust inhibitor



205 SUNDOWNER

Specifications

LOA/Transom to Bow:	20'9" / 19'4"
Beam:	7'8"
Fuel (gal.):	44
Passengers:	10
Maximum Capacity (lbs.):	(I/O) 1470 (O/B) 2185
Bridge Clearance:	48"
Cockpit Depth (helm):	38½"
Draft (Drive Down):	35"

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Balsa core reinforced deck
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge* 3-Year Owner Protection Plan*
- Four Winns Sure Load™ Trailer, tandem axle, custom bunk, color-coordinated, detachable tongue
- Fuel tank, in floor, accessible
- Full width & depth plywood transom

- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/live stringer reinforcement
- Maximum foam added for flotation, rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Quick access hinged engine compartment lid (I/O)
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless, deep access 3-step swim ladder
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Bow/tuff rails, stainless
- Cleats (4) stainless
- Deck hatch, round
- Gel coat, two tone
- Horn
- Navigation lights
- Non-skid walk around deck
- Port lights (2)
- Step pads, teak
- Swim platform, fiberglass, integrated w/stainless ladder
- Windshield, tinted/tempered, curved glass w/vented wings

Functional and Convenience

- Aluminum fuel tank (44 gal.)
- Bilge blower (I/O)
- Color-coded wiring
- Depth sounder
- Drain plug, brass
- Fused switches
- Instrumentation: (I/O) fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter
- (OB): tachometer; speedometer; fuel; voltmeter; trim indicator
- Power steering



Additional Standard Features (cont.)

- Power trim & tilt
- Power trim, tilt & VRO²™ (OB)
- Steering wheel (padded)
- Stereo AM/FM cassette w/weather-band & 4 speakers in weather-resistant box

Interior

- Beverage holders, oversized (cockpit)
- Cabin light
- Cabin door w/lock, plexiglass
- Canvas top
- Carpeting, premium grade marine
- Engine hatch, easy access, hinged (I/O)
- Passenger console w/locking glove box and integrated insulated ice chest

- Seating: cabin; adjustable driver's seat; back-to-back seats (fold to lounger); jump seats remove or make sundeck (I/O); vee berth
- Sleeping for 2; vee-berth
- Storage: bow area; sidewall; concealed top; (I/O)

OPTIONS

- Anchor with 150' Line
- Battery Switch (Dual)
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Sides
- Canvas, Camper (Incl. Main Sides)
- Canvas, Cockpit Cover
- Canvas, Mooring Cover
- Chart Lighter¹
- Compass
- Cooler, 68 quart
- Courtesy Lights (Cockpit)¹
- Fiberglass Floor
- Flush Out Kit, Engine (I/O only)
- Gel Coat, Three Tone¹
- Halon Fireboy
- Hatch Screen
- Head, Portable
- Head, Pumpout
- Hour Meter (I/O only)
- Pillow package

- Prop, High Altitude/ Heavy Load
- Seat Adjuster, Port (Std on BRGHM)
- Seating, Brougham (I/O only): Two Buckets, Couch, Sundeck
- Seat, Bucket(s) (Std on BRGHM)
- Seating, Bucket Seat on Insulated Fishwell w/Teak Rod Holders
- Snap-in Carpet
- Stainless Prop (I/O) Exchange
- Steering, Hydraulic (OB)²
- Stereo Upgrade, AM/FM Cassette 60W Equalizer, Seek-Scan w/Weatherband, 4 Coaxial Speakers, LED Clock¹
- Swim Platform, Teak Insert (I/O only)
- Table, Cabin
- Table, Extra Cockpit Mount
- Windshield Wipers

- SLX Package: (I/O only) Three Tone Gel Coat; Stereo Upgrade AM/FM Cassette; Courtesy Lights (Cockpit); Chart Lighter; Color-coordinated Top, and Cockpit Cover
- SLX Option 2: Same as above except instead of Cockpit Cover has Color-coordinated Side and Aft Curtains
- SLX Option 3: Same as above except instead of Cockpit Cover has Color-coordinated Side Curtains & Camper Top, Side & Aft Curtains

Tandem Axle Trailer Options:

- Brakes
- Charcoal Trailer (Exchange)
- Chrome Wheels (Exchange)
- Galvanized
- Spare Tire and Wheel

¹ Included in SLX Packages

² Recommended on 150-HP and up (OB)



205 SUNDOWNER

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
4.3L / V-6	175 HP	150 HP	2940
5.0L-HO / V-8	200 HP	175 HP	3040*
5.8L / V-8	235 HP	210 HP	3110
5.7L / V-8	260 HP	220 HP	3040
150TX** / V-6	NA	150 HP	2540*
175TX** / V-6	NA	175 HP	2550

Note: Boat weight based on design estimate

NA = Not applicable

*Recommended Engine Package

** (OB) Johnson® or Evinrude® includes power tilt, trim & VRO™

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt
205S	5.0L-HO	2130	910	50	260	150	1070

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
205S	4.3L/175/150	15 x 17	AL	38-41	170
205S	5.0L-HO/200/175	14¼ x 19	AL	43-46	160
205S	5.8L/235/210	14½ x 19	AL	46-49	140
205S	5.7L/260/220	14½ x 19	AL	47-50	140
205S	150 TX/150	15 x 17	AL	41-44	160
205S	175 TX	14½ x 19	AL	45-48	150

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

225 SUNDOWNER

Specifications

LOA/Transom to Bow:	23'3" / 21'7"
Beam:	8'4"
Fuel (gal.):	65
Passengers:	10
Maximum Capacity (lbs.):	NA
Bridge Clearance:	67"
Cockpit Depth (helm):	41"
Draft (Drive Down):	35"

NA = Not available at time of printing

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Balsa core reinforced deck
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge* 3-Year Owner Protection Plan*
- Four Winns Sure Load™ Trailer, tandem axle, custom bunk, color-coordinated, detachable tongue
- Fuel tank, in floor, accessible
- Full width & depth plywood transom

- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement
- Maximum foam added for rigidity & sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Quick access hinged engine compartment lid (I/O)
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Unique stainless, deep access swim ladder serves as handrail in upright position
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Bow/staff rails, stainless
- Cleats (4) stainless
- Deck hatch, (1) round
- Gel coat, two tone
- Horn
- Navigation lights
- Non-skid walk around deck
- Port lights (2)
- Stern light
- Swim platform, fiberglass, integrated w/ladder
- Walk-through fiberglass transom door
- Windshield, tinted/tempered, curved glass, w/vented wings

Functional and Convenience

- Aluminum fuel tank (65 gal.)
- Bilge blower (I/O)
- Color-coded wiring
- Depth sounder
- Fused switches
- Hour meter
- Instrumentation (I/O): fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter
- Power steering



Additional Standard Features (cont.)

- Power trim & tilt
- Steering wheel (padded)
- Stereo AM/FM cassette w/weatherband & 4 speakers in weather-resistant box
- Cabin lights
- Cabin entryway, plexiglass w/lock
- Canvas top
- Carpeting, premium grade marine
- Courtesy lights
- Engine hatch, easy access, hinged
- Passenger console w/integrated insulated ice chest
- Passenger grab rail
- Seating: cabin; adjustable; driver's seat; back-to-back seats (fold to lounger); removeable jump seats; vee-berth
- Sleeping for 2; vee-berth
- Storage: bow area; sidewall; concealed top

Interior

- Beverage holders, oversized (cockpit)

OPTIONS

- Anchor with 150' Line
- Battery Switch (Dual)
- Canvas, Aft
- Canvas, Camper (Incl. Main Sides)
- Canvas, Cockpit Cover
- Canvas, Full (Aft, Side, Forward)
- Canvas, Mooring Cover
- Canvas, Sides
- Chart Lighter¹
- Compass
- Fiberglass Floor
- Flush Out Kit, Engine (OMC only)
- Gel Coat, Three Tone¹
- Halon Fireboy
- Hatch Screen
- Head, Pumpout
- Hour Meter
- Prop, High Altitude/Heavy Load
- Seat Adjuster, Port
- Seating, Bucket Seat on Insulated Fishwell w/Teak Rod Holders
- Snap-in Carpet (requires fiberglass floor)
- Stainless Prop Exchange
- Stereo Upgrade AM/FM Cassette 60W Equalizer, Seek-Scan w/Weatherband, 4 coaxial speakers, LED Clock¹
- Swim Platform, Fiberglass (exchange)
- Table Cabin
- Extra Cockpit Mount, Table
- Trim Tabs (Hydraulic)
- Windshield Wipers
- Windshield, Walk-thru w/Deck Access Ladder
- SLX Package: Three Tone Gel Coat; Stereo Upgrade AM/FM Cassette; Chart Lighter; Color-coordinated Top, and Cockpit Cover
- SLX Option 2: Same as above except: Replace Cockpit Cover with Color-coordinated Side and Aft Curtains
- SLX Option 3: Same as above except: Replace Aft Curtain with Color-coordinated Camper Top, Side and Aft Curtains

Tandem Axle Trailer Options

- Brakes (One Axle)
- Brakes (Both Axles)
- Charcoal Trailer Paint (Exchange)
- Chrome Wheels (Exchange)
- Galvanized
- Spare Tire and Wheel

¹Included in SLX Packages



225 SUNDOWNER

Power Ratings & Weights (Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
5.0L-HO/V-8 (I/O)	200 HP	175 HP	4070
5.8L / V-8 (I/O)	235 HP	210 HP	4140*
5.7L / V-8 (I/O)	260 HP	220 HP	4070
460CI / V-8 (I/O)	340 HP	295 HP	4370

Note: Boat weight based on design estimate

*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
225S	5.8L	3160	980	50	390	250	1200

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
225S	5.0L-HO/200/175	15 x 17	AL	38-41	260
225S	5.8L/235/210	15 x 17	AL	41-44	240
225S	5.7L/260/220	15 x 17	AL	42-45	240
225S	460CI/340/295	14½ x 19	AL	47-50	180

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



255 SUNDOWNER

Specifications

LOA/Transom to Bow:	26'2"/24'5"
Beam:	8'6"
Fuel (gal.):	100
Passengers:	10
Maximum Capacity (lbs.)	Y
Bridge Clearance:	71"
Cockpit Depth (helm):	34½"
Draft (Drive(s) Down):	38"

Y = Yacht certified

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Balsa core reinforced deck & hull
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge* 3-Year Owner Protection Plan*
- Fuel tank, in-floor accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement

- Maximum foam added for rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless rails, cleats, ski eye, through bolted, metal backed
- Unique stainless, deep access swim ladder, serves as assist handrail in upright position
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

- Exterior and Trim
 - Bow/tuff rails, stainless
 - Cleats (6) stainless
 - Deck hatches (2), round
 - Gel coat, two tone
 - Horn
 - Navigation lights
 - Non-skid walk around deck
 - Port lights (2)
 - Stern light
 - Swim platform, fiberglass, integrated, w/ladder
 - Walk-through fiberglass transom door
 - Windshield, tinted/tempered, curved glass, w/vented wings
- Functional and Convenience
- Aluminum fuel tank (100 gal.)
 - Battery switch, dual (with twin engines)
 - Bulkhead pass through hatch
 - Color-coded wiring
 - Counter rotating props (twins)
 - Depth sounder
 - Fused switches
 - Hour meter
 - Instrumentation: fuel; trim indicator; speedometer; tachometer; voltmeter; engine synchronizer indicator (twins)



Additional Standard Features (cont.)

- Power steering
- Power trim & tilt
- Prop(s), aluminum
- Steering wheel (padded)
- Stereo
AM/FM cassette, 60W equalizer seek-scan w/weatherband & 4 coaxial speakers, LED clock & remote

- ### Interior
- Beverage holders, oversized (cockpit)
 - Cabin lights
 - Cabin door w/lock
 - Canvas top
 - Carpeting, premium grade marine
 - Courtesy lights (cockpit), mood lights (cabin)
 - Dinette table, expandable, fold away
 - Engine hatch, easy access, hinged
 - Galley w/ice box

- Head, portable, enclosed w/mirror
- Passenger grab rail
- Pillows (cabin decor)
- Seating: cabin; adjustable driver's seat; back-to-back seats (fold to lounger); removeable jump seats; vee berth
- Sleeping for 2; vee-berth
- Storage: bow area; sidewall; concealed top
- Water storage (15 gal.)
- Sink

OPTIONS

- Anchor with 200' Line
- Battery Switch (Dual)
- Bow Pulpit
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Sides
- Canvas, Camper (Incl. Main Sides)
- Canvas, Cockpit Cover
- Canvas, Mooring Cover
- Compass
- Cooler, 68 quart
- Dockside Power w/Isolator (50' cable) Battery Charger, Switch and Adapters
- Fiberglass Floor
- Flush Out Kit, Engine
- Gel Coat, Three Tone
- Halon Fireboy
- Hatch Screen
- Headphone w/Jack
- Head, Pumpout
- Prop, High Altitude/ Heavy Load
- Refrigerator, Dual Voltage¹
- Seat Adjuster, Port
- Seating, Brougham
- Seating, Bucket (Starboard)
- Seating, Bucket (Both)
- Seating, Bucket Seat on Insulated Fishwell w/Teak Rod Holders
- Ship-to-Shore w/Antenna
- Snap-in Carpet
- Spot/Floodlight, Remote
- Stereo, Remote Touch Pad
- Stove, Alcohol - 1 Burner
- Swim Platform, teak insert
- Trim Tabs (Hydraulic) (Std on Twins)
- Windshield Wipers
- SLX Package:
Three Tone Gel Coat;
Chart Lighter;
Color-coordinated Top and Cockpit Cover
- SLX Option 2:
Same as above except instead of Cockpit Cover has Color-coordinated Side and Aft Curtains
- SLX Option 3:
Same as above except instead of Cockpit Cover has Color-coordinated Side Curtains and Camper Top, Side and Aft Curtains

¹ Requires Dockside Power



255 SUNDOWNER

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
5.7L / V-8	260 HP	220 HP	5100*
460CI / V-8	340 HP	295 HP	5340
Twin 5.0L-HO / V-8	200 EA	175 EA	5900

Note: Boat weight based on design estimate

*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
255S	5.7L	4190	910	50	600	250	1760

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
255S	5.7L/260/220	15 x 16	SSTII	40-43	290
255S	460CI/340/295	14½ x 19	SSTII	45-48	240
255S	TWIN 5.0L-HO/V-8	14¼ x 21	SSTII	47-50	230

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

SUNDOWNER

MODEL	HP	LIST
205 SUNDOWNER*	OB 150	22,189
	OB 175	22,789
	4.3L / 175	21,991
	5.0L-HO / 200	23,115
	5.8L / 235	23,715
	5.7L / 260	24,840
225 SUNDOWNER*	5.0L-HO / 200	25,991
	5.8L / 235	26,591
	5.7L / 260	27,715
	460CI / 340	29,739
255 SUNDOWNER	5.7L / 260	36,384
	460CI / 340	38,408
	Twin 5.0L-HO / 200	44,705

* Pricing includes trailer. Delete Pricing on facing page.

OPTIONS / ACCESSORIES	205	225	255
ANCHOR WITH LINE	\$ 98.00	\$ 98.00	\$158.00
BATTERY SWITCH DUAL ¹	231.00	231.00	231.00
BEDDING PACKAGE: 1 SLEEPSACK, 2 PILLOWCASES, 2 BATH TOWELS, 2 HAND TOWELS, 2 FINGERTIP, 2 WASH CLOTHS	NA	NA	562.00
BOW PULPIT	NA	NA	635.00
BRGHM SEATING (I/O ONLY):2 BUCKET SEATS, COUCH, SUNDECK	445.00	522.00	598.00
CANVAS*, FULL (AFT, SIDES)	195.00	231.00	286.00
CANVAS*, AFT	152.00	183.00	228.00
CANVAS*, SIDES	108.00	125.00	154.00
CANVAS*, CAMPER (INCL. MAIN SIDES)	622.00	663.00	808.00
CANVAS*, COCKPIT COVER	212.00	229.00	265.00
CANVAS, MOORING COVER	311.00	323.00	385.00
CHART LIGHTER ³	24.00	24.00	24.00
COCKPIT GALLEY 1: ICEBOX, ALCOHOL STOVE	940.00	940.00	940.00
COCKPIT GALLEY 2: REFRIGERATOR ALCOHOL STOVE	1,531.00	1,531.00	1,531.00
COCKPIT GALLEY 3: REFRIGERATOR ALCOHOL/ELECTRIC STOVE, & DOCKSIDE POWER	2,075.00	2,075.00	2,075.00
COMPASS	62.00	109.00	109.00
DECK SUN PAD	NA	NA	77.00



OPTIONS / ACCESSORIES	205	225	255
DOCKSIDE POWER WITH ISOLATOR, (50' CABLE), BATTERY CHARGER, SWITCH & ADAPTERS	NA	NA	1,009.00
DRINK DECANTERS W/GLASSES	NA	NA	108.00
FIBERGLASS FLOOR	492.00	617.00	STD
SNAP-IN CARPET	178.00	178.00	178.00
FLUSH OUT KIT, ENGINE (I/O ONLY)	82.00	82.00	128.00
GEL COAT, THREE TONE ³	160.00	160.00	160.00
GREY WATER SYSTEM	NA	NA	372.00
HALON FIREBOY - (STANDARD) (BROUGHAM/TWIN)	142.00 171.00	142.00 171.00	142.00 171.00
HATCH SCREEN (EACH)	18.00	18.00	18.00
HEAD, ENCLOSED	NA	1,208.00	STD
HEAD, PORTABLE	118.00	118.00	STD
HEAD, PUMPOUT	95.00	95.00	95.00
HOURLY METER (I/O ONLY) ⁴	78.00	78.00	STD
LIGHTS, COURTESY (COCKPIT)	49.00	STD	STD
LIGHTS, FLOODLIGHT, REMOTE	NA	NA	360.00
LORAN	NA	NA	1,020.00
NAVIGATION PACKAGE (REQUIRES BOW PULPIT)	NA	NA	1,846.00
PILLOW PACKAGE	69.00	69.00	STD
PROP, STAINLESS STEEL, (EACH) (I/O) (EXCHANGE)	162.00	162.00	162.00
REFRIGERATOR, DUAL VOLTAGE ²	NA	NA	680.00
SEAT ADJUSTER, PORT (STD ON BRGHM)	49.00	49.00	49.00
SEATING: BUCKET SEAT ON INSULATED FISHWELL W/ TEAK ROD HOLDERS (EA.)	266.00	266.00	266.00
SHIP-TO-SHORE RADIO	NA	762.00	762.00
STEERING, HYDRAULIC (OB, 150-HP & UP)	692.00	NA	NA
STEREO, HEADPHONE W/JACK	NA	NA	98.00
STEREO, UPGRADE, AM/FM CASSETTE, 60W EQUALIZER, SEEK-SCAN, WEATHER- BAND, 4 COAXIAL SPEAKERS, LED CLOCK ³	STD	STD	STD
STOVE, ALCOHOL - 1 BURNER	NA	NA	165.00
SWIM PLATFORM, TEAK INSERT (I/O)	209.00	240.00	309.00
TABLE, CABIN	114.00	114.00	STD
TABLE W/EXTRA COCKPIT MOUNT	143.00	143.00	143.00
TRIM TABS (HYDRAULIC) ¹	NA	485.00	485.00
WINDLASS, ROPE	NA	NA	1,163.00
WINDLASS, ROPE & CHAIN	NA	NA	2,166.00
WINDSHIELD, WALK-THRU W/LADDER	469.00	489.00	NA
WINDSHIELD WIPER (EA.)	108.00	108.00	108.00

¹ Standard w/Twin Engines ² Requires Dockside Power
³ Std w/SLX Option ⁴ Engine Mount on 205, 215, 225



SUNDOWNER

OPTIONS / ACCESSORIES

205

225

255

SLX PACKAGE (I/O ONLY): THREE TONE GEL COAT, COURTESY LIGHTS (COCKPIT), CHART LIGHTER, COLOR-COORDINATED TOP & COCKPIT COVER	\$338.00	\$338.00	\$338.00
SLX OPTION 2: SAME AS ABOVE EXCEPT INSTEAD OF COCKPIT COVER HAS COLOR-COORDINATED SIDE AND AFT CURTAINS	369.00	369.00	423.00
SLX OPTION 3: SAME AS ABOVE EXCEPT INSTEAD OF COCKPIT COVER HAS COLOR-COORDINATED SIDE CURTAINS AND CAMPER TOP, SIDE AND AFT CURTAINS	646.00	646.00	769.00
TRAILER OPTIONS:			
BRAKES* (ONE AXLE)	437.00	STD	STD
BRAKES* (BOTH AXLES)	646.00	210.00	209.00
CHARCOAL TRAILER PAINT (EXCHANGE)	NC	NC	NC
CHROME WHEELS (TANDEM)	129.00	129.00	129.00
GALVANIZED	308.00	308.00	369.00
SPARE TIRE AND WHEEL (WHITE)	131.00	131.00	154.00
(CHROME/GALVANIZED)	146.00	146.00	185.00
TANDEM AXLE	STD	STD	3,442.00
WITHOUT TRAILER	(1654.00)	(2380.00)	NA

* Trailer brake regulations vary from state to state. See your dealer for trailer laws that apply to your state.



SUNDOWNER TRAILER SPECIFICATIONS

	205 SUNDOWNER DO 4018	225 SUNDOWNER DO 4820	255 SUNDOWNER DO 7224(T)*
Length with tongue	22'	24'3"	28'
Length without tongue	18'6"	19'9"	24'9"
Width	8'	8'6"	8'6"
Empty Weight (lbs.)	1,070	1,200	1,760
Carrying Capacity (lbs.)	3,930	4,800	7,720
GVWR (lbs.) (Gross Vehicle Weight Rating)	5,000	6,000	9,480
GAWR (lbs.) (Gross Axle Wt. Rat.)	5,000	6,000	4,740 Each Axle
Height (Top of Windshield, with Boat on Trailer)	85"	102"	105"
Tire Size	P-205	F78-14ST	H78x15
Load Range	B	C	D
Tire Cap. (lbs.) (Trailer Rating)	1,380	1,710	2,370
Side Rails	4 x 2 x 11 GA	5 x 2 x 11 GA	5 x 2 x 3/16 24" long
Crossmembers	3 x 2 x 11 GA	3 x 2 x 11 GA	4 x 2 x 11 GA 76 1/2" long/2 bands
Tongue	5 x 3/16	3 x 3 x 3/16	3 sq. x 1/4 wall 6' long
Step Pads (Front Floor Plate)	9 1/2 x 20 x 1/8		
Step Pads (Rear Floor Plate)	9 1/2 x 20 x 1/8	9 1/2 x 30 x 1/8	9 1/2 x 48 x 1/8
Axle	2" x 2" x 1/4"		3" x 2" x 1/4"
U-Bolts	1018 Grade Material		
Axle Rating (lbs.)	3,500	3,500	5,200
Inner Bearing	L68149		25580
Outer Bearing	L44649		15123
Seal (Spring Loaded DBL Lipped)	AD2548		AD3135
Grease	Mystic JT6		
Springs	1,750	4 Leaf 1,750	2,600
Bearing Protectors	Vannor		
Hub	5 Lug on 4 1/2" Bolt Pattern		
Wheel Type	5 Lug Mod Style 4 1/2" on Dia.	14" x 6 Mod Style	Dexter 6 lug 5 1/2" center
Jack (lbs.)	500 (swivel)	1,000 (swivel)	1,000 (swivel)
Winch (lbs.)	1,900	2,500	2,500
Winch Strap	2" w/Hook	Nylon Strap w/Hook	2" w/Hook



	205 SUNDOWNER DO 4018	225 SUNDOWNER DO 4820	255 SUNDOWNER DO 7224(T) *
Bunks	2 x 4 Syp #2 Treated Lumber		2 x 6 Treated Wood
Inner	10'	11'8"	15'4"
Outer	4'	4'3"	8'
Side Guides	3'4"	3'4"	3'4"
Coupler (lbs.)	5,000	6,000	10,000
Lights (Submersible)	Wesbar		
Wire Harness	20'	2 Piece Wishbone (at back of tongue)	30' Wesbar
Paint	PPG Delta	Delta DU-6 Polyester Polyurethane	PPG Delta
Primer	PPG Delta	DPU-166 DU-6	PPG Delta
Options			
Brake Coupler	6000 lbs. Surge Brake Act.		10,000 lbs. Surge Brake Act.
Brake Cluster	10" x 2" Shoe Brake		12" x 2" Shoe Brake
Brake Line	3/16" Steel Line		
Wheels	Chrome Modstyle		

Features

Eleven gauge structural tubing
 All welded construction
 Swivel jack
 Removable tongue
 Bow roll assembly
 Winch with nylon strap
 Diamond plate step pads
 Recessed submersible lights
 Wire harness for lights inside tubing
 Fender splash guard
 Premium name brand tires
 White spoke wheels
 Leaf Spring Suspension
 Surge brakes (optional)

 Bearing protected axle
 (3-year guarantee)
 Custom side guides
 Four longitudinal bunk system
 Treated lumber in
 bunks and side guides
 Tie down rings
 Polyurethane paint with stripe
 Zinc chromate primer

Benefits

Adds structural strength & longer life
 No parts to vibrate loose
 Less exposure to damage
 Deters theft and allows home storage
 Protects bow of boat/tape stripe
 Winds up neatly without kinks
 Provides footing for easy boat entry
 Protects from damage and corrosion
 Protects wiring
 Protects boat from gravel & road tar
 Longer life
 Adds lasting beauty
 Ease of towing, smooth ride
 Controlled stopping with less
 load on tow vehicle brakes
 Lubricated bearings for longer life

 Ease of boat loading and unloading
 Provides structural support for boat hull
 Insures longer life and
 structural strength
 Provides opportunity to secure boat
 Excellent shine and durability
 Excellent rust inhibitor

*(T) denotes twin engine trailer



207 QUEST CC/DC

Specifications

LOA/Transom to Bow:	19'8"
Beam:	8'2"
Fuel (gal.):	85
Passengers:	7
Minimum Capacity (lbs.):	NA
Bridge Clearance:	70"
Cockpit Depth (helm):	28"
Draft (Engine Down):	30"

* Design Estimate

NA = Not Available at time of printing.

Four Winns Extra Value Standard Features

- Smooth riding, fast planing deep vee hull
- Hand lay-up woven roving fiberglass construction
- Five-stringer reinforcement
- Foam added for flotation, rigidity and sound deadening
- Full width and depth, one-piece plywood transom
- Stainless steel fittings and hardware
- Shrink wrap shipping
- Wood backing at all through-the-hull-and deck fastening points
- **Winning EdgeSM 3-Year Owner Protection Plan**

Additional Standard Features

- Aerated oval baitwell, 28 gallon
- Anchor locker
- Bilge pump (1500 gph)
- Bimini canvas top (CC only)
- Binnacle control (CC only)
- Concealed storage, 42 cubic feet
- Courtesy lights
- Dual cable steering
- Dual pedestal-mount helm chairs and cushions
- Fishbox, 5 foot
- Flush mounted control (DC only)
- Full canvas (DC only)
- Fuel tank, 85 gallon
- Full instrumentation
- Johnson® or Evinrude® outboard engine
- Large capacity portable ice chest (68 quart) (with seat cushion, CC only)
- Lifting eye

- Lowrance 1240A
- Power trim, tilt, & VROTM
- Prop, high altitude/heavy load
- Recessed sidewall rod storage
- Self-bailing cockpit w/washdown
- Stainless steel steering wheel
- Walk-thru windshield (DC only)
- Welded stainless bow and grab rails

Options

- Dual battery switch



207 QUEST CC/DC

Boat & Engine Weights (Lbs.)

	Crankshaft HP	Propshaft HP	Boat & Engine Weights*
150TX/V-6	NA	150	2780
175TX/V-6	NA	175	2800
200TX/V-6	NA	200	2850**
225T/V-6	NA	225	2850

* Design Estimate

** Recommended engine

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
207Q	150TX/150	15 x 17	AL	40-43	300
207Q	175TX/175	14¼ x 19	AL	43-46	280
207Q*	200TX/200	14½ x 19	AL	46-49	250
207Q	225TX/225	14½ x 19	AL	48-51	250

*Recommended engine

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

MODEL	HP	LIST
207 QUEST CC	150 TX/V-6	20,933
	175 TX/V-6	21,457
	200 TX/V-6	21,783
	225 TX/V-6	22,247
207 QUEST DC	150 TX/V-6	21,556
	175 TX/V-6	22,091
	200 TX/V-6	22,423
	225 TX/V-6	22,897

OPTIONS / ACCESSORIES	CC	DC
BATTERY SWITCH, DUAL	\$231.00	\$231.00



245 VISTA

Specifications

LOA/Transom to Bow:	23'8"
Beam:	8'6"
Fuel (gal.):	72
Water (gal.):	15
Passengers:	10
Maximum Capacity (lbs.):	3200
Bridge Clearance:	6'8"
Cockpit Depth (helm):	32"
Draft (Drive(s) Down):	38"

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Balsa core reinforced deck & hull
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Fuel tank, in-floor, accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement

- Maximum foam added for rigidity & sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Quick access hinged engine compartment lid
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless, deep access 3-step swim ladder
- Stainless rails, cleats, through bolted, metal backed
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

- Exterior and Trim
- Bow/tuff rails, stainless
- Cleats (6) stainless

- Deck hatch, round
- Gel coat, three tone
- Horn
- Navigation lights
- Non-skid walk around deck
- Port lights (4)
- Step pads
- Stern light
- Swim platform, fiberglass w/ladder
- Walk-through transom door
- Windshield, tinted/tempered, w/vented wings

Functional and Convenience

- Adjustable helm seat
- Aluminum fuel tank (72 gal.)
- Bilge blower
- Bulkhead pass-through hatch
- Canvas top and cockpit cover, color-coordinated
- Chart light/lighter
- Color-coded wiring
- Counter rotating props (twin only)
- Depth sounder
- Drain plug, brass
- Engine synchronizer indicator (twins)
- Fused switches
- Hour meter(s)



Additional Standard Features (cont.)

- Instrumentation: fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter
 - Power steering
 - Power trim & tilt
 - Props, stainless
 - Steering wheel (padded)
 - Stereo AM/FM cassette, 60W equalizer, seek-scan w/weatherband & 4 coaxial speakers, LED clock
 - Stern couch
 - Systems monitor (oil, temp, volt alarm)
 - Trim tabs
- Interior**
- Aft cabin
 - Beverage holders, oversized (cockpit)
 - Cabin lights
 - Cabin door w/lock
 - Canvas top and cockpit cover, color-coordinated
 - Carpeting, (cabin) plush premium grade marine
 - Courtesy lights (cockpit), mood lights (cabin)
 - Curtains (privacy), aft cabin, vee-berth
 - Curtains, windows
 - Dinette table
 - Enclosed head
 - Fiberglass cockpit liner, self-bailing
- Galley; alcohol stove, ice box, sink, storage
 - Mirror
 - Passenger grab rail
 - Pillows (cabin decor)
 - Seating: cabin; bucket seat (adjustable driver's seat); L-shaped passenger seating
 - Shower (pressurized)
 - Sleeping for 4; aft cabin; vee-berth
 - Storage: bow area; sidewall; under steps
 - Vanity & sink, enclosed
 - Water inlet (dockside)
 - Water storage (15 gal.)
 - Windows; aft cabin, side, w/screens

OPTIONS

- Air Conditioning/Heater¹
 - Anchor with 200' Line
 - Battery Switch (Dual)²
 - Bedding Package
 - Bow Pulpit
 - Canvas, Full (Aft, Sides)
 - Canvas, Aft
 - Canvas, Sides
 - Canvas, Camper (Incl. Main Sides)
 - Canvas, Mooring Cover
 - CO (Carbon Monoxide) Monitor
 - Compass
 - Convenience Group: Dockside Power w/Isolator (50' Cable) Adapters, Battery Charger, Battery Switch, Compass, Refrigerator
 - Cooler, 68 quart
 - Dockside Power w/Isolator (50' cable), Battery Charger, Switch and Adapters
 - Flush Out Kit, Engine
 - Gas Vapor Detector
 - Halon Fireboy
 - Hatches (2), Ventilating 12"x12"
 - Hatch Screen (Each)
 - Head Pumpout
 - Prop(s), High Altitude/ Heavy Load
 - Prop, Stainless (Exchange)
 - Refrigerator, (110/12V)¹
 - Rotating Passenger Seat
 - Seating, Stern Couch
 - Shower Curtain
 - Snap-in Carpet
 - Spot/Floodlight, Remote
 - Stove, Alcohol/Electric¹
 - Swim Platform, Fiberglass, (exchange)
 - Trailer, tandem axle, custom bunk, color-coordinated
 - Water Heater¹
 - Windshield Wipers
- Tandem Trailer Options**
- Brakes³ (One Axle)
 - Brakes³ (Both Axles)
 - Charcoal Trailer Paint (Exchange)
 - Chrome Wheels (Exchange)
 - Galvanized
 - Spare Tire and Wheel

¹ Requires Dockside Power

² Standard on Twin

³ Trailer brake regulations vary from state to state.

See your dealer for trailer laws that apply to your state.



245 VISTA

Power Ratings & Weights

Lbs.

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
5.7L / V-8	260 HP	220 HP	5470*
460CI / V-8	340 HP	295 HP	5720
Twin 4.3L / V-6	175 EA	150 EA	6170

Note: Boat weight based on design estimate

*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
245V	5.7L	4560	910	50	430	250	1650

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
245V	5.7L/260/220	15½ x 15	AL	37-40	200
245V	460CI/340/295	15 x 17	AL	44-47	180
245V	Twin 4.3L/175/150	14½ x 19	SSTII	45-48	170

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

**Fuel Flow Data - 245 Vista with 5.7L / 260 / 220**

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	8	5.7
2500	9	9
3000	22	16
3500	30	19
4000	35	21
WOT	37	22

Fuel Flow Data - 245 Vista with 460 CI / 340 / 295

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	8	8
2500	9	11
3000	13	16
3500	22	23
4000	34	25
4500	40	27
WOT	44	28

Fuel Flow Data - 245 Vista with Twin 4.3L / 175 / 150

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	9	9
2500	11	11
3000	24	19
3500	30	22
4000	38	24
4500	44	26
WOT	46	29

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



265 VISTA

Specifications

LOA/Transom to Bow:	26' 2" / 24' 5"
Beam:	8' 6"
Fuel (gal.):	85
Water (gal.):	20
Passengers:	10
Maximum Capacity:	Y
Bridge Clearance:	6' 8" (8' w/arch)
Cockpit Depth (helm):	27" / 37"
Draft (Drive(s) Down):	39"

Y = Yacht certified

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker
- Automatic bilge pump
- Balsa core reinforced deck & hull
- Bow pulpit, integrated with anchor line rollers
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Fuel tank, in floor, accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement

- Maximum foam added for rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless rails, cleats, through bolted, metal backed
- Unique stainless, deep access 3-step swim ladder, serves as a handrail upright position
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

- Exterior and Trim
- Bow/taff rails, stainless, welded

- Chrome vents
- Cleats (6) stainless
- Deck hatches (2), round
- Gel coat, three tone
- Horn
- Navigation lights
- Non-skid walk around deck
- Port lights (4)
- Stern light
- Swim platform, fiberglass, integrated w/ladder
- Walk-through fiberglass transom door
- Windshield, curved glass tinted/tempered, w/vented wings

Functional and Convenience

- Adjustable helm seat
- Aluminum fuel tank, (85 gal.)
- Bilge blower
- Bulkhead pass-through hatch
- Canvas top and cockpit cover, color coordinated
- Chart light/lighter
- Color-coded wiring
- Compass
- Counter rotating props (twin only)
- Depth sounder



Additional Standard Features (cont.)

- Drain plug, brass
 - Engine synchronizer indicator (twins)
 - Fused switches
 - Hour meter(s)
 - Instrumentation: fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter
 - L-shaped passenger seat
 - Power steering
 - Power trim & tilt
 - Prop(s) stainless
 - Steering wheel (padded)
 - Stereo AM/FM cassette, 60W equalizer seek-scan w/weatherband 4 coaxial speakers, LED clock
 - Stereo remote controls
 - Stern couch
 - Systems monitor (oil, temp, volt alarm)
 - Trim tabs, hydraulic
- Interior**
- Aft cabin
 - Beverage holders oversized, cockpit
 - Cabin door w/lock
 - Cabin entry/hatch, pivoting, single track, bifold doors, plexiglass
 - Cabin lights
 - Canvas top and cockpit cover, color-coordinated
 - Carpeting, (cabin) premium grade marine
 - Courtesy lights
 - Curtains (privacy), aft cabin, vee-berth
 - Curtains, windows
 - Dinette table, expandable, fold away
 - Fiberglass cockpit liner, self-bailing
 - Galley; alcohol stove, 110/12V refrigerator or ice box, sink, storage
 - Head, portable, enclosed
- Indirect lighting, cabin
 - Mirror
 - Pillows (cabin decor)
 - Seating: Bucket seat (adjustable driver's seat); L-shaped passenger seating; cabin
 - Shower (pressurized)
 - Sleeping for 4; aft cabin; vee-berth
 - Storage: bow area; sidewall
 - Unique bell hatch, single track
 - Vanity & sink, enclosed
 - Water inlet (dockside)
 - Water storage (20 gal.)
 - Windows; aft cabin w/screens; side w/screens

OPTIONS

- Air Conditioning/Heater¹
- Anchor with 200' Line
- Battery Switch (Dual)²
- Bedding Package
- Bow Pulpit
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Sides
- Canvas, Camper (Incl. Main Sides)
- Canvas, Mooring Cover
- CO (Carbon Monoxide) Monitor
- Compass
- Convenience Group: Dockside Power w/ Isolator (50' Cable) Adapters, Battery Charger, Battery Switch, Compass, Refrigerator (110/12V), Alcohol/Electric Stove, Water Heater, Starboard Wiper
- Cooler, 68 quart
- Dockside Power w/Isolator (50' cable), Battery Charger, Switch and Adapters
- Flush Out Kit, Engine
- Gas Vapor Detector
- Halon Fireboy
- Hatch Screens (2)
- Headphones w/Jack
- Head Pumpout
- Loran
- Microwave
- Prop(s) high altitude/heavy load
- Radar Arch
- Refrigerator, (110/12V)¹
- Rotating Passenger Seat
- Seating, Stern Couch
- Ship-to-Shore w/Antenna
- Shower Curtain
- Snap-in Carpet
- Spot/Floodlight, Remote
- Stereo, Additional Remote
- Stove, Alcohol/Electric¹
- Swim Platform, teak insert
- Transom Washdown w/Shower
- Water Heater
- Windlass (requires bow pulpit)
- Windshield Wipers

¹ Requires Dockside Power

² Standard on Twin

265 VISTA

Power Ratings & Weights

Lbs.

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
5.7L / V-8	260 HP	220 HP	5470
460CI / V-8	340 HP	295 HP	5980*
Twin 5.0L/V8	200 EA	175 EA	6500

Note: Boat weight based on design estimate

*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
265V	460 CI	4720	1260	60	510	350	1760

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
265V	5.7L/260/220	15 x 16	SSTII	38-41	230
265V	460CI/340/295	15 x 17	SSTII	43-45	210
265V	Twin 5.0L/200/175	14¼ x 21	SSTII	45-48	190

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

**Fuel Flow Data - 265 Vista with 5.7L / 260 / 220**

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	8	5.5
2500	10	9
3000	25	16
3500	31	18
4000	37	22
WOT	38	23

Fuel Flow Data - 265 Vista with 460 CI / 340 / 295

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	9	8
2500	9	11
3000	13	15
3500	25	22
4000	35	24
4500	41	26
WOT	44	27

Fuel Flow Data - 265 Vista with Twin 5.0L-HO / 200 / 175

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	10	12
2500	24	12
3000	34	21
3500	40	22
4000	46	28
WOT	49	32

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



285 VISTA

Specifications

LOA/Transom to Bow:	28'11" / 27'5"
Beam:	10'
Fuel (gal.):	150 (100 w/SE)
Water (gal.):	35
Passengers:	12
Maximum Capacity (lbs.):	Y
Bridge Clearance:	7'10" (9' w/arch)
Cockpit Depth (helm):	34"
Draft (Drives Down):	39"

Y = Yacht certified

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker
- Automatic bilge pump
- Balsa core reinforced deck and hull
- Bow pulpit, integrated w/anchor line rollers
- Dual deep cycle, high cranking marine batteries w/retainers
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Fuel tanks, dual, accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement

- Maximum foam added for rigidity & sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Radio weatherband
- Rope locker
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless rails, cleats, through bolted, metal backed
- Unique stainless, deep access 3-step swim ladder serves as hand rail in upright position
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

- Exterior and Trim
- Bow/taff rails, stainless, welded

- Cleats (6) stainless
 - Deck hatches (2), round
 - Gel coat, three tone
 - Horn (dual)
 - Navigation lights
 - Non-skid walk around deck
 - Port lights (2)
 - Stern assist rails, oval
 - Stern light
 - Swim platform, fiberglass integrated w/ladder
 - Vent louvers, molded
 - Walk-through fiberglass transom door with storage
 - Windshield, tinted/tempered, curved glass
- Functional and Convenience
- Adjustable helm seat
 - Bilge blower
 - Bulkhead pass-through hatch
 - Chart light/lighter
 - Cockpit cover and bimini top, Sunbrella, color-coordinated
 - Color-coded wiring
 - Compass
 - Counter rotating props (twins)
 - Depth sounder



Additional Standard Features (cont)

- Dockside power w/isolator (50' cable), battery charger, dual switch and adapters
 - Drain plug, brass
 - Engine synchronizer indicator (twins)
 - Fuel tanks, dual, 75 gal. ea. 50 gal. ea. (SE)
 - Fused switches
 - Hour meters
 - Instrumentation: fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter;
 - Power steering
 - Power trim & tilt
 - Props, stainless
 - Rotating L-shaped passenger seat
 - Steering wheel (padded)
 - Stereo AM/FM cassette, 60W equalizer, seek-scan, weatherband, 4 coaxial speakers, LED clock
 - Stereo remote controls
 - Stern couch with extension
 - Systems monitor (oil, temp, volt alarm)
 - Trim tabs
 - Water heater with heat exchanger
 - Water inlet (dockside)
 - Windshield wiper, stbd.
- ### Interior
- Air make up system (aft cabin)
 - Beverage holders, oversized (cockpit)
 - Cabin lights
 - Cabin door w/lock, plexiglass
 - Cabin window curtains/blinds
 - Cabinetry, hand crafted Formica spring hinged
 - Carpeting, plush (cabin) premium grade marine
 - Courtesy lights
 - Curtains (privacy), aft cabin, vee-berth
 - *Dinette (aft cabin converts to berth)*
 - *Dinette, (mid cabin, converts to berth) with sliding seats, concealed storage*
 - *Enclosed head w/ vac-u-flush toilet (porta-potti in SE)*
 - *Entertainment center with TV, storage*
 - *Fiberglass cockpit liner, self-bailing*
 - *Galley; alcohol stove, 110/12V refrigerator, sink, storage*
 - *Hanging storage*
 - *Head holding tank*
 - *Indirect lighting*
 - *Refreshment center*
 - *Shower (pressurized)*
 - *Shower curtain*
 - *Sleeping: aft cabin, mid-cabin, vee-berth*
 - *Vanity & sink, enclosed*
 - *Water storage (35 gal.)*

Note: Italicized features found on 285 only (Not SE)

OPTIONS

- *Air Conditioning/Heater*
- Anchor with 200' Line
- Bedding Package
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Clear Bimini
- Canvas, Sides
- Canvas, Camper (Incl. Main Sides)
- Carpet, Snap-in
- CO (Carbon Monoxide) Monitor
- Cooler, 68 quart
- Flush Out Kit, Engine
- Gas Vapor Detector
- Generator, 4 kw
- Halon Fireboy
- Hatch Screen
- Headphones (2) w/Jack
- Head, Treated Discharge System
- Ice Maker
- Loran
- Microwave
- Prop(s), High Altitude/ Heavy Load
- Radar Arch
- Ship to Shore
- Sofa, mid cabin (exchange for dinette)
- Spot/Floodlight, Remote
- Stereo, additional remotes
- Swim platform, teak insert
- Television
- Transom Wash Down w/shower
- Windlass
- Windshield Wiper (port)

Note: Italicized features are not offered on 285 Vista SE.



285 VISTA

Power Ratings & Weights

Lbs.

Model - 285 Vista	Crankshaft HP	Propshaft HP	Boat & Engine Weights
Twin 5.0L-HO	200 EA	175 EA	9200*
Twin 5.8L/V-8	235 EA	210 EA	9340
Twin 5.7L/V-8	260 EA	220 EA	9200

Note: Boat weight based on design estimate

*Recommended Engine Package

Power Ratings & Weights

Lbs.

Model - 285 Vista SE	Crankshaft HP	Propshaft HP	Boat & Engine Weights
460CI/V-8	340 HP	295 HP	8100*
Twin 4.3L/V-6	175 EA	150 EA	8530

Note: Boat weight based on design estimate

*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
285V	5.0L-HO	7390	1810	100	900	840	NA
285VSE	460 CI	6840	1260	60	600	840	NA

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
285V	Twin 5.0L-HO/200/175	15 x 17	SSTII	36-39	270
285V	Twin 5.8L/235/210	15 x 17	SSTII	40-43	250
285V	Twin 5.7L/260/220	15 x 17	SSTII	41-44	250
285VSE	460CI/340/295	15½ x 14	SSTII	33-36	230
285VSE	Twin 4.3L/175/150	15 x 17	SSTII	35-38	210

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

**Fuel Flow Data - 285 Vista with Twin 5.0L-HO / 200 / 175**

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	7	11
2500	10	17
3000	25	23
3500	31	27
4000	37	31
WOT	38	32

Fuel Flow Data - 285 Vista with Twin 5.8L / 235 / 210

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	8	13
2500	10	19
3000	25	24
3500	33	30
4000	40	38
WOT	41	40

Fuel Flow Data - 285 Vista with Twin 5.7L / 260 / 220

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	9	14
2500	10	20
3000	26	25
3500	34	32
4000	41	42
WOT	43	44

Fuel Flow Data - 285 Vista SE with 460CI / 340 / 295

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	8	4
2500	9	8
3000	10	11
3500	13	17
4000	30	22
4500	36	27
WOT	37	28

Fuel Flow Data - 285 Vista SE with Twin 4.3L / 175 / 150

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	8	9
2500	9	10
3000	21	18
3500	27	22
4000	31	25
4500	35	27
WOT	37	29

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

315 VISTA

Specifications

LOA/Transom to Bow:	30'6" / 29'
Beam:	11'
Fuel (gal.):	150
Water (gal.):	35
Passengers:	12
Maximum Capacity (lbs.):	Y
Bridge Clearance:	7'6" (9' w/arch)
Cockpit Depth (helm):	34"
Draft (Drives Down):	40"

Y = Yacht certified

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker
- Automatic bilge pump
- Balsa core reinforced deck and hull
- Bow pulpit, integrated w/anchor line rollers
- Dual deep cycle, high cranking marine batteries w/retainers
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Fuel tanks, in-floor
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement

- Maximum foam added for rigidity & sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Radio weatherband
- Rope locker
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless rails, cleats, through bolted, metal backed
- Unique stainless, deep access 3-step swim ladder serves as hand rail in upright position
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

- Exterior and Trim
- Bow/tuff rails, stainless, welded

- Cleats (6) stainless
- Deck hatches (3), round
- Gel coat, three tone
- Horn (dual)
- Navigation lights
- Non-skid walk around deck
- Port lights (3)
- Stern assist rails, (oval)
- Stern light
- Swim platform, fiberglass, integrated w/ladder
- Vent louvers, molded
- Walk-through fiberglass transom door with storage
- Windshield, tinted/tempered, curved glass

Functional and Convenience

- Adjustable helm seat
- Bilge blower
- Bulkhead pass-through hatch
- Chart light/lighter
- Cockpit cover and bimini top, Sunbrella, color-coordinated
- Color-coded wiring
- Compass
- Counter rotating props
- Depth sounder



Additional Standard Features (cont)

- Docksider power w/isolator (50' cable), battery charger, dual switch and adapters
- Drain plug, brass
- Engine synchronizers (twins)
- Fuel tanks, dual, 75 gal. ea.
- Fused switches
- Hour meters
- Instrumentation: fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter;
- Power steering
- Power trim & tilt
- Props, stainless
- Rotating L-shaped passenger seat
- Steering wheel (padded)
- Stereo AM/FM cassette, 60W equalizer seek-scan weather-band, 4 coaxial speakers, LED clock
- Stereo remote controls

- Stern couch with extension
- Systems monitor (oil, temp, volt alarm)
- Trim tabs
- Water heater with heat exchanger
- Water inlet (docksider)
- Windshield wiper (starboard)

Interior

- Air make-up system (aft cabin)
- Beverage holders, oversized, cockpit
- Cabin lights
- Cabin door w/lock, plexiglass
- Cabin window curtains/blinds
- Cabinetry, hand crafted Formica spring hinged
- Carpeting, (cabin) plush premium grade marine
- Cockpit cover and bimini top, Sunbrella, color-coordinated
- Courtesy lights

- Curtains (privacy), aft cabin, vee-berth
- Dinette (aft cabin converts to berth)
- Dinette, (mid cabin, converts to berth) with sliding seats, concealed storage
- Enclosed head w/ vac-u-flush toilet
- Entertainment center w/TV, tape, VCR storage
- Fiberglass cockpit liner, self-bailing
- Galley; alcohol stove, 110/120V refrigerator, sink, storage
- Hanging storage
- Head holding tank (20 gal.)
- Indirect lighting, cabin
- Refreshment center
- Shower (pressurized)
- Shower curtain
- Sleeping: aft cabin, mid-cabin, vee-berth
- Vanity & sink, enclosed
- Water storage (35 gal.)

OPTIONS

- Air Conditioning/Heater
- Anchor with 200' Line
- Bedding Package
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Clear Bimini
- Canvas, Sides
- Canvas, Camper (Incl. Main Sides)
- Carpet, Snap-in
- CO (Carbon Monoxide) Monitor

- Cooler, 68 quart
- Flush Out Kit, Engine
- Gas Vapor Detector
- Generator, 4 kw
- Halon Fireboy
- Hatch Screen
- Headphones (2) w/Jack
- Head, Treated Discharge System
- Ice Maker
- Loran
- Microwave
- Props, high altitude/heavy load

- Radar Arch
- Ship to Shore
- Sofa, mid cabin (exchange for dinette)
- Spot/Floodlight, Remote
- Stereo, additional remotes
- Swim platform, teak insert
- Television
- Transom Wash Down w/shower
- Windlass
- Windshield Wiper (port)

315 VISTA

Power Ratings & Weights

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
Twin 5.7L / V-8	260 EA	220 HP	11,000*
Twin 460CI / V-8	340 EA	295 EA	11,500

Note: Boat weight based on design estimate
*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
315V	Twin 5.7L	9190	1810	100	900	840	NA

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
315V	Twin 5.7L/260/220	15 x 17	SSTII	39-42	250
315V	Twin 460CI/340/295	14½ x 19	SSTII	45-48	220

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

**Fuel Flow Data - 315 Vista with 5.7L / 260 / 220**

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	9	14
2500	12	18
3000	30	26
3500	34	29
4000	41	44
WOT	43	46

Fuel Flow Data - 315 Vista with 460 CI / 340 / 295

Engine Speed-RPM	Boat Speed-MPH	Fuel Flow-GPH
2000	10	16
2500	13	21
3000	33	29
3500	37	35
4000	42	43
4500	47	50
WOT	49	55

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

VISTA

MODEL	HP	LIST			
245 VISTA	5.7L/260, 220	\$39,564			
	460CI/340, 205	41,588			
	Twin 4.3L/175, 150	45,636			
265 VISTA	5.7L/260, 220	42,627			
	460CI/340, 205	44,651			
	Twin 5.0L-HO/200, 175	50,948			
285 VISTA	Twin 5.0L-HO/200, 175	70,288			
	Twin 5.8L/235, 210	71,487			
	Twin 5.7L/260, 220	73,586			
285 VISTA SE	460CI/340, 205	51,500			
	Twin 4.3L/175, 150	54,875			
315 VISTA	5.7L/260 Twin, 220	80,562			
	460CI/340 Twin, 295	84,610			
OPTIONS / ACCESSORIES	245	265	285	285 SE	315
AIR CONDITIONER/HEATER ¹	2,061.00	2,061.00	2,619.00	NA	3,284.00
ANCHOR WITH LINE	157.00	157.00	157.00	157.00	157.00
BATTERY SWITCH (DUAL) ²	231.00	231.00	STD	STD	STD
BEDDING PACKAGE: 1 SLEEPSACK, 2 PILLOWCASES, 2 BATH TOWELS, 2 HAND TOWELS, 2 FINGERTIP, 2 WASHCLOTHS	562.00	562.00	669.00	669.00	669.00
BOW PULPIT ³	177.00	693.00	STD	STD	STD
CANVAS, FULL (SIDES, AFT)	258.00	NA	323.00	323.00	344.00
CANVAS, SIDE CURTAIN	142.00	142.00	178.00	178.00	178.00
CANVAS, AFT	202.00	NA	252.00	252.00	281.00
CANVAS, CAMPER (INCL. MAIN SIDES)	696.00	842.00	1,017.00	1,017.00	1,090.00
CANVAS, MOORING COVER	391.00	NA	NA	NA	NA
CARPET, SNAP-IN	260.00	255.00	229.00	229.00	237.00
CO (CARBON MONOXIDE) MONITOR	133.00	133.00	133.00	133.00	133.00
COMPASS	108.00	STD	STD	STD	STD
CONVENIENCE GROUP: DOCKSIDE POWER w/ISOLATOR (50' CABLE), ADAPTERS, BATTERY CHARGER, DUAL BATTERY SWITCH, COMPASS, REFRIGERATOR (110/12V), ALCOHOL ELECTRIC STOVE, WATER HEATER, STBD. WIPER	2,557.00	2,557.00	STD	STD	STD
DECK SUNPAD	NA	170.00	232.00	232.00	232.00
DOCKSIDE POWER WITH ISOLATOR, 50' CABLE W/ADAPTERS AND BATTERY CHARGER/CONVERTER	1,283.00	1,283.00	STD	STD	STD
FLUSH OUT KIT, ENGINE	140.00	140.00	140.00	140.00	140.00
GAS VAPOR DETECTOR	NA	218.00	218.00	218.00	218.00



OPTIONS / ACCESSORIES	245	265	285	285 SE	315
GEL COAT, THREETONE	STD	STD	STD	160.00	STD
GENERATOR, 4KW	NA	NA	5,931.00	NA	5,931.00
GREYWATER SYSTEM	420.00	420.00	476.00	476.00	476.00
HALON FIREBOY	171.00	171.00	237.00	237.00	237.00
HATCH SCREEN (EA)	18.00	18.00	18.00	18.00	18.00
HATCH VENT (2) 12 x 12	413.00	NA	NA	NA	NA
HEAD, PUMPOUT	103.00	103.00	STD	STD	STD
HEAD, TREATED DISCHARGE	NA	NA	NA	1,305.00	1,305.00
ICE MAKER	NA	NA	780.00	NA	780.00
LIGHTS, FLOODLIGHT REMOTE	389.00	389.00	390.00	390.00	390.00
LORAN	1,098.00	1,098.00	1,098.00	1,098.00	1,098.00
MICROWAVE	NA	402.00	402.00	NA	402.00
POWER INVERTER	3385.00	3385.00	NA	NA	NA
PROP, STAINLESS (EXCHANGE) (EA)	STD	STD	STD	STD	STD
RADAR ARCH	NA	2,625.00	2,625.00	2,625.00	2,625.00
REFRIGERATOR, DUAL VOLTAGE ¹	759.00	759.00	STD	STD	STD
SEATING: L-SHAPED SWIVEL	456.00	456.00	STD	STD	STD
SEATING: SALON COUCH	NA	NA	1,443.00	NA	1,443.00
SEATING: STERN COUCH	371.00	418.00	STD	STD	STD
SHEET PACKAGE: 1 BLANKET, 2 FLAT SHEETS, 2 PILLOW CASES	215.00	215.00	215.00	215.00	215.00
SHIP TO SHORE RADIO (VHF)	762.00	762.00	762.00	762.00	762.00
SHOWER CURTAIN	58.00	58.00	STD	58.00	STD
STEREO, ADDITIONAL REMOTE (EA)	NA	71.00	71.00	NA	71.00
STEREO, REMOTE WIRELESS, (EA)	NA	NA	385.00	NA	385.00
STEREO, HEADPHONES w/JACK (PAIR)	NA	80.00	80.00	NA	80.00
STOVE, ALCOHOL/ELECTRIC ¹	321.00	321.00	STD	STD	STD
SWIM PLATFORM, TEAK INSERT	NC	309.00	366.00	366.00	366.00
TABLE w/EXTRA MOUNT	38.00	128.00	128.00	128.00	128.00
TELEVISION	NA	NA	414.00	NA	414.00
TRANSOM WASHDOWN KIT	NA	231.00	231.00	231.00	231.00
TRIM TABS	STD	485.00	STD	STD	STD
WATER HEATER ¹	645.00	645.00	STD	STD	STD
WINDLASS, ROPE	NA	1,343.00	1,343.00	1,343.00	1,343.00
WINDLESS, ROPE & CHAIN	NA	2,500.00	2,500.00	2,500.00	2,500.00
WINDSHIELD WIPER STBD	108.00	108.00	STD	108.00	STD
WINDSHIELD WIPER, STBD & PORT	215.00	215.00	108.00	215.00	108.00

¹ Requires Dockside Power ²-Standard on Twins ³ Required for Windlass

TRAILER OPTIONS	245	265	285	285 SE	315
TRAILER (TANDEM AXLE)	3,442.00	3,442.00	NA	NA	NA
BRAKES (ONE AXLE)	STD	STD	NA	NA	NA
BRAKES (TWO AXLE)	210.00	210.00	NA	NA	NA
CHROME WHEELS	154.00	154.00	NA	NA	NA
GALVANIZED	369.00	369.00	NA	NA	NA
SPARE TIRE & WHEEL (WHITE)	154.00	154.00	NA	NA	NA
(CHROME/GALVANIZED)	185.00	185.00	NA	NA	NA



VISTA TRAILER SPECIFICATIONS

	245 VISTA DO 7822(T)*	265 VISTA DO 7724(T)*
Length with tongue	26'	28'
Length without tongue	21'9"	24'9"
Width	8'4"	8'6"
Empty Weight (lbs.)	1,650	1,760
Carrying Capacity (lbs.)	7,830	7,720
GVWR (lbs.) (Gross Vehicle Weight Rating)	9,480	9,480
GAWR (lbs. ea.) (Gross Axle Wt. Rat.)	4,740	4,740
Height (Top of Windshield/ Radar Arch w/ Boat on Trailer)	119"	116"/143"
Tire Size	H78 x 15"	
Load Range	D	
Tire Cap. (lbs.) (Trailer Rating)	2,370	
Side Rails	5 x 2 x 3/16 22'1 1/2" long	5 x 2 x 3/16 24' long
Crossmembers	4 x 2 x 11 GA 78 1/8" long	4 x 2 x 11 GA 76 1/2" long w/2 bands
Tongue	3 sq. x 1/4" wall 6' long	3 sq. x 1/4" wall 6' long
Step Pads (Front Floor Plate)	9 1/2" x 10 1/8" x 20"	9 1/2" x 10 1/2" x 20"
Step Pads (Rear Floor Plate)	9 1/2 x 40	9 1/2 x 48
Axle (Tandem)	3 x 2 x 1/4	
U-Bolts	9/16 Dia. 5" long	
Axle Rating (lbs.)	4,740	
Inner Bearing	25,580	
Outer Bearing	15,123	
Seal (Spring Loaded DBL Lipped)	AD3135	
Grease	Mystic JT6	
Springs - 4 Leaf	2,400	
Bearing Protectors	Vannor	
Hub	6 Lug on 5 1/2" Bolt Pattern	
Wheel Type	15 x 6" Hole	
Jack	1,000 lbs. (swivel)	
Winch (lbs.)	2,500 lbs.	
Winch Straps	2" w/Hook	
Bunks	2 x 6 #2 Treated Wood	
Inner	12'8"	15'4"
Outer	7'	8'
Side Guides	9'	



	245 VISTA DO 7822(T)*	265 VISTA DO 7724(T)*
Coupler (lbs.)	10,000	
Lights (Submersible)	Wesbar	
Wire Harness	30' Wesbar	
Paint	PPG Delta	
Primer	PPG Delta	
Options		
Brake Coupler	10,000 lbs. Surge Brake Activator	
Brake Cluster	12" x 2" Shoe Brake	
Brake Line	3/16" Steel Line	
Wheels	Chrome Modstyle	

Features	Benefits
Eleven gauge structural tubing	Adds structural strength & longer life
All welded construction	No parts to vibrate loose
Swivel jack	Less exposure to damage
Removable tongue	Deters theft and allows home storage
Bow roll assembly	Protects bow of boat/tape stripe
Winch with nylon strap	Winds up neatly without kinks
Diamond plate step pads	Provides footing for easy boat entry
Recessed submersible lights	Protects from damage and corrosion
Wire harness for lights inside tubing	Protects wiring
Fender splash guard	Protects boat from gravel & road tar
Premium name brand tires	Longer life
White spoke wheels	Adds lasting beauty
Leaf Spring Suspension	Ease of towing, smooth ride
Surge brakes (optional)	Controlled stopping with less load on tow vehicle brakes
Bearing protected axle (3-year guarantee)	Lubricated bearings for longer life
Custom side guides	Ease of boat loading and unloading
Four longitudinal bunk system	Provides structural support for boat hull
Treated lumber in bunks and side guides	Insures longer life and structural strength
Tie down rings	Provides opportunity to secure boat
Polyurethane paint with stripe	Excellent shine and durability
Zinc chromate primer	Excellent rust inhibitor

* (T) Denotes twin engine trailer



201 LIBERATOR

Specifications

LOA/Transom to Bow:	20'9" / 19'4"
Beam:	7'8"
Fuel (gal.):	44
Passengers:	8
Maximum Capacity (lbs.):	1565
Bridge Clearance:	46"
Cockpit Depth (helm):	33"
Draft (Drive Down):	34"

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation (I/O)
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Four Winns Sure Load™ Trailer, tandem axle, custom bunk, color-coordinated, detachable tongue
- Fuel tank, in floor, accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction

- Interlocking floor system w/five stringer reinforcement
- Maximum foam added for rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Quick access hinged engine compartment lid (I/O)
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless, deep access 3-step swim ladder
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Vented side window glass
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Bow/staff rails, stainless
- Cleats (4) stainless
- Deck hatch, round
- Exhaust thru prop
- Gel coat, three tone
- Horn
- Navigation lights
- Prop, Hi Performance
- Stern light
- Swim platform, fiberglass integrated w/stainless ladder
- Windshield, bent glass, tinted/tempered, with with vented wings

Functional and Convenience

- Aluminum fuel tank (44 gal.)
- Bilge blower
- Color-coded wiring
- Depth sounder
- Drain plug, brass
- Engine hatch, electric assist, w/mirror
- Fused switches
- Instrumentation (back-lit): fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter;



Additional Standard Features (cont.)

- Power trim & tilt
- Steering wheel, padded
- Stereo AM/FM cassette 60W equalizer, seek-scan w/weatherband, 4 speakers, LED clock
- Canvas top, cockpit cover color-coordinated
- Carpeting, premium grade marine
- Chart light/lighter
- Cockpit cover, color-coordinated
- Courtesy lights
- Engine compartment lights
- Indirect lighting, cabin
- Mirror
- Passenger console w/locking glove box
- and integrated insulated ice chest
- Seating: cushioned aft sundeck; custom molded bucket seats (adjustable); wrap-around stern couch; cabin
- Sleeping for 2: vee-berth
- Storage: sidewall; under berth; engine compartment

Interior

- Beverage holders, oversized (cockpit)
- Cabin door w/lock, plexiglass
- Cabin lights

OPTIONS

- Anchor with 150' Line
- Battery Switch (Dual)
- Canvas, Aft
- Canvas, Full (Aft, Side)
- Canvas, Mooring Cover
- Canvas, Side
- Compass
- Cooler, 68 quart
- Exhaust, thru hull w/mufflers
- Fiberglass Floor
- Flush Out Kit, Engine
- Halon Fireboy
- Hatch Screen
- Head, Portable
- Head Pumpout
- Hour Meter
- Pillow package
- Prop, High Altitude/Heavy Load
- Snap-in Carpet (requires fiberglass floor)
- Swim Platform, Teak Insert
- Table, Cockpit Mount
- Windshield Wipers
- Tandem Axle Trailer Options:
 - Brakes¹ (One Axle)
 - Brakes¹ (Both Axle)
 - Charcoal Trailer Paint (Exchange)
 - Chrome Wheels (Exchange)
 - Galvanized
 - Spare Tire and Wheel

¹Trailer brake regulations vary from state to state. See your dealer for trailer laws that apply to your state.

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
5.7L/V-8	260 HP	220 HP	3260
350CI/V-8	270 HP	235 HP	3260*

Note: Boat weight based on design estimate
*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
201L	350CI	2350	910	50	260	100	1070

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
201L	5.7L/260/220	14½ x 19	VIPER	50-52	160
201L	350CI/270/235	14½ x 19	VIPER	52-54	150

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

221 LIBERATOR

Specifications

LOA/Transom to Bow:	23'3"/21'7"
Beam:	8'4"
Fuel (gal.):	65
Passengers:	8
Maximum Capacity (lbs.):	2410
Bridge Clearance:	47"
Cockpit Depth (helm):	32"
Draft (Drive Down):	34"

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Four Winns Sure Load Trailer, tandem axle, custom bunk, color-coordinated, detachable tongue
- Fuel tank, in floor, accessible
- Full width & depth plywood transom

- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement
- Maximum foam added for rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless, deep access 3-step swim ladder
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Vented side window glass
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

Exterior and Trim

- Bow/staff rails, stainless
- Cleats (4) stainless
- Deck hatch, round
- Exhaust, thru prop
- Gel coat, three tone
- Horn
- Navigation lights
- Prop, Hi Performance
- Stern light
- Swim platform, fiberglass, integrated w/stainless ladder
- Windshield, bent glass, tinted/tempered, w/vented wings

Functional and Convenience

- Aluminum fuel tank (65 gal.)
- Bilge blower
- Color-coded wiring
- Depth sounder
- Drain plug, brass
- Engine hatch, electric assist, w/mirror
- Fused switches
- Instrumentation (back-lit): fuel; oil pressure; trim indicator; water temp.; speedometer; tachometer; voltmeter
- Power trim & tilt
- Steering wheel (padded)



Additional Standard Features (cont.)

- Stereo AM/FM cassette 60W equalizer, seek-scan w/weatherband, 4 speakers, LED clock
- Interior
 - Beverage holders, oversized (cockpit)
 - Cabin door w/lock, plexiglass
- Cabin lights
- Canvas top, color-coordinated
- Carpeting, premium grade marine
- Chart light/lighter
- Courtesy lights
- Engine compartment lights
- Indirect lighting, cabin
- Mirror
- Seating: cushioned aft sundeck; custom molded bucket seats (adjustable); wrap-around stern couch; cabin
- Sleeping for 2: vee-berth
- Storage: sidewall; under berth; engine compartment

OPTIONS

- Anchor with 150' Line
- Battery Switch, Dual
- Canvas, Full (Side, Aft)
- Canvas, Aft
- Canvas, Side
- Canvas, Mooring Cover
- Compass
- Cooler, 68 quart
- Docking Lights
- Exhaust, Thru Hull w/Mufflers
- Fiberglass Floor
- Flush Out Kit, Engine
- Halon Fireboy
- Hatch Screen
- Head, Portable
- Head Pumpout
- Hour Meter
- Pillow Package
- Prop, high altitude/heavy load
- Snap-in Carpet (requires fiberglass floor)
- Swim Platform, Fiberglass (exchange)
- Table, Cockpit Mount
- Trim Tabs (Hydraulic)
- Windshield Wipers
- Tandem Axle Trailer Options:
 - Brakes¹ (One Axle)
 - Brakes¹ (Both Axles)
 - Charcoal Trailer Paint (Exchange)
 - Chrome Wheels (Exchange)
 - Galvanized
 - Spare Tire and Wheel

¹ Trailer brake regulations vary from state to state. See your dealer for trailer laws that apply to your state.

Power Ratings & Weights

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
460CI / V-8	340 HP	295 HP	4080
454CI / V-8	370 HP	310 HP	3990*

Note: Boat weight based on design estimate

*Recommended Engine Package

Recommended Engine(s)/Equipment Ave. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
221L	454CI	2830	1160	60	390	200	1200

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
221L	460CI/340/295	14½ x 20	RAKER	53-56	210
221L	454CI/370/310	14½ x 20	RAKER	56-59	200

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



251 LIBERATOR

Specifications

LOA/Transom to Bow:	26'2"/24'5"
Beam:	8'6"
Fuel (gal.):	100
Water (gal.):	20
Passengers:	10
Maximum Capacity (lbs.):	Y
Bridge Clearance:	53"
Cockpit Depth (helm):	33"
Draft (Drive(s) Down):	38"

Y = Yacht certified

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Fuel tank, in floor, accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement

- Maximum foam added for rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for maximum cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless, deep access 3-step swim ladder
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Vented side window glass
- Wood backing at all through-the-hull-and-deck fastening points

Additional Standard Features

- Exterior and Trim
- Bow/taff rails, stainless

- Cleats (6) stainless
- Deck hatches, (2) round
- Exhaust thru prop
- Gel coat, three tone
- Horns (dual)
- Navigation lights
- Prop(s), Hi Performance
- Stern light
- Swim platform, fiberglass, integrated w/stainless ladder
- Windshield, tinted/tempered w/vented wings

Functional and Convenience

- Aluminum fuel tank (100 gal.)
- Battery switch (dual) (twins)
- Bilge blower
- Color-coded wiring
- Compass
- Counter rotating props (twins)
- Depth sounder
- Drain plug, brass
- Engine hatch, electric assist w/mirror
- Fused switches
- Instrumentation: fuel; oil pressure; trim indicators; water temp.; speedometer; tachometers; voltmeters; engine synchronizer indicator; hour meter



Additional Standard Features (cont.)

- Power trim & tilt
- Steering wheel, padded
- Stereo AM/FM cassette 60W equalizer, seek-scan w/weatherband, remote 4 speakers, LED clock
- Trim tabs, hydraulic (twin)
- Cabin lights
- Canvas top, cockpit cover color-coordinated
- Carpeting, premium grade marine
- Chart light/lighter
- Courtesy lights
- Dinette table
- Engine compartment lights
- Fiberglass floor
- Head portable
- Indirect lighting, cabin
- Mirror (cabin)
- Pillows (cabin decor)
- Seating: cushioned aft sundeck; custom molded bucket seats (adjustable); wrap-around stern couch; cabin
- Sink
- Sleeping for 2: dinette converts to berth
- Storage: sidewall; under berth; engine compartment
- Water storage (20 gal.)

Interior

- Beverage holders, oversized (cockpit)
- Cabin door w/lock, plexiglass

OPTIONS

- Anchor with 200' Line
- Battery Switch (dual)¹
- Bolster Seat, Convertible-powered
- Canvas, Full (Aft, Sides)
- Canvas, Aft
- Canvas, Sides
- Canvas, Mooring Cover
- Cooler, 68 quart
- Docking Lights
- Dockside Power w/Isolator (50' cable), Battery Charger, Switch and Adapters
- Exhaust, Thru Hull w/Mufflers
- Flush Out Kit, Engine
- Gas Vapor Detector
- Halon Fireboy
- Hatch Screen
- Head Pumpout
- Loran
- Prop(s), high altitude/heavy load
- Refrigerator (110/12V)²
- Ship-to-Shore
- Snap-in Carpet
- Stereo Remote, additional
- Swim Platform, Teak Insert
- Trailer, Tandem Axle, Custom Bunk, Color Coordinated
- Trim Tabs (hydraulic)¹
- Windshield Wiper

¹ Standard on Twins

² Requires Dockside Power

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
454CI / V-8	370 HP	310 HP	4950
Twin 350CI / V-8	270 EA	235 EA	5860*

Note: Boat weight based on design estimate

*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
251L	Twin 350CI	4040	1820	100	600	250	1760

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
251L	454CI/370/310	14½ x 19	VIPER	50-53	250
251L	Twin 350CI/270/235	14¼ x 22	RAKER	58-61	220

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

261 LIBERATOR

Specifications

LOA/Transom to Bow:	26'
Beam:	8'
Fuel (gal.):	100
Water (gal.):	15
Passengers:	10
Maximum Capacity (lbs.):	3640
Bridge Clearance:	51"
Cockpit Depth (helm):	36"
Draft (Drives Down):	41"

Four Winns Extra Value Standard Features

- AM/FM antenna w/noise suppressor
- Anchor locker with molded anchor well
- Automatic bilge pump
- Deep cycle, high cranking marine battery w/retainer
- Easy maintenance gel coat bilge
- Emergency engine shut off
- Engine compartment sound insulation
- Ergonomically designed helm for maximum convenience, comfort and safety
- Exclusive *Winning Edge*SM 3-Year Owner Protection Plan
- Four Winns Sure Load trailer, tandem axle, custom bunk, color-coordinated, detachable tongue
- Fuel tank, in floor, accessible
- Full width & depth plywood transom
- Hand lay-up woven roving fiberglass construction
- Interlocking floor system w/five stringer reinforcement
- Maximum foam added for rigidity and sound deadening
- National Marine Manufacturers Association certification
- Premium gel coat w/superior buff back characteristics
- Radio weatherband
- Shrink wrap shipping
- Slimline sidewall design for max. cockpit space
- Smooth riding, fast planing deep-vee hull
- Stainless, deep access 3-step swim ladder
- Stainless rails, cleats, ski eye... through bolted, metal backed
- Vented side window glass
- Wood backing at all through-the-hull-and-deck fastening points
- Cleats, (6) stainless
- Deck hatches, (2)
- Exhaust thru prop
- Gel coat, three tone
- Horns (dual)
- Navigation lights
- Props, Hi Performance
- Stern light
- Swim platform, fiberglass w/ladder
- Windshield, bent glass, tinted/tempered, with vented wings

Functional and Convenience

- Aluminum fuel tank (100 gal.)
- Battery switch (dual)
- Bilge blower
- Color-coded wiring
- Compass
- Counter rotating props
- Depth sounder
- Drain plug, brass
- Engine hatch, electric assist w/mirror
- Fused switches
- Instrumentation: fuel; oil pressure; trim indicators; water temp.; speedometer; tachometers; voltmeters; engine synchronizer indicator; hour meter
- Power trim & tilt
- Steering wheel, padded

Additional Standard Features

Exterior and Trim

- Bow/taff rails, stainless



Additional Standard Features (cont.)

- Stereo AM/FM cassette, 60W equalizer, seek-scan w/weatherband, 4 speakers, remote controls, & LED clock
- Trim tabs, hydraulic Interior
- Beverage holders, oversized (cockpit)
- Cabin door w/lock, plexiglass
- Cabin lights
- Canvas top, cockpit cover, color-coordinated
- Carpeting, premium grade marine
- Chart light/lighter
- Courtesy lights
- Curtain in vee-berth
- Dinette table
- Engine compartment lights
- Head portable
- Indirect lighting, cabin
- Mirror
- Pillows (cabin decor)
- Seating: cushioned aft sundeck; custom molded bucket seats (adjustable); wrap-around stern couch; cabin
- Sink
- Sleeping for 4: dinette converts to berth; vee-berth
- Storage: sidewall; under berth; engine compartment
- Water storage (15 gal.)

OPTIONS

- Anchor with 200' Line
- Bolster Seat, Convertible-powered
- Canvas, Aft
- Canvas, Full (Aft, Side, Forward)
- Canvas, Mooring Cover
- Canvas, Sides
- Cooler, 68 quart
- Docking Lights
- Dockside Power w/Isolator (50' cable), Battery Charger, Switch and Adapters
- Exhaust Thru Hull w/Mufflers
- Fiberglass Floor
- Flush Out Kit, Engine
- Halon Fireboy
- Hatch Screen
- Head Pumpout
- Props, High Altitude/ Heavy Load
- Refrigerator (110/12V)¹
- Snap-in Carpet, (requires fiberglass floor)
- Swim Platform, Fiberglass (exchange)
- Windshield Wiper

¹ Requires Dockside Power

Power Ratings & Weights

(Lbs.)

Model	Crankshaft HP	Propshaft HP	Boat & Engine Weights
Twin 350 / V-8	270 EA	235 EA	6180*
Twin 460 / V-8	340 EA	295 EA	6800
Twin 454 / V-8	270 EA	310 EA	6620

Note: Boat weight based on design estimate

*Recommended Engine Package

Recommended Engine(s)/Equipment Avg. Weights (Lbs.)

Model	Eng Type	Boat	Eng.	Battery	Fuel	Access.	Trail Wt.
261 L	Twin 350	4360	1820	100	600	250	1760

Performance

Model	Power HP	Propeller Dia" x Pitch"	Type	Top Speed MPH	Cruise Range MI
261 L	Twin 350CI/270/235	14½ x 19	VIPER	55-58	200
261 L	Twin 460CI/340/295	14¼ x 23	VIPER	62-65	170
261 L	Twin 454CI/370/310	14¼ x 22	RAKER	63-67	160

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



LIBERATOR

MODEL	HP	LIST
201 LIBERATOR*	5.7L/260, 220	\$26,837
	350CI/270, 235	27,511
201 2+2*	454/370, 310	39,750
221 LIBERATOR*	350CI/270, 235	31,030
	454CI/370,310	35,978
	460CI/340, 295	33,579
251 LIBERATOR	350CI/270 TWIN, 235	53,073
	454CI/370, 310	45,577
	460CI/340, 295	43,178
261 LIBERATOR	350CI/270 Twin, 235	53,598
	460CI/340 Twin, 295	56,297
	454CI/370 Twin, 310	61,094

* Pricing includes trailer. Delete pricing on facing page.

OPTIONS / ACCESSORIES	201	201 2+2	221	251	261
ANCHOR WITH LINE	\$ 98.00	98.00	98.00	162.00	162.00
BATTERY SWITCH DUAL'	231.00	STD	231.00	231.00	STD
BOLSTER SEAT - POWER, CONVERTIBLE - EACH	NA	NA	1285.00	1285.00	1285.00
CANVAS, FULL (SIDE, AFT)	203.00	NA	214.00	243.00	245.00
CANVAS, AFT	161.00	NA	175.00	181.00	184.00
CANVAS, SIDE	109.00	NA	109.00	142.00	142.00
CANVAS, MOORING COVER	251.00	251.00	270.00	296.00	302.00
COMPASS	62.00	STD	62.00	STD	STD
DOCKING LIGHTS	NA	NA	357.00	357.00	357.00
DOCKSIDE POWER WITH ISOLATOR, 50' CABLE AND BATTERY CHARGER/CONVERTER/SWITCH	NA	NA	NA	1141.00	1141.00
EXHAUST THRU HULL W/MUFFLERS: SINGLE	731.00	STD	731.00	731.00	NA
TWIN	NA	NA	NA	987.00	1412.00
FIBERGLASS FLOOR LINER	665.00	STD	673.00	STD	705.00
SNAP-IN CARPET	183.00	183.00	198.00	212.00	270.00
FLUSH OUT KIT, ENGINE	90.00	STD	115.00	140.00	155.00
HALON FIREBOY	171.00	STD	171.00	171.00	171.00
HATCH SCREEN (EACH)	18.00	STD	18.00	18.00	18.00
HEAD-PORTABLE	117.00	117.00	117.00	STD	STD
HEAD, PUMPOUT	103.00	103.00	103.00	103.00	103.00
HOURLY METER	78.00	STD	78.00	STD	STD



LIBERATOR

OPTIONS / ACCESSORIES	201	201 2+2	221	251	261
REFRIGERATOR, DUAL VOLTAGE ²	NA	NA	801.00	801.00	801.00
SHIP TO SHORE RADIO	NA	NA	761.00	761.00	761.00
STEREO, REMOTE	NA	STD	STD	STD	STD
SWIM PLATFORM, TEAK INSERTS	209.00	NA	240.00	310.00	STD
TABLE	104.00	NA	104.00	STD	STD
TABLE, EXTRA MOUNT	128.00	NA	128.00	38.00	38.00
TRIM TABS (HYDRAULIC) ¹	NA	NA	485.00	485.00	STD
WINDSHIELD WIPER (EACH)	108.00	NA	108.00	108.00	108.00
TRAILER OPTIONS:	201	201 2+2	221	251	261
TANDEM AXLE	STD	STD	STD	3442.00	NA
BRAKES ³ (ONE AXLE)	436.00	436.00	STD	STD	NA
BRAKES ³ (BOTH AXLES)	646.00	646.00	210.00	210.00	NA
CHROME WHEELS	129.00	STD	129.00	154.00	NA
GALVANIZED	308.00	308.00	308.00	369.00	NA
SPARE TIRE AND WHEEL (WHITE)	131.00	NA	131.00	154.00	NA
(CHROME/GALVANIZED)	146.00	STD	146.00	185.00	NA
TRAILER DELETE	(1,654)	(1,654)	(2,308)	NA	NA

¹ Standard On Twins

² Requires Dockside Power

³ Trailer brake regulations vary from state to state.
See your dealer for trailer laws that apply to your state.



LIBERATOR TRAILER SPECIFICATIONS

	201 LIBERATOR DO 4018	221 LIBERATOR DO 4820	251 LIBERATOR DO 7742 (T)*	261 LIBERATOR DO 7724
Length with tongue	22'	24'3"	28'	28'
Length without tongue	18'6"	19'9"	24'9"	24'9"
Width	8'	8'6"	8'6"	8'6"
Empty Weight (lbs.)	1,070	1,200	1,760	1,760
Carrying Capacity (lbs.)	3,930	4,800	7,720	7,720
GVWR (lbs.) (Gross Vehicle Weight Rating)	5,000	6,000	9,480	9,480
GAWR (lbs.) (Gross Axle Wt. Rat.)	2,500 each	3,000 each	4,740 each	4,740 each
Height (Top of Windshield, with Boat on Trailer)	95"	95"	95"	95"
Tire Size	P205	F78-14ST	H78 x 15	H78 x 15
Load Range	B	C	D	D
Tire Cap. (lbs.) (Trailer Rat.)	1,380	1,710	2,370	2,370
Side Rails	4 x 2 x 11GA	5 x 2 x 11GA	5 x 2 x 3/16 24' long	
Crossmembers	3 x 2 x 11 GA	3 x 2 x 11 GA	4 x 2 x 11GA 76 1/2" long w/2 bands	
Tongue	5' x 3/16	3 x 3 x 3/16	3 sq x 1/4" wall, 6' long	
Step Pads (Front Floor Plate)	9 1/2 x 10 1/2 x 20		9 1/2 x 10 1/2 x 20	
Step Pads (Rear Floor Plate)	9 1/2 x 20	9 1/2 x 30	Sngl 9 1/2 x 48 Twin 9 1/2 x 36 3/4	9 1/2 x 48
Axle	2" x 2" x 1/4"		3" x 2" x 1/4"	
U-Bolts	3/16 Dia. 5" long	1018 Grade Material		3/16 Dia. 5" long
Axle Rating (lbs.)	3,500		5,200	
Inner Bearing	L68149		25580	
Outer Bearing	L44649		15123	
Seal (Spring Loaded DBL Lipped)	AD2548E		AD3135	
Grease	Mystic JT6			
Springs - 4 Leaf (capacity lbs.)	1,750		2,600	
Bearing Protectors	Vannor			
Hub	5 Lug on 4 1/2" Bolt Pattern 1,750 lbs.			
Wheel Type	5 Hole 14 x 5.5"		6 Hole 15 x 6"	
Jack	500 lbs. (swivel)	1,000 lbs. (swivel)	1,000 lbs.	
Winch (lbs.)	1,900	2,500	2,500	
Winch Strap	2" w/Hook	Nylon Strap with Hook	2" w/Hook	



	201 LIBERATOR DO 4018	221 LIBERATOR DO 4820	251 LIBERATOR DO 7724/(T)*	261 LIBERATOR DO 7724
Bunks	2 x 4 Syp #2 Treated Lumber			2 x 6
Inner	10'	11'8"	15'4"	15'4"
Outer	4'	4'3"	8'	8'
Side Guides	NA	3'4"	NA	NA
Coupler (lbs.)	5,000	6,000	10,000	10,000
Lights (Submersible)	Wesbar			
Wire Harness	2 Piece Wishbone Type (at back of tongue) 20' Wesbar 30'			
Paint	PPG Delta	Delta DU-6 Polyester Polyurethane	PPG Delta	
Primer	PPG Delta	DPU-166 DU-6	PPG Delta	
Options				
Brake Coupler	600 lbs. Surge Brake		10,000 lbs. Surge Brake	
Brake Cluster	10 x 2 Shoe Brakes		12 x 2 Shoe Brakes	
Brake Line	3/16" Steel Line			
Wheels	Chrome Modstyle			

Features	Benefits
Eleven gauge structural tubing	Adds structural strength & longer life
All welded construction	No parts to vibrate loose
Swivel jack	Less exposure to damage
Removable tongue	Deters theft and allows home storage
Bow roll assembly	Protects bow of boat/tape stripe
Winch with nylon strap	Winds up neatly without kinks
Diamond plate step pads	Provides footing for easy boat entry
Recessed submersible lights	Protects from damage and corrosion
Wire harness for lights inside tubing	Protects wiring
Fender splash guard	Protects boat from gravel & road tar
Premium name brand tires	Longer life
White spoke wheels	Adds lasting beauty
Leaf Spring Suspension	Ease of towing, smooth ride
Surge brakes (optional)	Controlled stopping with less load on tow vehicle brakes
Bearing protected axle (3-year guarantee)	Lubricated bearings for longer life
Custom side guides	Ease of boat loading and unloading
Four longitudinal bunk system	Provides structural support for boat hull
Treated lumber in bunks and side guides	Insures longer life and structural strength
Tie down rings	Provides opportunity to secure boat
Polyurethane paint with stripe	Excellent shine and durability
Zinc chromate primer	Excellent rust inhibitor

* (T) Denotes twin engine trailer



DIMENSIONAL DATA

1990	LOA	TRANS. TO BOW	BEAM	KEEL TO W/S SHELF	TOTAL HEIGHT	TRANS ANGLE
	A		B	C	D	E
150 FREEDOM OB	15'2"	15'2"	6'1"	37½"	52"	12°
170 FREEDOM I/O	18'6"	17'1"	7'3"	37½"	53"	12°
170 FREEDOM OB	18'6"	17'1"	7'3"	37½"	53"	12°
190 FREEDOM I/O	19'8"	18'3"	7'3"	37½"	53"	12°
190 FREEDOM OB	19'8"	18'3"	7'3"	37½"	53"	12°
195 FREEDOM I/O	19'8"	18'3"	7'3"	55"	69"	12°
195 FREEDOM OB	20'	20'	7'3"	55"	69"	12°
180 HORIZON I/O	18'6"	17'1"	7'3"	41½"	57"	14°
180 HORIZON OB	18'6"	17'1"	7'3"	41½"	57"	14°
200 HORIZON I/O	20'9"	19'4"	7'8"	49"	64"	14°
200 HORIZON OB	20'9"	19'4"	7'8"	49"	64"	14°
220 HORIZON I/O	23'3"	21'7"	8'4"	54"	68"	15°
180 CANDIA I/O	19'8"	18'3"	7'8"	46"	61"	12°
180 CANDIA OB	19'8"	18'3"	7'8"	46"	61"	12°
200 CANDIA I/O	21'7"	20'	8'	43"	58"	12°
205 SUNDOWNER I/O	20'9"	19'4"	7'8"	53"	67"	14°
205 SUNDOWNER OB	20'9"	19'4"	7'8"	53"	67"	14°



DIMENSIONAL DATA

DEAD RISE	OB TRANS. HEIGHT	COCKPIT HEIGHT STERN	COCKPIT HEIGHT DASH	FREEBRD MIN	DRAFT W/MAX
F	G	H	I		
15°	20"	25"	26"	26"	25"
18°		26½"	30"	25"	26"
18°	20"	26½"	30"	27"	24"
18°		26½"	30"	25"	29"
18°	20"	26½"	30"	27"	26"
18°		30"	39"	32"	30"
18°	20"	30"	35"	34"	27"
18°		28"	29"	28"	31"
18°	25"	28"	29"	30"	28"
21°		29½"	33½"	33"	34"
21°	25"	29½"	33½"	35"	32"
21°		33"	36"	36"	36"
19°		31½"	31"	30"	26"
19°	25"	31½"	31"	32"	24"
19°		31"	31"	30"	28"
21°		32½"	38½"	39"	34"
21°	25"	32½"	38½"	39"	35"




DIMENSIONAL DATA

1990	LOA A	TRANS. TO BOW	BEAM B	KEEL TO W/S SHELF C	TOTAL HEIGHT D	TRANS. ANGLE E
225 SUNDOWNER I/O	23'3"	21'7"	8'4"	59½"	74"	15°
255 SUNDOWNER	26'2"	24'5"	8'8"	63"	79"	14°
207 QUEST	19'8"	19'8"	8'2"	69"	84"	16°
245 VISTA	23'8"	23'8"	8'6"	80"	96¼"	13°
265 VISTA	26'2"	24'5"	8'6"	80"	8'2"¹/10'5"²	14°
285 VISTA	28'11"	27'5"	10'	85"	8'9"¹/10'7"²	12°
315 VISTA	30'6"	29'	11'	87"	9'1"¹/11'1"²	12°
201 LIBERATOR I/O	20'9"	19'4"	7'8"	51"	64"	14°
221 LIBERATOR I/O	23'3"	21'7"	8'4"	54½"	66"	15°
251 LIBERATOR I/O	26'2"	24'5"	8'6"	64"	75"	14°
261 LIBERATOR I/O	26'	26'	8'	61½"	75"	14°

¹ without radar arch


² with radar arch





DIMENSIONAL DATA

DEAD RISE	OB TRANS. HEIGHT	COCKPIT HEIGHTS STERN	COCKPIT HEIGHTS DASH	FREEBRD MIN.	DRAFT W/MAX.
F	G	H	I		
21°		34"	41"	40"	35"
21°		25"	34½"	45"	38"
17°	25"	24"	30"	28"	30"
21°		29"	32"	48"	38"
21°		25"	27/37"	48"	39"
19°		27"	34"	45"	39"
19°		28"	34"	45"	40"
21°		36"	33"	33"	34"
21°		31"	32"	35"	34"
21°		31"	33"	38"	38"
21°		31"	36"	37"	41"





OB SPECIFICATIONS

DESCRIPTION	225 TX	200 TX	175 TX / 150 TX
SHAFT LENGTH (in.)	25	25	25 / 25
WEIGHT (lbs.)	455	455	401 / 386
ENGINE TYPE	Loop Charged 90° V-6	Loop Charged 90° V-6	90° V-6
BORE, STROKE DISPLACEMENT CUBIC INCHES (C. C.)	3.685x2.858 183 (3000 c.c.)	3.685x2.858 183 (3000 c.c.)	(175) 3.625x2.588 160.3 (2626 c.c.) (150) 3.5000x2.588 149.4 (2448 c.c.)
STARTING	Electric 12-volt key switch	Electric 12-volt key switch	Electric 12-volt key switch
TRIM METHOD	Power trim & tilt standard	Power trim & tilt standard	Power trim & tilt standard
PROPSHAFT HORSEPOWER	225 at 5500 RPM	200 at 5500 RPM	175-HP at 5250 RPM 150-HP at 5000 RPM
FULL-THROTTLE OPERATING RANGE	5000-6000 RPM	5000-6000 RPM	(175) 4750-5750 RPM (150) 4500-5500 RPM
GEAR RATIO/SHIFT	14:26 (.54)/F-N-R	14:26 (.54)/F-N-R	14:26 (.54)/F-N-R
CARBURETION	4 carburetors, 6 throats	4 carburetors, 6 throats	3 dual-throat carburetors
ALTERNATOR	35 amp with voltage regulator	35 amp with voltage regulator	(175) 35 amp with voltage regulator (150) 3/9 amp with voltage regulator
COOLING	Automatic throttle- temperature controlled	Automatic throttle- temperature controlled	Automatic throttle- temperature controlled
STEERING: TILLER, REMOTE AND/OR POWER	Remote	Remote	Remote
ACCEPTS TILT TUBE STEERING	Standard	Standard	Standard
STOP BUTTON	Key Switch	Key Switch	Key Switch
THROTTLE & SHIFT CONTROLS	Remote	Remote	Remote
EMERGENCY IGNITION CUT-OFF	Standard	Standard	Standard

Evinrude and Johnson outboards are power rated in accordance with NMMA procedure, using the International Council of Marine Industry Associations (ICOMIA) standard 28/83.



OB SPECIFICATIONS

120 TX/120 TL	90 TL	60 TL	50 BEL
(1) 25 / (2) 20	20	20	20
370 / 365	301	250	185
Loop Charged 90° V-4	90° V-4	Loop Charged 3-cyl. in-line	Loop Charged 2-cyl.
3.685x2.858 122 (2000 c.c.)	3.500x2.588 99.6 (1632 c.c.)	3.187x2.82 56.1 (920 c.c.)	3.187x2.82 44.99 (737 cc)
Electric 12-volt key switch	Electric 12-volt key switch	Electric 12-volt key switch	Electric 12-volt key switch
Power trim & tilt standard	Power trim & tilt standard	Power trim & tilt standard	Touch trim standard
120-HP at 5500 RPM	90-HP at 5000 RPM	60-HP at 5500 RPM	50-HP at 5000 RPM
5000-6000 RPM	4500-5500 RPM	5000-6000 RPM	4500-5500 RPM
13:26 (.5)/F-N-R	13:26 (.5)/F-N-R	12:29 (.414)/F-N-R	12:29 (.414)/F-N-R
2 dual-throat carburetors	2 dual-throat carburetors	3 carburetors	2 carburetors
3/9 amp with voltage regulator	3/9 amp with voltage regulator	3/6 amp with standard	4 amp standard
Automatic pressure- temperature controlled	Automatic pressure- temperature controlled	Automatic pressure- temperature controlled	Automatic pressure- temperature controlled
Remote	Remote	Remote	Remote
Standard	Standard	Standard	Standard
Key Switch	Key Switch	Key Switch	Key Switch
Remote	Remote	Remote	Remote
Standard	Standard	Standard	Standard

ALL OUTBOARD MODELS

MAXIMUM BOAT HORSEPOWER: Most outboard boats by law must now carry a plate certifying the maximum horsepower permitted under U.S. Coast Guard regulations.

FUEL FACTS: All 1990 Evinrude and Johnson Outboards can use lead-free, leaded regular, or gasoline with up to 10% ethanol or 5% methanol plus 5% cosolvents, but avoid alcohol-extended fuels if you experience engine running problems, so long as the fuel is at least 87 AKI (octane) mixed with Evinrude or Johnson TC-WII outboard lubricant.

If Evinrude or Johnson Outboard Lubricant is not available another NMMA certified TC-WII or CEC approved lubricant (oil) may be used at the recommended mixing ratio.



I/O SPECIFICATIONS

ENGINE	3.0L	4.3L	5.0L-HO
Horsepower (crankshaft)	130	175	200
Horsepower (propshaft)	115	150	175
Displacement (Litres/Cubic inches)	3.0/181	4.3/262	5.0/302
Cylinders	4	6	8
Bore/Stroke	4.000" x 3.600"	4.000" x 3.480"	4.000" x 3.000"
Compression Ratio	8.5:1	9:3.1	8.3:1
Main Bearings	5	4	5
Carburetion	2-Venturi, adj. low speed/fixe high speed jets	2-Venturi, adj. low speed/fixe high speed jets	2-Venturi, adj. low speed/fixe high speed jets
Choke	Automatic	Automatic	Automatic
Full Throttle Operating Range (in RPM's)	4200-4600	4200-4600	4000-4400
DRIVE UNIT			
Shift	Mech. F-N-R	Mech. F-N-R	Mech. F-N-R
Gear Ratio	1.86:1	1.68:1	1.59:1
Maximum Prop Diameter	15½"	15½"	15½"
DIMENSIONS			
Length	33 ¹⁵ / ₁₆ "	31 ³ / ₄ "	37 ⁵ / ₈ "
*Height - Above Crankshaft Centerline	19 ⁵ / ₈ "	19 ⁹ / ₁₆ "	19 ³ / ₄ "
Total Weight	650 lbs.	805 lbs.	906 lbs.
STANDARD/OPTIONAL FEATURES			
Power Trim	STD	STD	STD
Power Steering	OPT	STD	STD
Thru-Hub™ Exhaust	STD	STD	STD
Transom Mounting	STD	STD	STD
High Output Alternator	STD	STD	STD
4-Anode Saltwater Protection	STD	STD	STD
Hardened Alloy Steel Drive Shaft	STD	STD	STD
19-Step Metal Preparation	STD	STD	STD
Deep Guard™ Anti-Corrosive Alum. Alloy	STD	STD	STD
CobraSkin™ High-Solid Paint Finish	STD	STD	STD
Hydraulic Shock Absorbers	STD	STD	STD
Easy Access Water Pump	STD	STD	STD
Stainless Steel Heli-Coil® Inserts	STD	STD	STD
Remote Oil Filter	NA	OPT	OPT
Engine Oil Cooler	NA	NA	NA
Thru-Transom Exhaust	NA	NA	NA
OMC 1+2® Extended Protection Plan	OPT	OPT	OPT
Counter Rotation	NA	Model Avail.	Model Avail.
Spitfire™ Electronic Eng Manage. Sys.	NA	NA	NA

*Add 13½" for height above anti-ventilation plate

NA = Not Available

WINNING EDGESM


Every boat Four Winns builds is backed by the exclusive *Winning EdgeSM* 3-Year Owner Protection Plan. In addition to a one year warranty *Winning Edge* provides, at no extra cost, two additional years of protection on major boat systems and components.

Program Highlights

Included in the coverage are:

- Hull and deck structural
- Factory installed stern drive power systems including engine blocks and internal parts, outdrives, electrical and controls
- Factory pre-rigged Johnson® or Evinrude® outboard packages
- Power steering
- Power trim and tilt
- Fuel system
- Electrical system
- Stereo system and speakers
- Instrumentation
- Wiring harness
- Four Winns Sure Load™ trailers
- Factory installed options

In the event of a claim on the extended protection portion of the program, the owner is



responsible for the first \$25 of service, and for returning the boat to an authorized Four Winns servicing dealer.

All costs for repairs and/or parts on approved claims (other than the first \$25) will be paid by Four Winns up to the cash value of the covered part.

Parts installed on extended protection approved claims are warranted for 90 days or the time remaining in the original plan, whichever is longer. Should the replaced parts require further service, the \$25 service fee will be waived.

Unused portions of the *Winning EdgeSM* Plan are transferable when the original or subsequent owners sell the boat within the coverage period. To initiate a transfer, the new owner must provide Four Winns with a written request, a copy of the bill of sale, and a \$25 transfer fee.