

# *Four Winns 2018*

PRODUCT INFORMATION GUIDE





# TABLE OF CONTENTS

---

## HORIZON SERIES

---

HORIZON 180 .....	4-7
FREEDOM 190 .....	8-9
HORIZON 190 .....	10-13
HORIZON 200 .....	14-17
HORIZON 210 .....	18-21
HORIZON 230 .....	22-27
HORIZON 260 .....	28-33
HORIZON 290 .....	34-39
HORIZON 290 OB.....	40-41
HORIZON 350 .....	42-47
HORIZON 350 OB.....	48-49

## HD SERIES

---

HD 200 FREEDOM.....	52-53
HD 200.....	54-57
HD 200 OB FREEDOM .....	58-59
HD 200 OB .....	60-63
HD 220.....	64-69
HD 220 OB.....	70-73
HD 240.....	74-77
HD 240 OB .....	78-81
HD 270.....	82-87
HD 270 OB .....	88-91

## TS SERIES

---

TS 222.....	94-95
TS 242.....	96-97

## VISTA SERIES

---

VISTA 255.....	100-103
VISTA 255 OB .....	104-105
VISTA 275.....	106-109
VISTA 355.....	110-113
VISTA 375.....	114-117

## WARRANTY & TRAILERS

---

TRAILER SPECIFICATIONS.....	120-137
WARRANTY .....	138-145



*Horizon Series*



# HORIZON 180

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	18'0"	5.49 m
LOA w/Extended Swim Platform	19'9"	6.00 m
Beam	7'7"	2.31 m
Fuel Capacity	24 gal	91 L
Draft (drive up)	16"	41 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	1200 lbs	544 kg
Persons Capacity	8	6
Approx. Boat Weight	1650 lbs	748 kg
Approx. Boat & Engine Weight	2550 lbs	1160 kg
Trailer Weight	861 lbs	390 kg
Deadrise	19°	19°
Storage Length on Trailer	20'10"	6.35 m
Storage Length on Trailer w/Ext Swim	20'10"	6.35 m
Bridge Clearance	3'9"	1.14 m
Bridge Clearance RS	3'6"	1.06 m
Bridge Clearance with Arch/Tower	6'6"	1.97 m
Keel to Top of Tower Dn	5' 10"	1.78 m
Keel to Top of Windshield	4'9"	1.45 m
Total Height	4'9"	1.45 m
Total Height RS	4'6"	1.37 m
Total Height on Trailer	6'3"	1.91 m
Total Height on Trailer RS	6'0"	1.83 m
Height on Trailer w/Wakeboard Tower Dn	7'4"	2.23 m
Height on Trailer w/Wakeboard Tower Up	9'0"	2.74 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	2500	1130
MC 4.5L 250/A	250	187	2500	1130
VP V6-200/DI/SX	200	149	2430	1100
VP V6-240/DI/SX	240	179	2430	1100

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V6-200/DI/SX	1590	721	840	381	144	65	100	45



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/149/A	14 1/2 X 19	37 X 48	AL	48-51	77-82	90	145
MC 4.5L 250/187/A	14 1/2 x 19	37 x 48	AL	50-53	81-85	90	145
VP V6-200/149/DI/SX	14 1/4 X 23	36 X 58	AL	47-50	76-81	100	161
VP V6-240/179/DI/SX	14 1/4 X 23	36 X 58	AL	50-53	81-85	100	161

## FUEL FLOW DATA - H180 - MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 RPM	22	35	5	18
3000 RPM	31	50	7	26
3500 RPM	35	56	9	34
4000 RPM	41	66	13	49
4500 RPM	48	77	18	68
WOT	50	81	19	72

## FUEL FLOW DATA - H180 - MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	9	14	6	23
3000 RPM	27	43	6	23
3500 RPM	34	55	8	30
4000 RPM	39	63	10	39
4500 RPM	44	71	13	49
5000 RPM	49	79	18	68
WOT	52	84	19	72

## FUEL FLOW DATA - H180 - VP V6-200/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	7	11	3	11
2500 RPM	11	18	5	19
3000 RPM	15	24	6	23
3500 RPM	28	45	6	23
4000 RPM	33	53	7	26
4500 RPM	37	60	9	34
5000 RPM	42	68	12	45
5500 RPM	47	76	16	60
WOT	49	79	18	68

**FUEL FLOW DATA - H180 - VP V6-240/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	7	11	3	11
2500 RPM	11	18	5	19
3000 RPM	15	24	6	23
3500 RPM	28	45	6	23
4000 RPM	33	53	7	26
4500 RPM	38	61	9	34
5000 RPM	44	71	13	49
5500 RPM	49	79	17	64
WOT	52	84	19	72

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



## NOTES

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



# FREEDOM 190

## SPECIFICATIONS

	US	Metric
RPM	19'0"	5.79 m
Beam	7'11"	2.41 m
Fuel Capacity	32 gal	121 L
Draft (drive up)	16"	41 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	1400 lbs	635 kg
Persons Capacity	9	8
Approx. Boat Weight	1900 lbs	862 kg
Approx. Boat & Engine Weight	2800 lbs	1220 kg
Trailer Weight	803 lbs	364 kg
Deadrise	20°	20°
Storage Length on Trailer	20'9"	6.32 m
Bridge Clearance	3'10"	1.17 m
Keel to Top of Windshield	5'0"	1.52 m
Total Height	5'0"	1.52 m
Total Height on Trailer	6'6"	1.98 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	2660	1210
VP V6-200/DI/SX	200	149	2600	1180

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V6-200 DI/SX	1750	794	910	413	192	87	100	45



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/149/A	14 1/2 X 19	37 X 48	AL	42-45	68-72	115	185
VP V6-200/149/DI/SX	14 1/4 X 21	36 X 53	AL	43-46	69-74	125	200

## FUEL FLOW DATA - F190 - MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 RPM	10	16	7	26
3000 RPM	26	42	8	30
3500 RPM	32	52	10	38
4000 RPM	36	58	13	49
4500 RPM	41	66	15	57
WOT	44	71	16	60

## FUEL FLOW DATA - F190 - VP V6-200/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	29	47	9	35
4500 RPM	33	53	11	42
5000 RPM	38	63	12	45
5500 RPM	43	69	14	53
WOT	45	72	16	60

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HORIZON 190

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	19'0"	5.79 m
LOA w/Extended Swim Platform	20'8"	6.30 m
Beam	7'11"	2.41 m
Fuel Capacity	32 gal	121 L
Draft (drive up)	16"	41 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	1400 lbs	635 kg
Persons Capacity	9	8
Approx. Boat Weight	1900 lbs	862 kg
Approx. Boat & Engine Weight	2800 lbs	1220 kg
Trailer Weight	861(S)/1123(T) lbs	391(S)/509(T) kg
Deadrise	20°	20°
Storage Length on Trailer	20'9"	6.32 m
Storage Length on Trailer w/Ext Swim	21'2"	6.45 m
Bridge Clearance	3'10"	1.17 m
Bridge Clearance RS	3'7"	1.09 m
Bridge Clearance with Arch/Tower	6'0"	1.83 m
Keel to Top of Tower Dn	6'10"	2.03 m
Keel to Top of Windshield	5'0"	1.52 m
Total Height	5'0"	1.52 m
Total Height RS	4'9"	1.45 m
Total Height on Trailer	6'6"	1.98 m
Total Height on Trailer RS	6'3"	1.91 m
Height on Trailer w/Wakeboard Tower Dn	8'4"	2.54 m
Height on Trailer w/Wakeboard Tower Up	9'5"	2.87 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	2660	1210
MC 4.5L 250/A	250	187	2660	1210
VP V6-200/DI/SX	200	149	2600	1180
VP V6-240/DI/SX	240	179	2600	1180

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V6-240 DI/SX	1750	794	910	413	192	87	100	45



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/149/A	14 1/2 X 19	37 X 48	AL	42-45	68-72	115	185
MC 4.5L 250/187/A	14 1/2 X 19	37 X 48	AL	48-51	77-82	110	180
VP V6-200/149/DI/SX	14 1/4 X 21	36 X 53	AL	44-47	71-76	125	200
VP V6-240/179/DI/SX	14 1/4 X 21	36 X 53	AL	47-50	76-81	125	200

## FUEL FLOW DATA - H190 - MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 RPM	10	16	7	26
3000 RPM	26	42	8	30
3500 RPM	32	52	10	38
4000 RPM	36	58	13	49
4500 RPM	41	66	15	57
WOT	44	71	16	60

## FUEL FLOW DATA - H190 - MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	7	11	3	11
2500 RPM	9	14	6	23
3000 RPM	25	40	7	26
3500 RPM	31	50	8	30
4000 RPM	36	58	10	38
4500 RPM	41	66	13	49
5000 RPM	47	76	18	68
WOT	49	79	19	72

## FUEL FLOW DATA - H190 - VP V6-200/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	29	47	9	35
4500 RPM	33	53	11	42
5000 RPM	38	63	12	45
5500 RPM	43	69	14	53
WOT	45	72	16	60

**FUEL FLOW DATA - H190 - VP V6-240/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	29	47	9	35
4500 RPM	34	55	11	42
5000 RPM	40	64	12	45
5500 RPM	45	72	14	53
WOT	49	79	18	68

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.

**NOTES**


---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---





# HORIZON 200

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	20'1"	6.12 m
LOA w/Extended Swim Platform	21'9"	6.63 m
Beam	8'3"	2.5 m
Fuel Capacity	32 gal	121 L
Draft (drive up)	16"	41 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	1500 lbs	680 kg
Persons Capacity	9	8
Approx. Boat Weight	2100 lbs	953 kg
Approx. Boat & Engine Weight	3050 lbs	1380 kg
Trailer Weight	894(S)/1101(T) lbs	406(S)/499(T) kg
Deadrise	20°	20°
Storage Length on Trailer	20'10"	6.35 m
Storage Length on Trailer w/Ext Swim	21'9"	6.63 m
Bridge Clearance	4'0"	1.22 m
Bridge Clearance RS	3'9"	1.14 m
Bridge Clearance with Arch/Tower	7'5"	2.31 m
Keel to Top of Tower Dn	6'10"	2.08 m
Keel to Top of Windshield	5'2"	1.58 m
Total Height	5'2"	1.58 m
Total Height RS	4'11"	1.50 m
Total Height on Trailer	6'6"	1.98 m
Total Height on Trailer RS	6'3"	1.88 m
Height on Trailer w/Wakeboard Tower Dn	8'4"	2.54 m
Height on Trailer w/Wakeboard Tower Up	10'1"	3.07 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	3020	1370
MC 4.5L 250/A	250	187	3020	1370
MC 6.2L 300/B1	300	224	3200	1450
VP V6-200/DI/SX	200	149	2960	1340
VP V6-240/DI/SX	240	179	2960	1340
VP V6-280/DI/SX	280	209	2960	1340
VP V8-300/DI/SX	300	224	3050	1380

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V6-280 DI/SX	2060	934	900	409	192	87	100	45



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/149/A	14 1/2 X 19	37 X 48	AL	43-46	69-74	115	185
MC 4.5L 250/187/A	14 1/2 X 19	37 X 48	AL	47-50	76-81	115	185
MC 6.2L 300/224/B1	14 X 19	36 X 48	SST	53-56	85-90	115	185
VP V6-200/149/DI/SX	14 1/2 x 19	37-X 48	AL	42-45	68-72	125	200
VP V6-240/179/DI/SX	14 1/2 x 19	37-X 48	AL	46-49	74-79	125	200
VP V6-280/209/DI/SX	14 1/4 X 21	36 X 53	AL	50-53	81-85	125	200
VP V8-300/224/DI/SX	14 3/4 X 19	37 X 48	SST	52-55	84-89	125	200

## FUEL FLOW DATA - H200 - MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 RPM	22	35	5	19
3000 RPM	29	47	7	26
3500 RPM	35	56	9	34
4000 RPM	40	64	13	49
4500 RPM	41	66	15	57
WOT	45	72	16	60

## FUEL FLOW DATA - H200 - MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	7	11	3	11
2500 RPM	9	14	5	19
3000 RPM	23	37	7	26
3500 RPM	30	48	8	30
4000 RPM	36	58	10	38
4500 RPM	41	66	13	49
5000 RPM	46	74	18	68
WOT	48	77	19	72

## FUEL FLOW DATA - H200 - MC 6.2L 300/B1

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	14	23	12	45
3500 RPM	26	42	13	49
4000 RPM	34	55	15	57
4500 RPM	42	68	18	68
5000 RPM	49	79	21	79
WOT	54	87	23	87

**FUEL FLOW DATA - H200 - VP V6-200/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	29	47	9	35
4500 RPM	33	53	11	42
5000 RPM	37	60	12	45
5500 RPM	42	68	14	53
WOT	43	69	16	60

**FUEL FLOW DATA - H200 - VP V6-240/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	29	47	9	35
4500 RPM	34	55	11	42
5000 RPM	40	64	12	45
5500 RPM	44	71	14	53
WOT	47	76	18	68

**FUEL FLOW DATA - H200 - VP V6-280/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	29	47	9	35
4500 RPM	34	55	11	42
5000 RPM	41	66	13	49
5500 RPM	47	76	16	60
WOT	52	84	21	79

**FUEL FLOW DATA - H200 - VP V8-300/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	29	47	10	38
4500 RPM	35	56	12	45
5000 RPM	42	68	15	57
5500 RPM	49	79	18	68
WOT	54	87	23	87

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HORIZON 210

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	21'7"	6.58 m
Beam	8'5"	2.55 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	16"	40 cm
Draft (drive down)	33"	83 cm
Maximum Capacity	1600 lbs	725 kg
Persons Capacity	10	9
Approx. Boat Weight	2500 lbs	1134 kg
Approx. Boat & Engine Weight	3450 lbs	1560 kg
Trailer Weight	1196 lbs	543 kg
Deadrise	20°	20°
Storage Length on Trailer	21'7"	6.58 m
Bridge Clearance	4'4"	1.32 m
Bridge Clearance RS	4'1"	1.24 m
Bridge Clearance with Arch/Tower	7'4"	2.24 m
Keel to Top of Tower Dn	6'10"	2.08 m
Keel to Top of Windshield	5'4"	1.63 m
Total Height	5'4"	1.63 m
Total Height RS	5'1"	1.55 m
Total Height on Trailer	7'0"	2.13 m
Total Height on Trailer RS	6'9"	2.06 m
Height on Trailer w/Wakeboard Tower Dn	8'6"	2.59 m
Height on Trailer w/Wakeboard Tower Up	10'0"	3.05 m
Potable Water (standard or optional)	12 gal	45 L

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 250/A	250	187	3380	1530
MC 4.5L 250/B3	250	187	3400	1540
MC 6.2L 300/B1	300	224	3480	1580
MC 6.2L 300/B3	300	224	3500	1590
VP V6-240/DI/SX	240	179	3180	1440
VP V6-240/DI/DP	240	179	3200	1450
VP V6-280/DI/SX	280	209	3180	1440
VP V6-280/DI/DP	280	209	3200	1450
VP V8-300/DI/SX	300	224	3280	1490
VP V8-300/DI/DP	300	224	3300	1500

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V6-280/DI/SX	2290	1040	900	409	240	109	150	68



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 250/187/A	15 X 17	38 x 43	AL	43-46	69-74	120	190
MC 4.5L 250/187/B3	24P	61P	SST	45-48	72-77	120	190
MC 6.2L 300/224/B1	15 1/2 X 17	39 X 43	SST	49-52	79-84	120	190
MC 6.2L 300/224/B3	24P	61P	SST	50-53	81-87	120	190
VP V6-240/179/DI/SX	15 X 17	38 x 43	AL	41-44	66-71	135	215
VP V6-240/179/DI/DP	FH4	FH4	SST	43-46	69-74	135	215
VP V6-280/209/DI/SX	14 1/4 X 21	36 x 53	AL	47-50	76-81	135	215
VP V6-280/209/DI/DP	FH4	FH4	SST	48-51	77-82	135	215
VP V8-300C/224/DI/SX	14 3/4 x 17	37 x 43	SST	49-52	79-84	130	210
VP V8-300C/224/DI/DP	FH5	FH5	SST	50-53	81-87	130	210

## FUEL FLOW DATA - H210 - MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	5	19
3000 RPM	23	37	6	23
3500 RPM	30	48	7	26
4000 RPM	35	56	10	38
4500 RPM	40	64	13	49
5000 RPM	43	69	17	64
WOT	44	71	18	68

## FUEL FLOW DATA - H210 - MC 4.5L 250/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	5	19
3000 RPM	23	37	6	23
3500 RPM	31	50	7	26
4000 RPM	36	58	9	34
4500 RPM	42	68	12	45
5000 RPM	45	72	17	64
WOT	46	74	18	68

## FUEL FLOW DATA - H210 - MC 6.2L 300/B1

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	14	23	11	42
3500 RPM	27	44	12	45
4000 RPM	32	52	14	53
4500 RPM	40	64	18	68
5000 RPM	46	74	21	75
WOT	51	82	23	87

**FUEL FLOW DATA - H210 - MC 6.2L 300/B3**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	14	23	11	42
3500 RPM	27	43	12	45
4000 RPM	33	53	14	53
4500 RPM	41	68	18	68
5000 RPM	47	76	21	75
WOT	52	84	23	87

**FUEL FLOW DATA - H210 - VP V6-240/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	29	47	9	35
4500 RPM	34	55	11	42
5000 RPM	38	61	12	45
5500 RPM	41	66	14	53
WOT	43	69	18	68

**FUEL FLOW DATA - H210 - VP V6-240/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	30	48	9	35
4500 RPM	35	56	11	42
5000 RPM	39	62	12	45
5500 RPM	43	69	14	53
WOT	45	72	18	68

**FUEL FLOW DATA - H210 - VP V6-280/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	28	45	9	35
4500 RPM	32	52	11	42
5000 RPM	39	63	13	49
5500 RPM	44	71	16	60
WOT	49	79	21	79

**FUEL FLOW DATA - H210 - VP V6-280/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	28	45	9	35
4500 RPM	32	52	11	42
5000 RPM	39	63	13	49
5500 RPM	45	72	16	60
WOT	50	81	21	79

**FUEL FLOW DATA - H210 - VP V8-300C/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	28	45	10	38
4500 RPM	33	53	12	45
5000 RPM	40	64	15	57
5500 RPM	46	74	18	68
WOT	51	82	23	87

**FUEL FLOW DATA - H210 - VP V8-300C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	28	45	10	38
4500 RPM	33	53	12	45
5000 RPM	40	64	15	57
5500 RPM	47	76	18	68
WOT	52	84	23	87

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HORIZON 230

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	23'7"	7.19 m
Beam	8'5"	2.55 m
Fuel Capacity	52 gal	197 L
Draft (drive up)	16"	40 cm
Draft (drive down)	33"	83 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	11	10
Approx. Boat Weight	2900 lbs	1315 kg
Approx. Boat & Engine Weight	3850 lbs	1840 kg
Trailer Weight	1505 lbs	683 kg
Deadrise	20°	20°
Storage Length on Trailer	23'7"	7.19 m
Bridge Clearance	4'5"	1.35 m
Bridge Clearance RS	4'2"	1.27 m
Bridge Clearance with Arch/Tower	7'5"	2.27 m
Keel to Top of Tower Dn	7'2"	2.18 m
Keel to Top of Windshield	5'6"	1.68 m
Total Height	5'6"	1.68 m
Total Height RS	5'3"	1.60 m
Total Height on Trailer	7'2"	2.18 m
Total Height on Trailer RS	6'11"	2.11 m
Height on Trailer w/Wakeboard Tower Dn	8'10"	2.69 m
Height on Trailer w/Wakeboard Tower Up	10'2"	3.10 m
Potable Water (standard or optional)	12 gal	45 L

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 250/A	250	187	4270	1940
MC 4.5L 250/B3	250	187	4300	1950
MC 6.2L 300/B3	300	224	4400	2000
MC 6.2L 350/B3	350	261	4400	2000
MC 6.2L 350/B3 DTS	350	261	4400	2000
VP V6-280/DI/SX	280	209	4070	1850
VP V6-280/DI/DP	280	209	4200	1900
VP V8-300C/DI/SX	300	224	4170	1890
VP V8-300C/DI/DP	300	224	4200	1900
VP V8-350C/DI/DP	350	261	4200	1900
VP V8-350CE/DI/DP EVC	350	261	4200	1900
VP V8-380CE/DI/DP EVC	380	284	4350	1970

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-300 DI/DP	3200	1450	1000	454	310	141	150	68



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 250/187/A	15	1/4 X 15	39 X 36	AL	39-42	63-68	130 210
MC 4.5L 250/187/B3	22.5P	57P	SST		41-44	68-71	130 210
MC 6.2L 300/224/B3	24P	61P	SST		46-49	74-79	130 210
MC 6.2L 350/261/B3	24P	61P	SST		50-53	81-85	130 210
MC 6.2L 350/261/B3 DTS	24P	61P	SST		50-53	81-85	130 210
VP V6-280C/209/DI/SX	14	1/2 X 19	37 X 48	AL	42-45	65-72	150 240
VP V6-280C/209/DI/DP	FH4	FH4	SST		43-46	69-74	150 240
VP V8-300C/224/DI/SX	14	3/4 X 17	37 X 43	SST	45-48	72-77	150 240
VP V8-300C/224/DI/DP	FH4	FH4	SST		46-49	74-79	150 240
VP V8-350C/261/DI/DP	FH5	FH5	SST		51-54	82-87	150 240
VP V8-350CE/261/DI/DP EVC	FH5	FH5	SST		51-54	82-87	150 240
VP V8-380CE/283/DI/DP EVC	FH5	FH5	SST		53-56	85-90	140 225

## FUEL FLOW DATA - H230 - MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	5	19
3000 RPM	22	35	6	23
3500 RPM	29	47	7	26
4000 RPM	33	53	10	38
4500 RPM	38	61	13	49
5000 RPM	40	64	17	64
WOT	41	66	18	68

## FUEL FLOW DATA - H230 - MC 4.5L 250/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	5	19
3000 RPM	22	35	6	23
3500 RPM	29	47	7	26
4000 RPM	34	55	10	38
4500 RPM	39	63	13	49
5000 RPM	42	68	17	64
WOT	43	69	18	68

## FUEL FLOW DATA - H230 - MC 6.2L 300/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	14	23	11	42
3500 RPM	26	42	12	45
4000 RPM	31	50	14	53
4500 RPM	38	61	18	68
5000 RPM	44	71	21	75
WOT	48	77	23	87

**FUEL FLOW DATA - H230 - MC 6.2L 350/B3**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	9	14	4	15
2500 RPM	16	26	7	27
3000 RPM	24	39	10	38
3500 RPM	30	48	12	45
4000 RPM	37	60	15	57
4500 RPM	44	71	18	70
5000 RPM	49	79	22	85
WOT	52	84	26	99

**FUEL FLOW DATA - H230 - MC 6.2L 350/B3 DTS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	9	14	4	15
2500 RPM	16	26	7	27
3000 RPM	24	39	10	38
3500 RPM	30	48	12	45
4000 RPM	37	60	15	57
4500 RPM	44	71	18	70
5000 RPM	49	79	22	85
WOT	52	84	26	99

**FUEL FLOW DATA - H230 - VP V6-280C/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	27	43	9	35
4500 RPM	30	48	11	42
5000 RPM	36	58	13	49
5500 RPM	40	64	16	60
WOT	44	71	21	79

**FUEL FLOW DATA - H230 - VP V6-280C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	27	43	9	35
4500 RPM	30	48	11	42
5000 RPM	36	58	13	49
5500 RPM	40	64	16	60
WOT	45	72	21	79

**FUEL FLOW DATA - H230 - VP V8-300C/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	23	37	8	30
4000 RPM	26	42	10	38
4500 RPM	30	48	12	45
5000 RPM	37	60	15	57
5500 RPM	42	68	18	68
WOT	47	76	23	87

**FUEL FLOW DATA - H230 - VP V8-300C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	23	37	8	30
4000 RPM	26	42	10	38
4500 RPM	31	50	12	45
5000 RPM	37	60	15	57
5500 RPM	44	71	18	68
WOT	48	77	23	87

**FUEL FLOW DATA - H230 - VP V8-350C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	28	45	10	38
4500 RPM	33	53	13	49
5000 RPM	40	64	17	64
5500 RPM	47	76	21	79
WOT	52	84	26	98

**FUEL FLOW DATA - H230 - VP V8-350CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	24	39	8	30
4000 RPM	28	45	10	38
4500 RPM	33	53	13	49
5000 RPM	40	64	17	64
5500 RPM	47	76	21	79
WOT	52	84	26	98



**FUEL FLOW DATA - H230 - VP V8-380CE/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 RPM	13	21	6	23
3000 RPM	23	37	7	26
3500 RPM	29	47	9	34
4000 RPM	34	55	11	42
4500 RPM	40	64	14	53
5000 RPM	44	71	19	72
5500 RPM	50	81	25	95
WOT	55	89	28	106

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



# HORIZON 260

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	26'3"	8.00 m
Beam	8'5"	2.55 m
Fuel Capacity	70 gal	265 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	2250 lbs	1021 kg
Persons Capacity	13	11
Approx. Boat Weight	4000 lbs	1814 kg
Approx. Boat & Engine Weight	4900 lbs	2220 kg
Trailer Weight	1658 lbs	752 kg
Deadrise	20°	20°
Storage Length on Trailer	26'6"	8.00 m
Bridge Clearance	5'3"	1.60 m
Bridge Clearance RS	5'0"	1.52 m
Bridge Clearance with Arch/Tower	8'6"	2.59 m
Keel to Top of Tower Dn	7'3"	2.21 m
Keel to Top of Windshield	6'3"	1.91 m
Total Height	6'3"	1.91 m
Total Height RS	6'0"	1.83 m
Total Height on Trailer	7'10"	2.39 m
Total Height on Trailer RS	7'7"	2.31 m
Height on Trailer w/Wakeboard Tower Dn	8'10"	2.69 m
Height on Trailer w/Wakeboard Tower Up	10'4"	3.15 m
Potable Water (standard or optional)	12 gal	45 L

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 6.2L 300/B3	300	224	5200	2360
MC 6.2L 350/B3	350	261	5200	2360
MC 6.2L 350/B3 DTS	350	261	5200	2360
MC 6.2L 350/B3 DTS SC	350	261	5200	2360
MC 8.2MPI 380/B3X DTS	380	283	5400	2450
MC 8.2MPI HO 430/B3X DTS	430	321	5400	2450
VP V8-300C/DI/DP	300	224	5100	2310
VP V8-350C/DI/DP	350	261	5100	2310
VP V8-350CE/DI/DP EVC	350	261	5100	2310
VP V8-350CE/DI/DP EVC OX	350	261	5100	2310
VP V8 380CE/DI/DP EVC	380	283	5200	2360
VP V8 430CE/DI/DP EVC	430	321	5200	2360

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-350C/DI/DP Joystick	4100	1860	1000	454	420	190	200	91



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 6.2L 300/224/B3	24P	61P	SST	44-47	71-76	130	210
MC 6.2L 350/261/B3	24P	61P	SST	47-50	76-81	130	210
MC 6.2L 350/261/B3 DTS	24P	61P	SST	47-50	76-81	130	210
MC 6.2L 350/261/B3 DTS SC	24P	61P	SST	47-50	76-81	130	210
MC 8.2MPI 380/283/B3X DTS	26P	66P	SST	50-53	81-85	130	210
MC 8.2MPIHO 430/321/B3X DTS	26P	66P	SST	52-55	84-89	130	210
VP V8-300C/224/DI/DP	FH4	FH4	SST	42-45	68--72	150	240
VP V8-350C/261/DI/DP	FH4	FH4	SST	46-49	74-79	150	240
VP V8-350CE/261/DI/DP EVC	FH4	FH4	SST	46-49	74-79	150	240
VP V8-350CE/261/DI/DP EVC OX	FH4	FH4	SST	46-49	74-79	150	240
VP V8-380CE/283/DI/DP EVC	FH4	FH4	SST	50-53	81-85	140	225
VP V8-430CE/321/DI/DP EVC	FH5	FH5	SST	52-55	84-89	140	225

## FUEL FLOW DATA - H260 - MC 6.2L 300/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	14	23	11	42
3500 RPM	26	42	12	45
4000 RPM	30	48	14	53
4500 RPM	37	60	18	68
5000 RPM	42	68	21	75
WOT	46	74	23	87

## FUEL FLOW DATA - H260 - MC 6.2L 350/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	9	14	4	15
2500 RPM	16	26	7	27
3000 RPM	24	39	10	38
3500 RPM	29	47	12	45
4000 RPM	35	56	15	57
4500 RPM	42	68	18	70
5000 RPM	46	74	22	85
WOT	49	79	26	99

## FUEL FLOW DATA - H260 - MC 6.2L 350/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	9	14	4	15
2500 RPM	16	26	7	27
3000 RPM	24	39	10	38
3500 RPM	29	47	12	45
4000 RPM	35	56	15	57
4500 RPM	42	68	18	70
5000 RPM	46	74	22	85
WOT	49	79	26	99



**FUEL FLOW DATA - H260 - MC 6.2L 350/B3 DTS SC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	9	14	4	15
2500 RPM	16	26	7	27
3000 RPM	24	39	10	38
3500 RPM	29	47	12	45
4000 RPM	35	56	15	57
4500 RPM	42	68	18	70
5000 RPM	46	74	22	85
WOT	49	79	26	99

**FUEL FLOW DATA - H260 - MC 8.2MPI 380/B3X DTS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	11	18	8	20
2500 RPM	22	35	9	34
3000 RPM	34	55	12	45
3500 RPM	40	64	16	60
4000 RPM	46	74	20	76
4500 RPM	50	81	26	98
WOT	52	84	29	110

**FUEL FLOW DATA - H260 - MC 8.2MPI HO 430/B3X DTS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	11	18	8	30
2500 RPM	22	35	9	34
3000 RPM	34	55	12	45
3500 RPM	40	64	16	60
4000 RPM	46	74	21	79
4500 RPM	51	82	27	102
WOT	54	87	32	121

**FUEL FLOW DATA - H260 - VP V8-300C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	14	23	7	26
3500 RPM	21	33	8	30
4000 RPM	24	39	10	38
4500 RPM	28	45	12	45
5000 RPM	34	54	15	57
5500 RPM	40	64	18	68
WOT	44	71	23	87

**FUEL FLOW DATA - H260 - VP V8-350C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	23	37	8	30
4000 RPM	26	42	10	38
4500 RPM	30	48	13	49
5000 RPM	37	60	17	64
5500 RPM	43	69	21	79
WOT	48	77	26	98

**FUEL FLOW DATA - H260 - VP V8-350CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	23	37	8	30
4000 RPM	26	42	10	38
4500 RPM	30	48	13	49
5000 RPM	37	60	17	64
5500 RPM	43	69	21	79
WOT	48	77	26	98

**FUEL FLOW DATA - H260 - VP V8-350CE/DI/DP EVC OX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	3	11
2500 RPM	10	16	6	23
3000 RPM	15	24	7	26
3500 RPM	23	37	8	30
4000 RPM	26	42	10	38
4500 RPM	30	48	13	49
5000 RPM	37	60	17	64
5500 RPM	43	69	21	79
WOT	48	77	26	98

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.





# HORIZON 290

## SPECIFICATIONS

SPECIFICATIONS	US		Metric
LOA	<b>30'1"</b>		9.16 m
Beam	<b>9'5"</b>		2.87 m
Fuel Capacity	<b>120 gal</b>		458 L
Draft (drive up)	<b>25"</b>		64 cm
Draft (drive down)	<b>39"</b>		99 cm
Maximum Capacity	<b>YACHT</b>		1200 kg
Persons Capacity	<b>YACHT</b>		12
Approx. Boat Weight	<b>6500 lbs</b>		2948 kg
Approx. Boat & Engine Weight	<b>8500 lbs</b>		3856 kg
Trailer Weight	<b>n/a</b>		n/a
Deadrise	<b>21°</b>		21°
Bridge Clearance	<b>8'0"</b>		2.44 m
Bridge Clearance with Arch	<b>8'0"</b>		2.44 m
Keel to Top of Arch	<b>9'8"</b>		2.95 m
Keel to Top of Windshield	<b>7'4"</b>		2.23 m
Total Height	<b>7'4"</b>		2.23 m
Potable Water	<b>20 gal</b>		76 L
Holding Tank	<b>6.5 gal</b>		25 L

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 8.2MPI 380/B3X DTS	<b>380</b>	283	<b>7900</b>	3580
MC 8.2MPI HO 430/B3X DTS	<b>430</b>	321	<b>7900</b>	3580
Twin MC 6.2L 300/B3 DTS	<b>600</b>	448	<b>8800</b>	3990
Twin MC 6.2L 300/B3 DTS JOYSTICK	<b>600</b>	448	<b>8800</b>	3990
Twin MC 6.2L 350/B3 DTS	<b>700</b>	522	<b>8800</b>	3990
Twin MC 6.2L 350/B3 DTS JOYSTICK	<b>700</b>	522	<b>8800</b>	3990
VP V8-380CE/DI/DP EVC	<b>380</b>	283	<b>7600</b>	3450
VP V8-430CE/DI/DP EVC	<b>430</b>	321	<b>7600</b>	3450
Twin VP V8-300CE/DI/DP EVC	<b>600</b>	448	<b>8500</b>	3850
Twin VP V8-300CE/DI/DP EVC JOYSTICK	<b>600</b>	448	<b>8500</b>	3850
Twin VP V8-300CE/DI/DP EVC JOYSTICK OX	<b>600</b>	448	<b>8500</b>	3850
Twin VP V8-350CE/DI/DP EVC	<b>700</b>	522	<b>8500</b>	3850
Twin VP V8-350CE/DI/DP EVC JOYSTICK	<b>700</b>	522	<b>8500</b>	3850
Twin VP V8-380CE/DI/DP EVC	<b>760</b>	567	<b>8700</b>	3950
Twin VP V8-380CE/DI/DP EVC JOYSTICK	<b>760</b>	567	<b>8700</b>	3950

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
Twin VP V8-350CE/DI/DP EVC Joystick	<b>6500</b>	2959	<b>2000</b>	910	<b>780</b>	354	<b>300</b>	136



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
	MC 8.2MPI 380/283/B3X DTS	<b>22.5P</b>	57P	SST	<b>41-44</b>	66-71	<b>120</b>
MC 8.2MPI HO 430/321/B3X DTS	<b>22.5P</b>	57P	SST	<b>43-46</b>	69-74	<b>120</b>	190
Twin MC 6.2L 300/224/B3 DTS	<b>24P</b>	61P	SST	<b>50-53</b>	81-85	<b>130</b>	210
Twin MC 6.2L 300/224/B3 DTS JOYSTICK	<b>24P</b>	61P	SST	<b>50-53</b>	81-85	<b>130</b>	210
Twin MC 6.2L 350/261/B3 DTS	<b>26P</b>	66P	SST	<b>54-57</b>	87-92	<b>130</b>	210
Twin MC 6.2L 350/261/B3 DTS JOYSTICK	<b>26P</b>	66P	SST	<b>54-57</b>	87-92	<b>130</b>	210
VP V8-380CE/283/DI/DP EVC	<b>FH4</b>	FH4	SST	<b>41-44</b>	66-71	<b>130</b>	210
VP V8-430CE/321/DI/DP EVC	<b>FH4</b>	FH4	SST	<b>43-46</b>	69-74	<b>130</b>	210
Twin VP V8-300CE/224/DI/DP EVC	<b>FH5</b>	FH5	SST	<b>50-53</b>	81-85	<b>150</b>	240
Twin VP V8-300CE/224/DI/DP EVC JOYSTICK	<b>FH5</b>	FH5	SST	<b>50-53</b>	81-85	<b>150</b>	240
Twin VP V8-300CE/224/DI/DP EVC JOYSTICK OX	<b>FH5</b>	FH5	SST	<b>50-53</b>	81-85	<b>150</b>	240
Twin VP V8-350CE/261/DI/DP EVC	<b>FH6</b>	FH6	SST	<b>54-57</b>	87-92	<b>150</b>	240
Twin VP V8-350CE/261/DI/DP EVC JOYSTICK	<b>FH6</b>	FH6	SST	<b>54-57</b>	87-92	<b>150</b>	240
Twin VP V8-380CE/283/DI/DP EVC	<b>FH6</b>	FH6	SST	<b>57-60</b>	92-97	<b>140</b>	225
Twin VP V8-380CE/283/DI/DP EVC JOYSTICK	<b>FH6</b>	FH6	SST	<b>57-60</b>	92-97	<b>140</b>	225

## FUEL FLOW DATA - H290 - MC 8.2MPI 380/B3X DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	<b>9</b>	14	<b>7</b>	26
2500 RPM	<b>11</b>	18	<b>11</b>	42
3000 RPM	<b>14</b>	23	<b>15</b>	57
3500 RPM	<b>29</b>	47	<b>16</b>	60
4000 RPM	<b>34</b>	55	<b>19</b>	72
4500 RPM	<b>39</b>	63	<b>27</b>	102
WOT	<b>42</b>	68	<b>32</b>	121

## FUEL FLOW DATA - H290 - MC 8.2MPI HO 430/B3X DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	<b>9</b>	14	<b>7</b>	26
2500 RPM	<b>11</b>	18	<b>12</b>	45
3000 RPM	<b>14</b>	23	<b>15</b>	57
3500 RPM	<b>30</b>	48	<b>17</b>	64
4000 RPM	<b>35</b>	56	<b>19</b>	72
4500 RPM	<b>40</b>	64	<b>28</b>	106
WOT	<b>44</b>	71	<b>35</b>	132

## FUEL FLOW DATA - H290 - TWIN MC 6.2L 300/B3/DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	<b>8</b>	13	<b>9</b>	34
2500 RPM	<b>15</b>	24	<b>12</b>	45
3000 RPM	<b>25</b>	40	<b>14</b>	53
3500 RPM	<b>33</b>	53	<b>17</b>	64
4000 RPM	<b>38</b>	61	<b>23</b>	87

**FUEL FLOW DATA - H290 - TWIN MC 6.2L 300/B3/DTS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
4500 RPM	43	69	30	113
5000 RPM	48	77	39	147
WOT	52	84	46	174

**FUEL FLOW DATA - H290 - TWIN MC 6.2L 300/B3 DTS JOYSTICK**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	9	34
2500 RPM	15	24	12	45
3000 RPM	25	40	14	53
3500 RPM	33	53	17	64
4000 RPM	38	61	23	87
4500 RPM	43	69	30	113
5000 RPM	48	77	39	147
WOT	52	84	46	174

**FUEL FLOW DATA - H290 - TWIN MC 6.2L 350/B3 DTS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	9	14	8	30
2500 RPM	17	27	14	53
3000 RPM	27	43	20	76
3500 RPM	36	57	25	95
4000 RPM	43	69	30	113
4500 RPM	48	77	37	140
5000 RPM	53	85	45	170
WOT	56	90	52	197

**FUEL FLOW DATA - H290 - TWIN MC 6.2L 350/B3 DTS JOYSTICK**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	9	14	8	30
2500 RPM	17	27	14	53
3000 RPM	27	43	20	76
3500 RPM	36	57	25	95
4000 RPM	43	69	30	113
4500 RPM	48	77	37	140
5000 RPM	53	85	45	170
WOT	56	90	52	197

**FUEL FLOW DATA - H290 - VP V8-380CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	5	19
2500 RPM	10	16	6	23
3000 RPM	12	19	7	26
3500 RPM	26	42	9	34

**FUEL FLOW DATA - H290 - VP V8-380CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
4000 RPM	30	48	11	48
4500 RPM	36	58	14	53
5000 RPM	39	63	19	72
5500 RPM	41	66	25	95
WOT	42	68	30	113

**FUEL FLOW DATA - H290 - VP V8-430CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	5	19
2500 RPM	10	16	6	23
3000 RPM	13	21	7	26
3500 RPM	26	42	9	34
4000 RPM	30	48	11	48
4500 RPM	36	58	15	57
5000 RPM	39	63	19	72
5500 RPM	42	68	26	98
WOT	44	71	33	125

**FUEL FLOW DATA - H290 - TWIN VP V8-300CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	6	23
2500 RPM	9	14	10	38
3000 RPM	13	21	15	57
3500 RPM	23	37	16	60
4000 RPM	30	48	20	76
4500 RPM	37	60	25	95
5000 RPM	42	68	33	125
5500 RPM	48	77	41	155
WOT	52	84	46	174

**FUEL FLOW DATA - H290 - TWIN VP V8-300CE/DI/DP EVC JOYSTICK**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	6	23
2500 RPM	9	14	10	38
3000 RPM	13	21	15	57
3500 RPM	23	37	16	60
4000 RPM	30	48	20	76
4500 RPM	37	60	25	95
5000 RPM	42	68	33	125
5500 RPM	48	77	41	155
WOT	52	84	46	174

**FUEL FLOW DATA - H290 - TWIN VP V8-300CE/DI/DP EVC JOYSTICK OX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	6	23
2500 RPM	9	14	10	38
3000 RPM	13	21	15	57
3500 RPM	23	37	16	60
4000 RPM	30	48	20	76
4500 RPM	37	60	25	95
5000 RPM	42	68	33	125
5500 RPM	48	77	41	155
WOT	52	84	46	174

**FUEL FLOW DATA - H290 - TWIN VP V8-350CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	6	23
2500 RPM	10	16	11	42
3000 RPM	12	19	16	64
3500 RPM	18	29	21	83
4000 RPM	28	45	23	87
4500 RPM	37	60	25	95
5000 RPM	44	71	31	117
5500 RPM	51	82	43	162
WOT	56	90	52	197

**FUEL FLOW DATA - H290 - TWIN VP V8-350CE/DI/DP EVC JOYSTICK**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	6	23
2500 RPM	10	16	11	42
3000 RPM	12	19	16	64
3500 RPM	18	29	21	83
4000 RPM	28	45	23	87
4500 RPM	37	60	25	95
5000 RPM	44	71	31	117
5500 RPM	51	82	43	162
WOT	56	90	52	197

**FUEL FLOW DATA - H290 - TWIN VP V8-380CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	10	16	9	34
2500 RPM	15	24	13	49
3000 RPM	26	42	15	57
3500 RPM	33	53	18	68
4000 RPM	38	61	22	83
4500 RPM	44	71	29	110
5000 RPM	49	79	39	147
5500 RPM	54	87	51	193
WOT	59	95	60	227

**FUEL FLOW DATA - H290 W/ TWIN VP V8-380CE/DI/DP EVC JOYSTICK**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	10	16	9	34
2500 RPM	15	24	13	49
3000 RPM	26	42	15	57
3500 RPM	33	53	18	68
4000 RPM	38	61	22	83
4500 RPM	44	71	29	110
5000 RPM	49	79	39	147
5500 RPM	54	87	51	193
WOT	59	95	60	227

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HORIZON 290 OB

## SPECIFICATIONS

	US	Metric
LOA	30'1"	9.16 m
Beam	9'5"	2.87 m
Fuel Capacity	120 gal	458 L
Draft (drive up)	25"	64 cm
Draft (drive down)	42"	107 cm
Maximum Capacity	YACHT	1200 kg
Persons Capacity	YACHT	12
Approx. Boat Weight	7200 lbs	3266 kg
Approx. Boat & Engine Weight	8600 lbs	3900 kg
Trailer Weight	N/A	N/A
Deadrise	21°	21°
Bridge Clearance	8'0"	2.44 m
Bridge Clearance with Arch	8'0"	2.44 m
Keel to Top of Arch	9'8"	2.95 m
Keel to Top of Windshield	7'4"	2.23 m
Total Height	7'4"	2.23m
Potable Water	20 gal	76 L
Holding Tank	6.5 gal	25 L

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Twin Mercury 250XXL Verado Joystick	250	187	8600	3900
Twin Mercury 300XXL Verado Joystick	300	224	8600	3900

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
Twin Mercury 300XXL Verado Joystick	7200	3265	1300	590	780	354	300	136



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Twin Mercury 250XXL Verado Joystick	14.625	X 17 37 x 43	SST	49 - 52	79 - 84	185	300
Twin Mercury 300XXL Verado Joystick	14.625	X 19 37 x 48	SST	53 - 56	85 - 90	190	305

## FUEL FLOW DATA - H290 - TWIN MERCURY 250XXL VERADO JOYSTICK

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	2	7
2000 RPM	8	13	6	23
3000 RPM	12	19	14	54
3500 RPM	25	39	15	57
4000 RPM	31	50	18	68
4500 RPM	36	57	22	84
5000 RPM	40	65	28	107
5500 RPM	45	72	35	133
6000 RPM	48	77	46	175
WOT	51	82	55	208

## FUEL FLOW DATA - H290 - TWIN MERCURY 300XXL VERADO JOYSTICK

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	5	8	2	8
2000 RPM	9	14	6	24
3000 RPM	13	21	15	57
3500 RPM	26	42	16	60
4000 RPM	33	54	19	72
4500 RPM	38	62	24	89
5000 RPM	43	70	30	113
5500 RPM	48	78	37	140
6000 RPM	52	83	49	185
WOT	55	89	58	220

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HORIZON 350

## SPECIFICATIONS

SPECIFICATIONS	US		Metric	
LOA	35'0"		10.7 m	
Beam	10'10"		3.30 m	
Fuel Capacity	170 gal		644 L	
Draft (drive up)	29"		64 cm	
Draft (drive down)	41"		104 cm	
Maximum Capacity	YACHT		Yacht	
Persons Capacity	YACHT		16	
Approx. Boat Weight	10700 lbs		4853 kg	
Approx. Boat & Engine Weight	12800 lbs		5800 kg	
Deadrise	19°		19°	
Bridge Clearance with Arch	9'0"		2.74 m	
Keel to Top of Arch	11'0"		3.35 m	
Keel to Top of Windshield	9'2"		2.79 m	
Total Height	11'0"		3.35 m	
Potable Water (standard or optional)	35 gal		133 L	
Holding Tank	25 gal		95 L	
Grey Water	25 gal		95 L	
Generator	5.0 kw		5.0 kw	
Air Conditioning/Heater	12000 BTU		12000 BTU	
Maximum Swim Platform Capacity	650 lbs		295 kg	

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Twin MC 6.2L 300/B3 DTS	300	224	13000	5900
Twin MC 6.2L 350/B3 DTS	350	261	13000	5900
Twin MC 6.2L 350/B3 DTS Joystick	350	261	13000	5900
Twin MC 6.2L 350/B3 DTS SC	350	261	13000	5900
Twin MC 8.2MPI 380/B3X DTS	380	283	13400	6080
Twin MC 8.2MPI 380/B3X DTS Joystick	380	283	13400	6080
Twin MC 8.2MPI 380/B3X DTS SC	380	283	13400	6080
Twin MC 8.2MPI 380/B3X DTS Joystick SC	380	283	13400	6080
Twin MC 8.2MPI HO 430/B3X DTS Joystick	430	321	13400	6080
Twin VP V8-300CE/DI/DP EVC	300	224	12600	5710
Twin VP V8-350CE/DI/DP EVC	350	261	12600	5710
Twin VP V8-350CE/DI/DP EVC Joystick	350	261	12600	5710
Twin VP V8-380CE/DI/DP EVC	380	283	12900	5850
Twin VP V8-380CE/DI/DP EVC OX	380	283	12900	5850
Twin VP V8-380CE/DI/DP EVC Joystick	380	283	12900	5850
Twin VP V8-380CE/DI/DP EVC Joystick OX	380	283	12900	5850
Twin VP V8-430CE/DI/DP EVC Joystick	430	321	12900	5850

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-380CE/DP/EVC	10700	4850	2200	1000	960	435	500	227



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Twin MC 6.2L 300/224/B3 DTS	24P	61P	SST	43-46	69-74	160	260
Twin MC 6.2L 350/261/B3 DTS	24P	61P	SST	46-49	74-79	160	260
Twin MC 6.2L 350/261/B3 DTS Joystick	24P	61P	SST	46-49	74-79	160	260
Twin MC 6.2L 350/261/B3 DTS SC	24P	61P	SST	46-49	74-79	160	260
Twin MC 8.2MPI 380/283/B3X DTS	26P	66P	SST	48-51	77-82	160	260
Twin MC 8.2MPI 380/283/B3X DTS Joystick	26P	66P	SST	48-51	77-82	160	260
Twin MC 8.2MPI 380/283/B3X DTS SC	26P	66P	SST	48-51	77-82	160	260
Twin MC 8.2MPI 380/283/B3X DTS Joystick SC	26P	66P	SST	48-51	77-82	160	260
Twin MC 8.2MPI HO 430/321/B3X DTS Joystick	26P	66P	SST	50-53	81-85	160	260
Twin VP V8-300CE/224/DI/DP EVC	FH5	FH5	SST	43-46	69-74	180	290
Twin VP V8-350CE/261/DI/DP EVC	FH5	FH5	SST	46-49	74-79	180	290
Twin VP V8-350CE/261/DI/DP EVC Joystick	FH5	FH5	SST	46-49	74-79	170	270
Twin VP V8-380CE/283/DI/DP EVC	FH5	FH5	SST	46-49	74-79	170	270
Twin VP V8-380CE/283/DI/DP EVC OX	FH5	FH5	SST	48-51	77-82	170	70
Twin VP V8-380CE/283/DI/DP EVC Joystick	FH5	FH5	SST	48-51	77-82	170	270
Twin VP V8-380CE/283/DI/DP EVC Joystick OX	FH5	FH5	SST	48-51	77-82	170	270
Twin VP V8-430CE/321/DI/DP EVC Joystick	FH5	FH5	SST	50-53	81-85	170	270

## FUEL FLOW DATA - H350 - TWIN MC 6.2L 300/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	9	34
2500rpm	14	23	12	45
3000rpm	23	37	14	53
3500rpm	30	48	17	64
4000rpm	34	55	23	87
4500rpm	38	61	30	113
5000rpm	42	68	39	147
WOT	45	72	46	174

## FUEL FLOW DATA - H350 - TWIN MC 6.2L 350/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	9	34
2500rpm	14	23	12	45
3000rpm	23	37	14	53
3500rpm	30	48	17	64
4000rpm	34	55	23	87
4500rpm	39	63	30	113
5000rpm	44	71	39	147
WOT	48	77	46	174

**FUEL FLOW DATA - H350 - TWIN MC 6.2L 350/B3 DTS JOYSTICK**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	9	34
2500rpm	14	23	12	45
3000rpm	23	37	14	53
3500rpm	30	48	17	64
4000rpm	34	55	23	87
4500rpm	39	63	30	113
5000rpm	44	71	39	147
WOT	48	77	46	174

**FUEL FLOW DATA - H350 - TWIN MC 6.2L 350/B3 DTS SC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	9	34
2500rpm	14	23	12	45
3000rpm	23	37	14	53
3500rpm	30	48	17	64
4000rpm	34	55	23	87
4500rpm	39	63	30	113
5000rpm	44	71	39	147
WOT	48	77	46	174

**FUEL FLOW DATA - H350 - TWIN MC 8.2MPI 380/B3X DTS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	10	16	16	60
2500rpm	13	21	23	87
3000rpm	29	47	26	98
3500rpm	37	60	34	129
4000rpm	42	68	43	162
4500rpm	48	77	54	204
WOT	50	81	62	234

**FUEL FLOW DATA - H350 - TWIN MC 8.2MPI 380/B3X DTS JOYSTICK**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	10	16	16	60
2500rpm	13	21	23	87
3000rpm	29	47	26	98
3500rpm	37	60	34	129
4000rpm	42	68	43	162
4500rpm	48	77	54	204
WOT	50	81	62	234

**FUEL FLOW DATA - H350 - TWIN MC 8.2MPI 380/B3X DTS SC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	10	16	16	60
2500rpm	13	21	23	87
3000rpm	29	47	26	98
3500rpm	37	60	34	129
4000rpm	42	68	43	162
4500rpm	48	77	54	204
WOT	50	81	62	234

**FUEL FLOW DATA - H350 - TWIN MC 8.2MPI 380/B3X DTS JOYSTICK SC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	10	16	16	60
2500rpm	13	21	23	87
3000rpm	29	47	26	98
3500rpm	37	60	34	129
4000rpm	42	68	43	162
4500rpm	48	77	54	204
WOT	50	81	62	234

**FUEL FLOW DATA - H350 - TWIN MC 8.2MPI HO 430/B3X DTS JOYSTICK**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	10	16	16	60
2500rpm	13	21	23	87
3000rpm	29	47	26	98
3500rpm	37	60	34	129
4000rpm	42	68	43	162
4500rpm	48	77	58	219
WOT	51	83	72	272

**FUEL FLOW DATA - H350 - TWIN VP V8-300CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	6	23
2500rpm	9	14	10	38
3000rpm	13	21	15	57
3500rpm	23	37	16	60
4000rpm	29	47	20	76
4500rpm	35	56	25	95
5000rpm	38	52	33	125
5500rpm	42	68	41	155
WOT	45	72	46	174





<b>FUEL FLOW DATA - H350 - TWIN VP V8-350CE/DI/DP EVC</b>				
Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	6	23
2500rpm	10	16	11	42
3000rpm	11	18	16	64
3500rpm	16	26	21	83
4000rpm	25	40	23	87
4500rpm	32	52	25	95
5000rpm	38	61	31	117
5500rpm	43	69	43	162
WOT	48	77	52	197

<b>FUEL FLOW DATA - H350 - TWIN VP V8-350CE/DI/DP EVC JOYSTICK</b>				
Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	6	23
2500rpm	10	16	11	42
3000rpm	11	18	16	64
3500rpm	16	26	21	83
4000rpm	25	40	23	87
4500rpm	32	52	25	95
5000rpm	38	61	31	117
5500rpm	43	69	43	162
WOT	48	77	52	197

<b>FUEL FLOW DATA - H350 - TWIN VP V8-380CE/DI/DP EVC</b>				
Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	8	30
2500rpm	11	18	14	53
3000rpm	16	26	19	72
3500rpm	26	42	22	83
4000rpm	33	53	27	102
4500rpm	38	61	32	121
5000rpm	43	69	43	163
5500rpm	48	77	54	204
WOT	50	81	61	231

<b>FUEL FLOW DATA - H350 - TWIN VP V8-380CE/DI/DP EVC OX</b>				
Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	8	30
2500rpm	11	18	14	53
3000rpm	16	26	19	72
3500rpm	26	42	22	83
4000rpm	33	53	27	102
4500rpm	38	61	32	121
5000rpm	43	69	43	163
5500rpm	48	77	54	204
WOT	50	81	61	231



<b>FUEL FLOW DATA - H350 - TWIN VP V8-380CE/DI/DP EVC JOYSTICK</b>				
Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	8	30
2500rpm	11	18	14	53
3000rpm	16	26	19	72
3500rpm	26	42	22	83
4000rpm	33	53	27	102
4500rpm	38	61	32	121
5000rpm	43	69	43	163
5500rpm	48	77	54	204
WOT	50	81	61	231

<b>FUEL FLOW DATA - H350 - TWIN VP V8-380CE/DI/DP EVC JOYSTICK OX</b>				
Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	8	30
2500rpm	11	18	14	53
3000rpm	16	26	19	72
3500rpm	26	42	22	83
4000rpm	33	53	27	102
4500rpm	38	61	32	121
5000rpm	43	69	43	163
5500rpm	48	77	54	204
WOT	50	81	61	231

<b>FUEL FLOW DATA - H350 - TWIN VP V8-430CE/DI/DP EVC JOYSTICK</b>				
Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	8	30
2500rpm	11	18	14	53
3000rpm	16	26	19	72
3500rpm	26	42	22	83
4000rpm	33	53	27	102
4500rpm	38	61	32	121
5000rpm	43	69	43	163
5500rpm	49	79	56	212
WOT	52	84	66	249

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HORIZON 350 OB

## SPECIFICATIONS

	US	Metric
LOA	35'0"	10.7 m
Beam	10'10"	3.30 m
Fuel Capacity	170 gal	644 L
Draft (drive up)	29"	64 cm
Draft (drive down)	46"	117 cm
Maximum Capacity	YACHT	Yacht
Persons Capacity	YACHT	16
Approx. Boat Weight	11,950 lbs	5,420 kg
Approx. Boat & Engine Weight	13,300 lbs	6,033 kg
Deadrise	19°	19°
Bridge Clearance with Arch	9'0"	2.74 m
Keel to Top of Arch	11'0"	3.35 m
Keel to Top of Windshield	9'2"	2.79 m
Total Height	11'0"	3.35 m
Potable Water (standard or optional)	35 gal	133 L
Holding Tank	25 gal	95 L
Grey Water	25 gal	95 L
Generator	5.0 kw	5.0 kw
Air Conditioning/Heater	12,000 BTU	12,000 BTU
Maximum Swim Platform Capacity	650 lbs	295 kg

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Twin Mercury 350XXL Verado Joystick	350	261	13300	6035
Twin Mercury 400RXXL Verado Joystick	400	298	13300	6035

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
Twin Mercury 350XXL Verado Joystick	11950	5420	1400	635	960	435	500	227



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Twin Mercury 350XXL Verado Joystick	14.625 x 17	37 x 43	SST	46 - 49	74 - 79	175	282
Twin Mercury 400RXXL Verado Joystick	14.625 x 17	37 x 43	SST	49 - 52	79 - 84	150	241

## FUEL FLOW DATA - H290 - TWIN MERCURY 350XXL VERADO JOYSTICK

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	9	14	6	24
2500 RPM	10	16	11	41
3000 RPM	10	16	17	65
3500 RPM	14	23	21	79
4000 RPM	22	36	24	91
4500 RPM	32	52	29	111
5000 RPM	40	65	35	132
5500 RPM	44	71	42	159
6000 RPM	47	76	58	220
WOT	48	77	61	231

## FUEL FLOW DATA - H290 - TWIN MERCURY 400RXXL VERADO JOYSTICK

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2500 RPM	9	15	8	30
3000 RPM	10	17	13	50
3500 RPM	11	17	21	80
4000 RPM	15	24	26	98
4500 RPM	23	37	30	112
5000 RPM	34	54	36	136
5500 RPM	42	68	43	162
6000 RPM	47	75	52	195
6500 RPM	50	80	67	254
WOT	51	82	75	284

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



*HD Series*



# HD 200 FREEDOM

## SPECIFICATIONS

	US	Metric
LOA	20' 1"	6.12 m
Beam	8' 3"	2.51 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	1600 lbs	726 kg
Persons Capacity	10	8
Approx. Boat Weight	2700 lbs	1225 kg
Approx. Boat & Engine Weight	3760 lbs	1706 kg
Trailer Weight	940 lbs	426 kg
Deadrise	19°	19°
Storage Length on Trailer	20' 1"	6.12 m
Bridge Clearance	3' 9"	1.14 m
Keel to Top of Windshield	5' 3"	1.606 m
Total Height	5' 3"	1.60 m
Total Height on Trailer	7' 0"	2.13 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	3650	1655
VP V6-200/DI/SX	200	149	3550	1610

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V6-200 DI/SX	3550	1610	925	420	240	109	150	68



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)			Type	Top Speed		Cruise Range	
	HP/KW	IN	CM		MPH	KPH	MI	KM
MC 4.5L 200/A	200	14 x 19	36 x 48	AL	43 - 46	69 - 74	140	225
VP V6-200/DI/SX	200	14.5 x 19	37 x 48	AL	43 - 46	69 - 74	130	209

## FUEL FLOW DATA - HD200 - MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	6	10	2.6	10
1500 RPM	7	11	3.6	13
2000 RPM	10	16	4.7	18
2500 RPM	22	36	5.7	22
3000 RPM	28	45	7.4	28
3500 RPM	33	53	9.0	34
4000 RPM	38	60	11.0	42
4500 RPM	42	68	13.6	52
WOT	45	72	16.7	63

## FUEL FLOW DATA - HD200 - VP V6-200/DI/SX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.4	5
2000 RPM	6	10	2.8	11
2500 RPM	7	11	3.7	14
3000 RPM	10	16	4.9	19
3500 RPM	22	36	6.0	23
4000 RPM	28	45	7.7	29
4500 RPM	33	53	9.4	36
5000 RPM	38	60	11.5	44
5500 RPM	42	68	14.3	54
WOT	45	72	17.5	66

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HD 200

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	20' 1"	6.12 m
LOA w/extended Swim Platform	22' 0"	6.71 m
Beam	8' 3"	2.51 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Draft Volvo FWD (drive up)	31"	79 cm
Draft Volvo FWD (drive down)	36"	91 cm
Maximum Capacity	1600 lbs	726 kg
Persons Capacity	10	8
Approx. Boat Weight	2700 lbs	1225 kg
Approx. Boat & Engine Weight	3760 lbs	1706 kg
Trailer Weight Single Axle	940 lbs	426 kg
Trailer Weight Tandem Axle	1101 lbs	499 kg
Deadrise	19°	19°
Storage Length on Trailer	20' 1"	6.12 m
Storage Length on Trailer w/ext Swim	22' 0"	6.71 m
Bridge Clearance	3' 9"	1.14 m
Bridge Clearance RS	3' 6"	1.07 m
Bridge Clearance with Arch/Tower	7' 2"	2.18 m
Keel to Top of Tower Dn	7' 1"	2.16 m
Keel to Top of Windshield	5' 3"	1.606 m
Total Height	5' 3"	1.60 m
Total Height RS	5' 0"	1.52 m
Total Height on Trailer	7' 0"	2.13 m
Total Height on Trailer RS	6' 9"	2.06 m
Height on Trailer w/Wakeboard Tower Dn	8' 10"	2.69 m
Height on Trailer w/Wakeboard Tower Up	10' 3"	3.12 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 200/A	200	149	3650	1655
MC 4.5L 250/A	250	186	3650	1655
MC 4.5L 250/B3	250	186	3650	1655
VP V6-200/DI/SX	200	149	3550	1610
VP V6-200/DI/FWD	200	149	3625	1645
VP V6-240/DI/SX	240	179	3550	1610
VP V6-240/DI/FWD	240	179	3625	1645
VP V6-280/DI/DP	280	209	3600	1633
VP V6-280/DI/FWD	280	209	3625	1645

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V6-280/DI/DP	3600	1633	950	430	240	109	150	68



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch) Type			Top Speed		Cruise Range	
	HP/KW	IN	CM	MPH	KPH	MI	KM
MC 4.5L 200/A	200	14 x 19	36 x 48	AL	43 - 46	69 - 74	140 225
MC 4.5L 250/A	250	14 X 17	36 X 46	AL	46 - 49	74 - 79	130 209
MC 4.5L 250/B3	250	24P	61P	SST	47 - 50	76 - 81	130 209
VP V6-200/DI/SX	200	14.5 x 19	37 x 48	AL	43 - 46	69 - 74	130 209
VP V6-200/DI/FWD	200	K2	K2	SST	37 - 40	60 - 65	130 209
VP V6-240/DI/SX	240	14.5 x 19	37 x 48	AL	46 - 49	74 - 79	130 209
VP V6-240/DI/FWD	240	K3	K3	SST	40 - 43	64 - 69	145 233
VP V6-280/DI/DP	280	FH4	FH4	SST	47 - 50	76 - 81	150 241
VP V6-280/DI/FWD	280	K4	K4	SST	45 - 48	72 - 77	150 241

## FUEL FLOW DATA - HD200 - MC 4.5L 200/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	6	10	2.6	10
1500 RPM	7	11	3.6	13
2000 RPM	10	16	4.7	18
2500 RPM	22	36	5.7	22
3000 RPM	28	45	7.4	28
3500 RPM	33	53	9.0	34
4000 RPM	38	60	11.0	42
4500 RPM	42	68	13.6	52
WOT	45	72	16.7	63

## FUEL FLOW DATA - HD200 - MC 4.5L 250/A

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	6	9	1.6	6
1500 RPM	7	11	3.1	12
2000 RPM	8	12	4.1	16
2500 RPM	11	18	5.5	21
3000 RPM	24	39	6.7	25
3500 RPM	31	49	8.6	33
4000 RPM	36	58	10.5	40
4500 RPM	41	66	12.9	49
5000 RPM	46	73	15.9	60
WOT	49	79	19.5	74

**FUEL FLOW DATA - HD200 - MC 4.5L 250/B3**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	6	9	1.6	6
1500 RPM	7	11	3.1	12
2000 RPM	8	13	4.1	16
2500 RPM	11	18	5.5	21
3000 RPM	25	40	6.7	25
3500 RPM	31	50	8.6	33
4000 RPM	37	59	10.5	40
4500 RPM	42	67	12.9	49
5000 RPM	47	75	15.9	60
WOT	50	80	19.5	74

**FUEL FLOW DATA - HD200 - VP V6-200/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	8	1.4	5
2000 RPM	6	10	2.8	11
2500 RPM	7	11	3.7	14
3000 RPM	10	16	4.9	19
3500 RPM	22	36	6.0	23
4000 RPM	28	45	7.7	29
4500 RPM	33	53	9.4	36
5000 RPM	38	60	11.5	44
5500 RPM	42	68	14.3	54
WOT	45	72	17.5	66

**FUEL FLOW DATA - HD200 - VP V6-200/DI/FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.5	5
2000 RPM	7	12	2.2	8
2500 RPM	8	14	3.5	13
3000 RPM	11	18	4.4	17
3500 RPM	21	34	5.9	22
4000 RPM	26	42	7.3	28
4500 RPM	31	49	9.1	35
5000 RPM	35	56	11.3	43
5500 RPM	38	61	14.5	55
WOT	39	62	15.2	58

**FUEL FLOW DATA - HD200 - VP V6-240/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	9	1.6	6
2000 RPM	7	11	3.1	12
2500 RPM	8	12	4.1	16
3000 RPM	11	18	5.5	21
3500 RPM	24	39	6.7	25



4000 RPM	30	49	8.6	33
4500 RPM	36	57	10.5	40
5000 RPM	40	65	12.9	49
5500 RPM	45	73	15.9	60
WOT	48	78	19.5	74

**FUEL FLOW DATA - HD200 - VP V6-240/DI/FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.6	6
2000 RPM	8	12	2.5	9
2500 RPM	9	14	4.8	18
3000 RPM	15	24	5.4	21
3500 RPM	24	38	6.0	23
4000 RPM	28	46	7.5	29
4500 RPM	33	52	9.6	36
5000 RPM	36	58	12.2	46
5500 RPM	40	65	15.8	60
WOT	43	68	18.3	69

**FUEL FLOW DATA - HD200 - VP V6-280/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2.1	8
2000 RPM	9	14	3.7	14
2500 RPM	15	24	4.8	18
3000 RPM	23	38	5.8	22
3500 RPM	29	47	7.5	28
4000 RPM	34	55	9.0	34
4500 RPM	39	63	11.8	45
5000 RPM	44	70	15.2	58
5500 RPM	48	77	19.9	75
WOT	50	80	21.7	82

**FUEL FLOW DATA - HD200 - VP V6-280/DI/FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1.7	7
2000 RPM	8	12	3.0	12
2500 RPM	10	16	4.8	18
3000 RPM	21	33	5.4	21
3500 RPM	27	43	6.4	24
4000 RPM	32	51	8.5	32
4500 RPM	36	57	10.7	41
5000 RPM	41	65	13.5	51
5500 RPM	45	72	18.4	70
WOT	47	76	22.2	84

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HD 200 OB FREEDOM

## SPECIFICATIONS

	US	Metric
LOA	20' 1"	6.12 m
Beam	8' 3"	2.51 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	2400 lbs	1089 kg
Persons Capacity	11	8
Approx. Boat Weight	2750 lbs	1247 kg
Approx. Boat & Engine Weight	3200 lbs	1451 kg
Trailer Weight	905 lbs	411 kg
Deadrise	19°	19°
Storage Length on Trailer	N / A	N / A
Bridge Clearance	3' 9"	1.14 m
Keel to Top of Windshield	5' 3"	1.606 m
Total Height	5' 3"	1.60 m
Total Height on Trailer	6' 9"	2.06 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MERCURY 115 EXLPT CT	115	86	3125	1420
YAMAHA F115XB	115	86	3140	1425

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
MERCURY 115 EXLPT CT	2750	1250	365	165	250	113	150	68

\*Applicable power ratings, weights, & further performance data not available at time of publication.



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)			Type	Top Speed		Cruise Range	
	HP/KW	IN	CM		MPH	KPH	MI	KM
MERCURY 115 EXLPT CT	115	14 X 17	36 X 43	AL	35-38	56 - 61	200	320
YAMAHA F115XB	115	13.625 X 14	35 X 36	AL	35-38	56 - 61	170	275

## FUEL FLOW DATA - HD200 OB - MERCURY 115 EXLPT CT

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5.4	9	1.1	4
2000 RPM	6.2	10	1.9	7
2500 RPM	9.1	15	2.7	10
3000 RPM	15.9	26	3.0	11
3500 RPM	20.3	33	3.6	14
4000 RPM	23.8	38	4.7	18
4500 RPM	27.4	44	6.3	24
5000 RPM	30.9	50	8.0	30
5500 RPM	34.2	55	10.5	40
WOT	36.0	58	11.3	43

## FUEL FLOW DATA - HD200 OB - YAMAHA F115XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	6.6	11	1.2	5
2500 RPM	7.5	12	1.9	7
3000 RPM	8.1	13	2.7	10
3500 RPM	10.7	17	3.7	14
4000 RPM	18.2	29	4.2	16
4500 RPM	23.3	37	5.0	19
5000 RPM	26.4	42	6.1	23
5500 RPM	30.1	48	7.9	30
6000 RPM	32.9	53	9.9	37
WOT	35.6	57	10.7	41

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HD 200 OB

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	20' 1"	6.12 m
Beam	8' 3"	2.51 m
Fuel Capacity	40 gal	151 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	2400 lbs	1089 kg
Persons Capacity	11	8
Approx. Boat Weight	2750 lbs	1247 kg
Approx. Boat & Engine Weight	3200 lbs	1451 kg
Trailer Weight Single Axle	905 lbs	411 kg
Trailer Weight Tandem Axle	1047 lbs	475 kg
Deadrise	19°	19°
Storage Length on Trailer	20' 1"	6.12 m
Bridge Clearance	3' 9"	1.14 m
Bridge Clearance RS	3' 6"	1.07 m
Bridge Clearance with Arch/Tower	7' 2"	2.18 m
Keel to Top of Tower Dn	7' 1"	2.16 m
Keel to Top of Windshield	5' 3"	1.606 m
Total Height	5' 3"	1.60 m
Total Height RS	5' 0"	1.52 m
Total Height on Trailer	6' 9"	2.06 m
Total Height on Trailer RS	6' 6"	1.98 m
Height on Trailer w/Wakeboard Tower Dn	8' 7"	2.62 m
Height on Trailer w/Wakeboard Tower Up	10' 0"	3.05 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
EVINRUDE C150PX G2	150	112	3260	1480
EVINRUDE C200FX G2	200	149	3300	1500
MERCURY 115 EXLPT CT	115	86	3125	1420
MERCURY 150XL 4S	150	112	3200	1450
MERCURY 200XL VERADO	200	149	3260	1480
YAMAHA F115XB	115	86	3140	1425
YAMAHA F150XB	150	112	3240	1470
YAMAHA F200XB	200	149	3240	1470

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
Mercury 150XL 4S	2750	1250	455	206	250	113	150	68

\*Applicable power ratings, weights, & further performance data not available at time of publication.



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)			Type	Top Speed		Cruise Range	
	HP/KW	IN	CM		MPH	KPH	MI	KM
EVINRUDE C150PX G2	150	14.75 X 16	37 X 41	SST	38-41	61 - 66	195	315
EVINRUDE C200FX G2	200	14.75 X 18	37 X 46	SST	44-47	71 - 76	160	260
MERCURY 115 EXLPT CT	115	14 X 17	36 X 43	AL	35-38	56 - 61	200	320
MERCURY 150XL 4S	150	14.5 X 15	37 X 38	SST	38-41	61 - 66	180	290
MERCURY 200XL VERADO	200	14.625 X 17	37 X 43	SST	44-47	71 - 76	150	240
YAMAHA F115XB	115	13.625 X 14	35 X 36	AL	35-38	56 - 61	170	275
YAMAHA F150XB	150	13.5 X 15	34 X 38	AL	38-41	61 - 66	130	210
YAMAHA F200XB	200	14.25 X 17	36 X 43	SST	44-47	71 - 76	130	210

## FUEL FLOW DATA - HD200 OB - EVINRUDE C150PX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1	5
2000 RPM	7	11	2	8
2500 RPM	10	16	3	12
3000 RPM	18	28	3	13
3500 RPM	23	36	4	16
4000 RPM	26	42	5	20
4500 RPM	31	49	7	27
5000 RPM	34	55	9	35
5500 RPM	38	61	12	46
WOT	40	64	13	49

## FUEL FLOW DATA - HD200 OB - EVINRUDE C200FX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	7	11	2	7
2000 RPM	8	13	3	11
2500 RPM	12	19	4	16
3000 RPM	20	32	5	18
3500 RPM	26	42	6	22
4000 RPM	30	49	7	28
4500 RPM	35	56	10	38
5000 RPM	39	63	13	48
5500 RPM	44	70	17	63
WOT	46	74	18	67



**FUEL FLOW DATA - HD200 OB - MERCURY 115 EXLPT CT**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	5	9	1	4
2000 RPM	6	10	2	7
2500 RPM	9	15	3	10
3000 RPM	16	26	3	11
3500 RPM	20	33	4	14
4000 RPM	24	38	5	18
4500 RPM	27	44	6	24
5000 RPM	31	50	8	30
5500 RPM	34	55	11	40
WOT	36	58	11	43

**FUEL FLOW DATA - HD200 OB - MERCURY 150XL 4S**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	6	10	1	5
2000 RPM	7	11	2	9
2500 RPM	10	16	3	13
3000 RPM	18	28	4	14
3500 RPM	23	36	5	17
4000 RPM	26	43	6	22
4500 RPM	31	49	8	30
5000 RPM	34	55	10	38
5500 RPM	38	61	13	49
WOT	40	64	14	53

**FUEL FLOW DATA - HD200 OB - MERCURY 200XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	7	11	2	7
2500 RPM	8	13	3	12
3000 RPM	12	19	5	18
3500 RPM	20	32	5	20
4000 RPM	26	41	6	24
4500 RPM	30	48	8	31
5000 RPM	35	56	11	42
5500 RPM	39	63	14	53
6000 RPM	43	70	18	69
WOT	46	73	20	75

**FUEL FLOW DATA - HD200 OB - YAMAHA F115XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	7	11	1	5
2500 RPM	8	12	2	7
3000 RPM	8	13	3	10
3500 RPM	11	17	4	14
4000 RPM	18	29	4	16
4500 RPM	23	37	5	19
5000 RPM	26	42	6	23
5500 RPM	30	48	8	30
6000 RPM	33	53	10	37
WOT	36	57	11	41

**FUEL FLOW DATA - HD200 OB - YAMAHA F150XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	8	12	2	7
2000 RPM	9	14	3	11
2500 RPM	9	15	4	16
3000 RPM	12	20	6	21
3500 RPM	21	34	6	24
4000 RPM	27	43	8	29
4500 RPM	30	49	9	35
5000 RPM	35	55	12	46
5500 RPM	38	61	15	57
WOT	41	66	16	62

**FUEL FLOW DATA - HD200 OB - YAMAHA F200XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 RPM	9	14	2	8
2000 RPM	10	16	3	12
2500 RPM	11	17	5	17
3000 RPM	14	22	6	24
3500 RPM	24	38	7	27
4000 RPM	30	49	8	32
4500 RPM	34	55	10	39
5000 RPM	39	63	13	50
5500 RPM	43	69	17	63
WOT	46	74	18	68

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HD 220

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	22'1"	6.73 m
LOA w/extended Swim Platform	23'11"	7.29 m
Beam	8'5"	2.54 m
Fuel Capacity	44 gal	166 L
Draft (drive up)	17"	43 cm
Draft (drive down)	33"	84 cm
Draft Volvo FWD (drive up)	30"	76 cm
Draft Volvo FWD (drive down)	35"	89 cm
Maximum Capacity	1800 lbs	816 kg
Persons Capacity	10	9 CE
Approx. Boat Weight	3100 lbs	1406 kg
Approx. Boat & Engine Weight	4170 lbs	1890 kg
Trailer Weight	1260 lbs	572 kg
Deadrise	20°	20°
Storage Length on Trailer	23'2"	7.06 m
Storage Length on Trailer w/ext Swim	25'0"	7.62 m
Bridge Clearance	4'9"	1.45 m
Bridge Clearance RS	4'4"	1.32 m
Bridge Clearance with Arch/Tower	7'7"	2.31 m
Keel to Top of Tower Dn	7'7"	2.31 m
Keel to Top of Windshield	6'2"	1.88 m
Total Height	6'2"	1.88 m
Total Height RS	5'9"	1.75 m
Total Height on Trailer	7'10"	2.39 m
Total Height on Trailer RS	7'5"	2.99 m
Height on Trailer w/Wakeboard Tower Dn	9'3"	2.82 m
Height on Trailer w/Wakeboard Tower Up	10'8"	3.25 m
Potable Water	12 gal	45 L
Ballast Capacity	720 lbs	327 kg

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 250/B3	250	186	4100	1860
MC 6.2L 300/B1	300	224	4230	1920
MC 6.2L 300/B3	300	224	4230	1920
MC 6.2L 350/B3	300	224	4230	1920
MC 6.2L 350/B3 DTS	300	224	4230	1920
VP V6-240C/DI/DP	240	179	4000	1815
VP V6-280C/DI/DP	280	209	4000	1815
VP V6-280C/DI/FWD	280	209	4000	1815
VP V8-300C/DI/SX	300	224	4100	1860
VP V8-300C/DI/DP	300	224	4100	1860
VP V8-300C/DI/FWD	300	224	4100	1860
VP V8-350C/DI/DP	350	261	4100	1860
VP V8-350CE/DI/DP EVC	350	261	4100	1860
VP V8-350C/DI/FWD	350	261	4100	1860



## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-300C/DI/DP	3100	1410	1000	454	264	120	200	91

## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 250/B3	24P	61P	SST	45-48	72 - 77	130	210
MC 6.2L 300/B1	15 1/2 x 17	39 X 43	SST	48-51	77-82	120	190
MC 6.2L 300/B3	26P	66P	SST	49-52	79-84	130	210
MC 6.2L 350/B3	26P	66P	SST	53-56	85-90	130	210
MC 6.2L 350/B3 DTS	26P	66P	SST	53-56	85-90	130	210
VP V6-240C/DI/DP	FH4	FH4	SST	44-47	71-76	140	225
VP V6-280C/DI/DP	FH4	FH4	SST	47-50	76-81	130	210
VP V6-280C/DI/FWD	K4	K4	SST	44-47	71-76	130	210
VP V8-300C/DI/SX	14 3/4 x 17	37 X43	SST	48-51	77-82	130	210
VP V8-300C/DI/DP	FH5	FH5	SST	49-52	79-84	140	225
VP V8-300C/DI/FWD	K4	K4	SST	46-49	74-79	130	210
VP V8-350C/DI/DP	FH5	FH5	SST	53-56	85-90	140	225
VP V8-350CE/DI/DP EVC	FH5	FH5	SST	53-56	85-90	140	225
VP V8-350C/DI/FWD	K5	K5	SST	49-52	79-84	120	190

## FUEL FLOW DATA - HD220 - MC 4.5L 250/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	12	3	10
2500rpm	9	15	5	19
3000rpm	13	21	9	35
3500rpm	26	41	10	39
4000rpm	31	50	12	45
4500rpm	39	62	15	58
5000rpm	44	71	18	67
WOT	48	77	20	74

## FUEL FLOW DATA - HD220 - MC 6.2L 300/B1

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	10	16	6	23
3000rpm	14	23	11	42
3500rpm	27	44	12	45
4000rpm	32	52	14	53
4500rpm	40	64	18	68
5000rpm	46	74	21	75
WOT	50	81	23	87

**FUEL FLOW DATA - HD220 - MC 6.2L 300/B3**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	10	16	6	23
3000rpm	14	23	11	42
3500rpm	27	43	12	45
4000rpm	33	53	14	53
4500rpm	41	68	18	68
5000rpm	47	76	21	75
WOT	51	82	23	87

**FUEL FLOW DATA - HD220 - MC 6.2L 350/B3**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	5	19
2500rpm	19	31	6	23
3000rpm	27	43	8	30
3500rpm	33	53	10	38
4000rpm	40	64	13	49
4500rpm	45	72	18	68
5000rpm	52	84	23	87
WOT	55	89	27	102

**FUEL FLOW DATA - HD220 - MC 6.2L 350/B3 DTS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	5	19
2500rpm	19	31	6	23
3000rpm	27	43	8	30
3500rpm	33	53	10	38
4000rpm	40	64	13	49
4500rpm	45	72	18	68
5000rpm	52	84	23	87
WOT	55	89	27	102

**FUEL FLOW DATA - HD220 - V6-240C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	12	3	10
2500rpm	9	15	5	19
3000rpm	14	22	6	22
3500rpm	21	34	7	26
4000rpm	24	38	9	32
4500rpm	29	47	10	39
5000rpm	36	57	13	48
5500rpm	42	68	15	58
WOT	47	75	20	74

**FUEL FLOW DATA - HD220 - VP V6-280C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	10	16	6	22
3000rpm	15	23	7	25
3500rpm	22	36	8	29
4000rpm	25	41	10	36
4500rpm	31	50	12	43
5000rpm	38	61	14	54
5500rpm	45	72	17	65
WOT	50	80	22	83

**FUEL FLOW DATA - HD220 - VP V6-280C/DI/FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	10	15	5	19
3000rpm	17	28	6	24
3500rpm	25	41	7	27
4000rpm	30	48	9	32
4500rpm	35	56	11	43
5000rpm	39	63	15	55
5500rpm	44	70	18	70
WOT	46	75	22	83

**FUEL FLOW DATA - HD220 - VP V8-300C/DI/SX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	10	16	6	23
3000rpm	15	24	7	26
3500rpm	24	39	8	30
4000rpm	28	45	10	38
4500rpm	33	53	12	45
5000rpm	40	64	15	57
5500rpm	46	74	18	68
WOT	50	81	23	87

**FUEL FLOW DATA - HD220 - VP V8-300C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	10	16	6	23
3000rpm	15	24	7	26
3500rpm	23	37	8	30
4000rpm	26	42	10	38
4500rpm	32	52	12	45
5000rpm	39	63	15	57
5500rpm	46	74	18	68
WOT	51	82	23	87

**FUEL FLOW DATA - HD220 - VP V8-300C/DI/FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	12
2500rpm	10	16	5	20
3000rpm	18	29	7	26
3500rpm	26	42	8	29
4000rpm	31	50	9	35
4500rpm	36	58	12	47
5000rpm	41	65	16	59
5500rpm	45	72	20	76
WOT	48	77	24	90

**FUEL FLOW DATA - HD220 - VP V8-350C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	5	19
2500rpm	19	31	6	23
3000rpm	27	43	8	30
3500rpm	33	53	9	34
4000rpm	39	64	12	45
4500rpm	46	74	17	64
5000rpm	50	81	21	79
5500rpm	53	85	23	87
WOT	55	89	27	102

**FUEL FLOW DATA - HD220 - VP V8-350C/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	5	19
2500rpm	19	31	6	23
3000rpm	27	43	8	30
3500rpm	33	53	9	34
4000rpm	39	64	12	45
4500rpm	46	74	17	64
5000rpm	50	81	21	79
5500rpm	53	85	23	87
WOT	55	89	27	102

**FUEL FLOW DATA - HD220 - VP V8-350C/DI/DP FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	10	17	6	24
3000rpm	19	30	8	31
3500rpm	28	44	9	35
4000rpm	33	53	11	42
4500rpm	38	61	15	56
5000rpm	43	69	19	71
5500rpm	48	77	24	90
WOT	51	82	29	108

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HD 220 OB

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	22'1"	6.73 m
Beam	8'5"	2.54 m
Fuel Capacity	44 gal	166 L
Draft (drive up)	21"	53 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	2650 lbs	1200 kg
Persons Capacity	10	9 CE
Approx. Boat Weight	3530 lbs	1600 kg
Approx. Boat & Engine Weight	4190 lbs	1900 kg
Trailer Weight	1260 lbs	572 kg
Deadrise	20°	20°
Storage Length on Trailer	24'8"	7.52 m
Bridge Clearance	4'11"	1.50 m
Bridge Clearance RS	4'6"	1.37 m
Bridge Clearance with Arch/Tower	7'9"	2.36 m
Keel to Top of Tower Dn	7'7"	2.31 m
Keel to Top of Windshield	6'2"	1.88 m
Total Height	6'2"	1.88 m
Total Height RS	5'9"	1.75 m
Total Height on Trailer	7'10"	2.39 m
Total Height on Trailer RS	7'5"	2.26 m
Height on Trailer w/Wakeboard Tower Dn	9'3"	2.82 m
Height on Trailer w/Wakeboard Tower Up	10'8"	3.25 m
Potable Water	12 gal	45 L

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
EVINRUDE C200FX G2	200	149	4040	1830
EVINRUDE E250X G2	250	187	4090	1850
MERCURY 200XL VERADO	200	149	4050	1840
MERCURY 250XL VERADO	250	187	4190	1900
YAMAHA F200XB	200	149	4020	1820
YAMAHA F200XCA	200	149	4020	1820
YAMAHA F250XB	250	187	4090	1850
YAMAHA F250XCA	250	187	4090	1850

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
MERCURY 250XL VERADO	3530	1600	660	299	264	120	200	91

## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EVINRUDE C200FX G2	15.5 X 17	39 X 43	SST	43-46	69-74	125	200
EVINRUDE E250X G2	15.5 X 17	39 X 43	SST	48-51	77-82	120	190
MERCURY 200XL VERADO	15 3/4 X 15	40 X 38	SST	43-46	69-74	125	200
MERCURY 250XL VERADO	15 1/2 X 17	39 X 43	SST	48-51	77-82	120	190
YAMAHA F200XB	14 1/2 X 15	37 X 38	SST	42-45	68-72	115	185
YAMAHA F200XCA	14 1/2 X 15	37 X 38	SST	42-45	68-72	115	185
YAMAHA F250XB	15 1/2 X 17	39 X 43	SST	48-51	77-82	120	190
YAMAHA F250XCA	15 1/2 X 17	39 X 43	SST	48-51	77-82	120	190

## FUEL FLOW DATA - HD220 OB - EVINRUDE C200FX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	3	11
2500rpm	8	13	4	15
3000rpm	9	14	6	23
3500rpm	22	35	8	30
4000rpm	30	48	9	34
4500rpm	35	56	10	38
5000rpm	39	63	12	45
5500rpm	43	69	15	57
WOT	45	72	17	64

## FUEL FLOW DATA - HD220 OB - EVINRUDE E250X G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	10	16	7	26
3500rpm	25	40	8	30
4000rpm	33	53	10	38
4500rpm	37	60	12	45
5000rpm	42	68	15	57
5500rpm	48	77	17	64
WOT	50	81	20	76

## FUEL FLOW DATA - HD220 OB - MERCURY 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	3	11
2500rpm	8	13	5	19
3000rpm	9	14	6	23
3500rpm	10	16	8	30
4000rpm	26	42	8	30
4500rpm	31	50	9	34
5000rpm	36	58	10	38
5500rpm	40	64	12	45
6000rpm	43	69	16	60
WOT	45	72	18	68


**FUEL FLOW DATA - HD220 OB - MERCURY 250XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	3	11
2500rpm	8	13	4	15
3000rpm	8	13	7	26
3500rpm	9	14	10	38
4000rpm	28	45	10	38
4500rpm	35	56	12	45
5000rpm	39	63	16	60
5500rpm	44	71	18	68
6000rpm	48	77	21	79
WOT	51	82	23	87

**FUEL FLOW DATA - HD220 OB - YAMAHA F200XB AND XCA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	3	11
2500rpm	8	13	4	15
3000rpm	9	14	7	26
3500rpm	22	35	8	30
4000rpm	29	47	9	34
4500rpm	35	56	10	38
5000rpm	39	63	13	49
5500rpm	42	69	15	57
WOT	44	71	17	64

**FUEL FLOW DATA - HD220 OB - YAMAHA F250XB AND XCA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	11	18	7	26
3500rpm	25	40	9	34
4000rpm	33	53	10	38
4500rpm	37	60	13	49
5000rpm	42	68	15	57
5500rpm	47	76	17	64
WOT	50	81	21	79

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# NOTES

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



# HD 240

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	24'4"	7.42 m
LOA w/extended Swim Platform	26'3"	8.00 m
Beam	8'5"	2.54 m
Fuel Capacity	55 gals	208L
Draft (drive up)	18"	46cm
Draft (drive down)	35"	89cm
Draft Volvo FWD (drive up)	30"	76 cm
Draft Volvo FWD (drive down)	35"	89 cm
Maximum Capacity	2000 lbs	907 kg
Persons Capacity	11	10 (CE)
Approx. Boat Weight	3760 lbs	1705 kg
Approx. Boat & Engine Weight	4860 lbs	2200 kg
Trailer Weight	1530 lbs	694 kg
Deadrise	20°	20°
Storage Length on Trailer	24'10"	7.57m
Storage Length on Trailer w/ext Swim	26'8"	5.15 m
Bridge Clearance	4'8"	1.42m
Bridge Clearance RS	4'3"	1.30m
Bridge Clearance with Arch/Tower	7'7"	2.31m
Keel to Top of Tower Dn	7'9"	2.36 m
Keel to Top of Windshield	6'4"	1.93 m
Total Height	6'4"	1.93 m
Total Height RS	5'11"	1.80 m
Total Height on Trailer	8'1"	2.46m
Total Height on Trailer RS	7'8"	2.34m
Height on Trailer w/Wakeboard Tower Dn	9'6"	2.90m
Height on Trailer w/Wakeboard Tower Up	10'11"	3.33m
Potable Water	12 gal	45 L
Ballast Capacity	600 lbs	272 kg

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 6.2L 300/B3	300	224	4960	2250
MC 6.2L 350/B3	350	261	4960	2250
MC 6.2L 350/B3 DTS	350	361	4960	2250
VP V8-300C/DI/DP	300	224	4760	2160
VP V8-300C/DI/FWD	300	224	4760	2160
VP V8-350C/DI/DP	350	261	4760	2160
VP V8-350CE/DI/DP EVC	350	261	4760	2160
VP V8-350C/DI/FWD	350	261	4760	2160

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-350CE/DI/DP EVC	3760	1710	1000	454	324	147	200	91



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 6.2L 300/B3	26P	66P		45-48	72-77	140	225
MC 6.2L 350/B3	26P	66P		49-52	79-84	140	225
MC 6.2L 350/B3 DTS	26P	66P		49-52	79-84	140	225
VP V8-300C/DI/DP	FH4	FH4		45-48	72-77	150	240
VP V8-300C/DI/FWD	K3	K3		43-46	69-74	150	240
VP V8-350C/DI/DP	FH4	FH5		49-52	79-84	150	240
VP V8-350CE/DI/DP EVC	FH4	FH5		49-52	79-84	150	240
VP V8-350C/DI/FWD	K4	K4		46-49	74-79	150	240

## FUEL FLOW DATA - HD240 - MC 6.2L 300/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	10	16	6	23
3000rpm	18	29	8	30
3500rpm	26	42	9	34
4000rpm	32	52	12	45
4500rpm	37	60	15	57
5000rpm	42	68	19	72
WOT	46	74	23	87

## FUEL FLOW DATA - HD240 - MC 6.2L 350/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	10	16	6	23
3000rpm	18	29	8	30
3500rpm	26	42	9	34
4000rpm	33	53	13	49
4500rpm	39	63	17	64
5000rpm	45	72	22	83
WOT	50	81	27	102

## FUEL FLOW DATA - HD240 - MC 6.2L 350/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	10	16	6	23
3000rpm	18	29	8	30
3500rpm	26	42	9	34
4000rpm	33	53	13	49
4500rpm	39	63	17	64
5000rpm	45	72	22	83
WOT	50	81	27	102

**FUEL FLOW DATA - HD240 - VP V8-300C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	13	21	6	23
3000rpm	22	35	7	26
3500rpm	28	45	9	34
4000rpm	34	55	11	42
4500rpm	39	63	14	53
5000rpm	45	72	18	68
5500rpm	50	81	24	91
WOT	53	85	28	106

**FUEL FLOW DATA - HD240 - VP V8-300C/DI/FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	4	15
2500rpm	11	17	6	24
3000rpm	19	31	7	27
3500rpm	26	42	9	33
4000rpm	31	51	12	44
4500rpm	36	58	15	58
5000rpm	42	67	22	84
5500rpm	44	70	26	97
WOT	45	72	26	98

**FUEL FLOW DATA - HD240 - VP V8-350C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	13	21	6	23
3000rpm	22	35	7	26
3500rpm	28	45	9	34
4000rpm	34	55	11	42
4500rpm	39	63	14	53
5000rpm	45	72	18	68
5500rpm	50	81	24	91
WOT	53	85	28	106

**FUEL FLOW DATA - HD240 - VP V8-350CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	13	21	6	23
3000rpm	22	35	7	26
3500rpm	28	45	9	34
4000rpm	34	55	11	42
4500rpm	39	63	14	53
5000rpm	45	72	18	68
5500rpm	50	81	24	91
WOT	53	85	28	106

**FUEL FLOW DATA - HD240 - VP V8-350C/DI/FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	14	4	15
2500rpm	12	19	7	25
3000rpm	20	33	8	28
3500rpm	28	45	9	34
4000rpm	33	54	12	45
4500rpm	38	62	16	61
5000rpm	44	71	23	87
5500rpm	47	75	27	100
WOT	48	77	27	102

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.





# HD 240 OB

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	24'4"	7.41 m
Beam	8'5"	2.55 m
Fuel Capacity	55 gal	208 L
Draft (drive up)	18"	46 cm
Draft (drive down)	35"	89 cm
Maximum Capacity	2800 lbs	1270 kg
Persons Capacity	11	12 CE
Approx. Boat Weight	3940 lbs	1790 kg
Approx. Boat & Engine Weight	4600 lbs	2086 kg
Trailer Weight	1530 lbs	694 kg
Deadrise	20°	20°
Storage Length on Trailer	26'11"	8.21 m
Bridge Clearance	4'7"	1.40 m
Bridge Clearance RS	4'2"	1.27 m
Bridge Clearance with Arch/Tower	7'6"	2.29 m
Keel to Top of Tower Dn	7'9"	2.36 m
Keel to Top of Windshield	6'4"	1.93 m
Total Height	6'4"	1.93 m
Total Height RS	5'11"	1.80 m
Total Height on Trailer	8'1"	2.46m
Total Height on Trailer RS	7'8"	2.34 m
Height on Trailer w/Wakeboard Tower Dn	9'6"	2.90 m
Height on Trailer w/Wakeboard Tower Up	10'11"	3.33 m
Potable Water	12 gal	45 L

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
EVINRUDE C200FX G2	200	149	4410	2000
EVINRUDE E250X G2	250	187	4500	2040
EVINRUDE E300XU G2	300	224	4510	2050
MERCURY 200XL VERADO	200	149	4460	2020
MERCURY 250XL VERADO	250	187	4600	2090
MERCURY 300XL VERADO	300	224	4600	2090
YAMAHA F200XB	200	149	4430	2010
YAMAHA F200XCA	200	149	4430	2010
YAMAHA F250XB	250	187	4500	2040
YAMAHA F250XCA	250	187	4500	2040
YAMAHA F300XCA	300	224	4500	2040

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
MERC 250XL VERADO	3940	1790	660	299	324	147	200	91



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EVINRUDE C200FX G2	15 3/4 X 15	40 X 38	SST	42-45	66-71	110	180
EVINRUDE E250X G2	15 1/2 X 17	39 X 43	SST	46-49	74-79	100	160
EVINRUDE E300XU G2	15 X 18	38 X 46	SST	49-52	79-84	100	160
MERCURY 200XL VERADO	15 3/4 X 15	40 X 38	SST	41-44	66-71	110	180
MERCURY 250XL VERADO	15 1/2 X 17	39 X 43	SST	46-49	74-79	100	160
MERCURY 300XL VERADO	15 3/8 X 19	39 X 48	SST	49-52	79-84	100	160
YAMAHA F200XB	14 1/2 X 15	37 X 38	SST	41-44	66-71	100	160
YAMAHA F200XCA	14 1/2 X 15	37 X 38	SST	41-44	66-71	100	160
YAMAHA F250XB	15 1/2 X 17	39 X 43	SST	46-49	74-79	110	180
YAMAHA F250XCA	15 1/2 X 17	39 X 43	SST	46-49	74-79	110	180
YAMAHA F300XCA	15 1/4 X 19	39 X 48	SST	49-52	79-84	100	160

## FUEL FLOW DATA - HD240 OB - EVINRUDE C200FX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	2	8
2500rpm	8	13	4	15
3000rpm	9	14	6	23
3500rpm	11	18	8	30
4000rpm	25	40	9	34
4500rpm	32	52	10	38
5000rpm	36	58	11	42
5500rpm	40	64	14	53
WOT	43	69	16	60

## FUEL FLOW DATA - HD240 OB - EVINRUDE E250X G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	10	16	7	26
3500rpm	12	19	9	34
4000rpm	27	43	10	38
4500rpm	34	55	12	45
5000rpm	40	64	14	53
5500rpm	44	71	17	64
WOT	48	77	20	76

**FUEL FLOW DATA - HD240 OB - EVINRUDE E300XU G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	10	16	7	26
3500rpm	13	21	9	34
4000rpm	27	43	10	38
4500rpm	36	58	13	49
5000rpm	41	66	15	57
5500rpm	45	72	18	68
WOT	50	81	24	91

**FUEL FLOW DATA - HD240 OB - MERCURY 200XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	2	8
2500rpm	8	13	4	15
3000rpm	9	14	6	23
3500rpm	10	16	7	26
4000rpm	24	39	8	30
4500rpm	29	47	9	34
5000rpm	32	52	10	38
5500rpm	37	60	13	49
6000rpm	40	64	14	53
WOT	43	69	16	60

**FUEL FLOW DATA - HD240 OB - MERCURY 250XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	3	11
2500rpm	8	13	5	19
3000rpm	9	14	6	23
3500rpm	10	16	8	30
4000rpm	25	40	9	34
4500rpm	31	50	11	42
5000rpm	35	56	13	49
5500rpm	40	64	16	60
6000rpm	44	71	18	68
WOT	48	77	20	76

**FUEL FLOW DATA - HD240 OB - MERCURY 300XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	3	11
2500rpm	8	13	5	19
3000rpm	10	16	6	23
3500rpm	11	18	8	30
4000rpm	27	43	10	38
4500rpm	33	53	13	49



5000rpm	37	60	15	57
5500rpm	41	66	19	72
6000rpm	47	76	21	79
WOT	50	81	24	91

**FUEL FLOW DATA - HD240 OB - YAMAHA F200XB AND XCA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	2	8
2500rpm	8	13	4	15
3000rpm	9	14	6	23
3500rpm	11	18	8	30
4000rpm	25	40	9	34
4500rpm	32	52	10	38
5000rpm	37	60	12	45
5500rpm	40	64	14	53
WOT	43	69	16	60

**FUEL FLOW DATA - HD240 OB - YAMAHA F250XB AND XCA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	10	16	7	26
3500rpm	13	21	9	34
4000rpm	28	45	11	42
4500rpm	37	60	13	49
5000rpm	41	66	15	57
5500rpm	44	71	17	64
WOT	48	77	20	76

**FUEL FLOW DATA - HD240 OB - YAMAHA F300XCA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	10	16	7	26
3500rpm	14	23	9	34
4000rpm	29	47	11	42
4500rpm	37	60	14	53
5000rpm	43	69	16	60
5500rpm	47	76	18	68
WOT	50	81	24	91

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# HD 270

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	26'6"	8.08 m
LOA w/extended Swim Platform	28'4"	8.64 m
Beam	8'5"	2.57 m
Fuel Capacity	70 gal	265 l
Draft (drive up)	17"	43 cm
Draft (drive down)	33"	53 cm
Draft Volvo FWD (drive up)	30"	76 cm
Draft Volvo FWD (drive down)	35"	89 cm
Maximum Capacity	YACHT	Yacht
Persons Capacity	YACHT	12 CE
Approx. Boat Weight	4250 lbs	1928 kg
Approx. Boat & Engine Weight	5350 lbs	2430 kg
Trailer Weight	1860 lbs	844 kg
Deadrise	20°	20°
Storage Length on Trailer	26'6"	8.08 m
Storage Length on Trailer w/ext Swim	28'4"	8.64 m
Bridge Clearance	4'8"	1.42 m
Bridge Clearance RS	4'3"	1.30 m
Bridge Clearance with Arch/Tower	7'7"	2.31 m
Keel to Top of Tower Dn	7'11"	2.41 m
Keel to Top of Windshield	6'5"	1.96 m
Total Height	6'5"	1.96 m
Total Height RS	6'0"	1.83 m
Total Height on Trailer	8'3"	2.52 m
Total Height on Trailer RS	7'10"	2.39 m
Height on Trailer w/Wakeboard Tower Dn	9'9"	2.97 m
Height on Trailer w/Wakeboard Tower Up	11'3"	3.43 m
Potable Water	12 gal	45 l
Ballast Capacity	720 lbs	327 kg

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 6.2L 300/B3	300	224	5400	2450
MC 6.2L 350/B3	350	261	5400	2450
MC 6.2L 350/B3 DTS	350	261	5400	2450
MC 6.2L 350/B3 DTS SC	350	261	5400	2450
MC 8.2MPI 380/B3X DTS	380	283	5600	2540
VP V8-300C/DI/DP	300	224	5200	2360
VP V8-350C/DI/DP	350	261	5200	2360
VP V8-350CE/DI/DP EVC	350	261	5200	2360
VP V8-350CE/DI/DP EVC OX	350	261	5200	2360
VP V8-350C/DI/FWD	350	261	5200	2360
VP V8-380CE/DI/DP EVC	380	283	5300	2400
VP V8-380C/DI/FWD	380	283	5300	2400



## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-350CE/DI/DP EVC	4200	1900	1000	454	420	190	250	113

## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 6.2L 300/B3	26P	66P	SST	45-48	72-77	171	282
MC 6.2L 350/B3	26P	66P	SST	47-50	76-81	175	282
MC 6.2L 350/B3 DTS	26P	66P	SST	47-50	76-81	175	282
MC 6.2L 350/B3 DTS SC	26P	66P	SST	47-50	76-81	175	282
MC 8.2MPI 380/B3X DTS	26P	66P	SST	50-53	81-85	175	282
VP V8-300C/DI/DP	FH3	FH3	SST	45-48	72-77	185	298
VP V8-350C/DI/DP	FH4	FH4	SST	48-51	77-82	185	298
VP V8-350CE/DI/DP EVC	FH4	FH4	SST	48-51	77-82	185	298
VP V8-350CE/DI/DP EVC OX	FH4	FH4	SST	48-51	77-82	185	298
VP V8-350C/DI/FWD	K4	K4	SST	43-46	69-74	155	250
VP V8-380CE/DP EVC	FH4	FH4	SST	50-53	81-85	180	298
VP V8-380C/DI/FWD	K4	K4	SST	44-47	71-76	150	240

## FUEL FLOW DATA - HD270 - MC 6.2L 300/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	11	18	7	26
3000rpm	19	31	8	30
3500rpm	27	43	10	38
4000rpm	32	52	12	45
4500rpm	38	61	16	60
5000rpm	43	69	21	79
WOT	47	76	24	91

## FUEL FLOW DATA - HD270 - MC 6.2L 350/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	11	18	7	26
3000rpm	19	31	8	30
3500rpm	27	43	10	38
4000rpm	33	53	12	45
4500rpm	39	63	17	64
5000rpm	45	72	22	83
WOT	49	79	26	98

**FUEL FLOW DATA - HD270 - MC 6.2L 350/B3 DTS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	11	18	7	26
3000rpm	19	31	8	30
3500rpm	27	43	10	38
4000rpm	33	53	12	45
4500rpm	39	63	17	64
5000rpm	45	72	22	83
WOT	49	79	26	98

**FUEL FLOW DATA - HD270 - MC 6.2L 350/B3 DTS SC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500rpm	11	18	7	26
3000rpm	19	31	8	30
3500rpm	27	43	10	38
4000rpm	33	53	12	45
4500rpm	39	63	17	64
5000rpm	45	72	22	83
WOT	49	79	26	98

**FUEL FLOW DATA - HD270 - MC 8.2MPI 380/B3X DTS**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	11	18	7	27
2500rpm	20	32	9	34
3000rpm	29	47	12	45
3500rpm	36	58	16	61
4000rpm	43	69	20	76
4500rpm	49	79	25	95
WOT	52	84	29	110

**FUEL FLOW DATA - HD270 - VP V8-300C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	13	21	8	30
3500rpm	23	37	8	30
4000rpm	29	47	9	34
4500rpm	35	56	12	45
5000rpm	39	63	16	60
5500rpm	43	69	20	76
WOT	47	76	23	87

**FUEL FLOW DATA - HD270 VP V8-350C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	13	21	8	30
3500rpm	23	37	8	30
4000rpm	29	47	9	34
4500rpm	36	58	12	45
5000rpm	40	64	17	64
5500rpm	45	72	22	83
WOT	49	79	26	98

**FUEL FLOW DATA - HD270 VP V8-350CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	13	21	8	30
3500rpm	23	37	8	30
4000rpm	29	47	9	34
4500rpm	36	58	12	45
5000rpm	40	64	17	64
5500rpm	45	72	22	83
WOT	49	79	26	98

**FUEL FLOW DATA - HD270 VP V8-350CE/DI/DP EVC OX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	13	21	8	30
3500rpm	23	37	8	30
4000rpm	29	47	9	34
4500rpm	36	58	12	45
5000rpm	40	64	17	64
5500rpm	45	72	22	83
WOT	49	79	26	98

**FUEL FLOW DATA - HD270 VP V8-350C/DI/FWD**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	13
2500rpm	9	15	9	36
3000rpm	13	21	8	31
3500rpm	22	35	9	36
4000rpm	28	45	11	43
4500rpm	33	52	14	54
5000rpm	37	60	18	68
5500rpm	42	67	24	90
WOT	45	72	29	110





# HD 270 OB

Includes RS

## SPECIFICATIONS

	US	Metric
LOA	26'5"	8.04 m
Beam	8'5"	2.57 m
Fuel Capacity	70 gal	265 l
Draft (drive up)	16"	41 cm
Draft (drive down)	32"	81 cm
Maximum Capacity	YACHT	YACHT
Persons Capacity	YACHT	12 CE
Approx. Boat Weight	4480 lbs	2032 kg
Approx. Boat	5130 lbs	2327 kg
Trailer Weight	1860 lbs	844 kg
Deadrise	20°	20°
Storage Length on Trailer	29'1"	8.87 m
Bridge Clearance	4'9"	1.45 m
Bridge Clearance RS	4'4"	1.32 m
Bridge Clearance with Arch/Tower	7'8"	2.34 m
Keel to Top of Tower Dn	7'11"	2.41 m
Keel to Top of Windshield	6'5"	1.96 m
Total Height	6'5"	1.96 m
Total Height RS	6'0"	1.83 m
Total Height on Trailer	8'3"	2.52 m
Total Height on Trailer RS	7'10"	2.39 m
Height on Trailer w/Wakeboard Tower Dn	9'9"	2.97 m
Height on Trailer w/Wakeboard Tower Up	11'3"	3.43 m
Potable Water	12 gal	45 L

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
EVINRUDE E250X G2	250	187	5020	2280
EVINRUDE E300XU G2	300	224	5020	2280
MERCURY 250XL VERADO	250	187	5110	2320
MERCURY 300XL VERADO	300	224	5110	2320
MERCURY 350XL VERADO	350	261	5140	2330
YAMAHA F250XCA	250	187	5030	2280
YAMAHA F300XCA	300	224	5030	2280

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
MERC 300XL VERADO	4480	2030	660	299	420	190	200	91



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
EVINRUDE E250X G2	15 1/2 X 17	39 X 43	SST	45-48	72-77	170	270
EVINRUDE E300XU G2	15 X 18	38 X 46	SST	49-52	79-84	170	270
MERCURY 250XL VERADO	15 1/2 X 17	39 X 43	SST	45-48	72-77	160	260
MERCURY 300XL VERADO	15 3/8 X 18	39 X 46	SST	49-52	79-84	160	260
MERCURY 350XL VERADO	15 3/8 X 18	39 X 46	SST	52-55	84-89	160	260
YAMAHA F250XCA	15 1/2 X 17	39 X 43	SST	45-48	72-77	160	260
YAMAHA F300XCA	15 1/4 X 19	39 X 48	SST	49-52	79-84	160	260

## FUEL FLOW DATA - HD270 OB - EVINRUDE E250X G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	10	16	7	26
3500rpm	12	19	9	34
4000rpm	26	42	10	38
4500rpm	33	53	12	45
5000rpm	38	61	14	53
5500rpm	42	68	17	64
WOT	45	72	20	76

## FUEL FLOW DATA - HD270 OB - EVINRUDE E300XU G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	10	16	7	26
3500rpm	13	21	9	34
4000rpm	27	43	10	38
4500rpm	35	56	13	49
5000rpm	40	64	15	57
5500rpm	44	71	18	68
WOT	48	77	24	91

## FUEL FLOW DATA - HD270 OB - MERCURY 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	3	11
2500rpm	8	13	5	19
3000rpm	9	14	6	23
3500rpm	10	16	8	30
4000rpm	25	40	9	34
4500rpm	30	48	11	42
5000rpm	34	55	13	49
5500rpm	38	61	16	60
6000rpm	42	68	18	68
WOT	45	72	20	76

**FUEL FLOW DATA - HD270 OB - MERCURY 300XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	3	11
2500rpm	8	13	5	19
3000rpm	10	16	6	23
3500rpm	11	18	8	30
4000rpm	27	43	10	38
4500rpm	32	52	13	49
5000rpm	36	58	15	57
5500rpm	40	64	19	72
6000rpm	45	72	21	79
WOT	48	77	24	91

**FUEL FLOW DATA - HD270 OB - MERCURY 350XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	7	11	3	11
2500rpm	9	14	5	15
3000rpm	11	18	6	23
3500rpm	12	19	9	34
4000rpm	29	47	11	42
4500rpm	34	55	15	57
5000rpm	38	61	18	68
5500rpm	43	69	22	83
6000rpm	48	77	25	95
WOT	51	82	28	106

**FUEL FLOW DATA - HD270 OB - YAMAHA F250XCA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	10	16	7	26
3500rpm	13	21	9	34
4000rpm	27	43	11	42
4500rpm	34	55	13	49
5000rpm	39	63	15	57
5500rpm	42	68	17	64
WOT	45	72	20	76

**FUEL FLOW DATA - HD270 OB - YAMAHA F300XCA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	5	19
3000rpm	10	16	7	26
3500rpm	14	23	9	34
4000rpm	29	47	11	42
4500rpm	36	58	14	53
5000rpm	42	68	16	60
5500rpm	45	72	18	68
WOT	48	77	24	91

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



*TS Series*





# TS 222

## SPECIFICATIONS

	US	Metric
LOA	22'7"	6.88 m
Beam	8'6"	2.59 m
Fuel Capacity	44 gal	166 L
Draft Volvo FWD (drive up)	30"	76 cm
Draft Volvo FWD (drive down)	35"	89 cm
Maximum Capacity	1,800 lbs	816 kg
Persons Capacity	12	8
Approx. Boat Weight	3,200 lbs	1,451 kb
Approx. Boat & Engine Weight	4,240 lbs	1,920 kg
Trailer Weight	1,256 lbs	570 kg
Deadrise	20°	20°
Storage Length on Trailer	23'5"	7.14 m
Bridge Clearance with Arch/Tower	6'8"	2.09 m
Keel to Top of Tower Dn	7'4"	2.24 m
Keel to Top of Windshield	5'8"	1.73 m
Total Height	5'8"	1.73 m
Total Height on Trailer	7'5"	2.26 m
Height on Trailer w/Wakeboard Tower Dn	9'1"	2.77 m
Height on Trailer w/Wakeboard Tower Up	10'5"	3.23 m
Potable Water (standard or optional)	12 gal	45 L
Ballast Capacity	1,300 lbs	590 kg

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
VP V8-300C/DI/FWD	300	224	4160	1890
VP V8-350C/DI/FWD	350	261	4160	1890

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-300C/DI/FWD	3160	1430	1000	454	300	136	150	68



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
VP V8-300C/224/DI/FWD	K3	K3	SST	40-45	64-72	135	217
VP V8-350C/261/DI/FWD	K4	K4	SST	44-50	71-81	135	217

## FUEL FLOW DATA - TS222 - VP V8-300C/DI/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500RPM	9	14	5	19
3000RPM	13	21	7	26
3500RPM	22	35	8	30
4000RPM	29	47	10	38
4500RPM	33	53	13	49
5000RPM	37	60	16	60
5500RPM	40	64	21	79
WOT	43	69	23	87

## FUEL FLOW DATA - TS222 - VP V8-350C/DI/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	4	15
2500RPM	10	16	6	23
3000RPM	17	27	7	26
3500RPM	26	42	8	30
4000RPM	32	52	11	42
4500RPM	36	58	14	53
5000RPM	40	64	20	76
4500RPM	44	71	23	87
WOT	47	76	26	98

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# TS 242

## SPECIFICATIONS

	US	Metric
LOA	24'5"	7.44 m
Beam	8'6"	2.59 m
Fuel Capacity	55 gals	208 L
Draft Volvo FWD (drive up)	30"	76 cm
Draft Volvo FWD (drive down)	35"	89 cm
Maximum Capacity	2100 lbs	953 kg
Persons Capacity	14	10
Approx. Boat Weight	3,600 lbs	1,633 kg
Approx. Boat & Engine Weight	4,660 lbs	2,110 kg
Trailer Weight	1,418 lbs	643 kg
Deadrise	20°	20°
Storage Length on Trailer	24'5"	7.44 m
Bridge Clearance with Arch/Tower	7'3"	2.21 m
Keel to Top of Tower Dn	8'0"	2.44 m
Keel to Top of Windshield	6'4"	1.93 m
Total Height	6'4"	1.93 m
Total Height on Trailer	7'9"	2.36 m
Height on Trailer w/Wakeboard Tower Dn	9'5"	2.87 m
Height on Trailer w/Wakeboard Tower Up	10'9"	3.28 m
Potable Water (standard or optional)	15 gal	57 L
Ballast Capacity	1,800 lbs	816 kg

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
VP V8-300C/DI/FWD	300	224	4630	2100
VP V8-350C/DI/FWD	350	261	4630	2100
VP V8-380C/DI/FWD	380	283	4710	2140

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-350C/DI/FWD	3630	1650	1000	454	330	150	200	91



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range		
	IN	CM		MPH	KPH	MI	KM	
VP V8-300C/224/DI/FWD	K2	TOW	K2	SST	40-43	64-69	130	209
VP V8-350C/261/DI/FWD	K3	TOW	K3	SST	41-44	66-74	130	209
VP V8-380C/283/DI/FWD	K4	TOW	K4	SST	44-46	71-79	120	193

## FUEL FLOW DATA - TS242 - VP V8-300C/DI/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500RPM	9	14	5	19
3000RPM	13	21	7	26
3500RPM	22	35	8	30
4000RPM	29	47	10	38
4500RPM	33	53	13	49
5000RPM	36	58	16	60
5500RPM	39	63	21	79
WOT	42	68	23	87

## FUEL FLOW DATA - TS242 - VP V8-350C/DI/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500RPM	9	14	5	19
3000RPM	13	21	7	26
3500RPM	22	35	8	30
4000RPM	29	47	10	38
4500RPM	33	53	13	49
5000RPM	37	60	17	64
5500RPM	40	64	23	87
WOT	43	69	27	102

## FUEL FLOW DATA - TS242 - VP V8-380C/DI/FWD

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	4	15
2500RPM	11	18	7	26
3000RPM	15	24	8	30
3500RPM	22	35	10	38
4000RPM	30	48	12	45
4500RPM	35	56	15	57
5000RPM	39	63	20	76
5500RPM	43	69	26	98
WOT	45	72	29	110

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



*Vista Series*



# VISTA 255

## SPECIFICATIONS

	US	Metric
LOA	25'2"	7.67 m
LOA w/Extended Swim Platform	26'7"	7.92 m
Beam	8'5"	2.55 m
Fuel Capacity	70 gal	265 L
Draft (drive up)	22"	56 cm
Draft (drive down)	36"	91 cm
Maximum Capacity	2100 lbs	953 kg
Persons Capacity	9	9
Approx. Boat Weight	5500 lbs	2495 kg
Approx. Boat & Engine Weight	6400 lbs	2903 kg
Trailer Weight	1600 lbs	735 kg
Deadrise	17°	17°
Bridge Clearance	6'8"	2.03 m
Bridge Clearance w/Arch (excl. electronics)	9'4"	2.84 m
Keel to Top of Arch	10'9"	3.28 m
Keel to Top of Windshield	8'1"	2.46 m
Total Height	8'1"	2.46 m
Total Height w/Arch (excl. electronics)	10'9"	3.28 m
Potable Water	21 gal	79 L
Holding Tank	13 gal	49 L
Generator, Gas	3.5 kw	3.5 kw
Air Conditioning/Heater (Cabin)	9000 BTU	9000 BTU
Headroom (max)	6'3"	1.90 m
Maximum Sleeping Depth (V-Berth)	6'8"	2.03 m
Maximum Sleeping Width (V-Berth)	4'	1.22 m
Maximum Sleeping Depth (Mid Cabin)	6'11"	2.11 m
Maximum Sleeping Width (Mid Cabin)	4'6"	1.37 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 4.5L 250/B3	250	187	6600	2990
MC 6.2L 300/B3	300	224	6700	3040
VP V6-240C/DI/DP	240	179	6400	2900
VP V6-280C/DI/DP	280	209	6400	2900
VP V8-300C/DI/DP	300	224	6500	2950

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-300C/DI/DP	5500	2490	1000	454	420	190	450	200



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 4.5L 250/B3	22.5P	57P	SST	38-41	61-66	150	240
MC 6.2L 300/B3	22.5P	57P	SST	41-44	66-71	150	240
VP V6-240C/DI/DP	FH2	FH2	SST	38-41	61-66	160	260
VP V6-280C/DI/DP	FH3	FH3	SST	39-42	63-68	160	260
VP V8-300C/DI/DP	FH4	FH4	SST	41-44	66-71	160	260

## FUEL FLOW DATA - V255 - MC 4.5L 250/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	6	23
3000rpm	12	19	9	34
3500rpm	22	35	10	38
4000rpm	29	47	12	45
4500rpm	34	55	15	57
5000rpm	39	63	19	72
WOT	40	64	20	76

## FUEL FLOW DATA - V255 - MC 6.2L 300/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	14	6	23
3000rpm	13	21	12	45
3500rpm	23	37	13	49
4000rpm	32	52	15	57
4500rpm	37	60	18	68
5000rpm	42	68	21	75
WOT	43	69	23	87

## FUEL FLOW DATA - V255 - VP V6-240C/DI/DP

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	15	5	19
3000rpm	10	16	8	30
3500rpm	14	23	11	42
4000rpm	23	37	11	42
4500rpm	30	48	12	45
5000rpm	35	56	15	57
5500rpm	38	61	18	68
WOT	40	64	20	76

**FUEL FLOW DATA - V255 - VP V6-280C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	15	5	19
3000rpm	10	16	8	30
3500rpm	14	23	11	42
4000rpm	23	37	11	42
4500rpm	30	48	13	49
5000rpm	35	56	16	61
5500rpm	39	63	20	76
WOT	41	66	22	83

**FUEL FLOW DATA - V255 - VP V8-300C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	3	11
2500rpm	9	15	5	19
3000rpm	10	16	8	30
3500rpm	14	23	11	42
4000rpm	24	39	11	42
4500rpm	31	50	13	49
5000rpm	36	58	16	61
5500rpm	40	64	21	75
WOT	43	69	23	87

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# NOTES

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



# VISTA 255 OB

## SPECIFICATIONS

	US	Metric
LOA	26' 11"	8.20 m
Beam	8' 5"	2.54 m
Fuel Capacity	70 gal	265 L
Draft (drive up)	22"	56 cm
Draft (drive down)	39"	99 cm
Maximum Capacity	2900 lbs	1315 kg
Persons Capacity	10	10
Approx. Boat Weight	5700 lbs	2585 kg
Approx. Boat & Engine Weight	6350 lbs	2880 kg
Trailer Weight	1600 lbs	726 kg
Deadrise	17°	17°
Bridge Clearance	6' 8"	2.03 m
Bridge Clearance w/Arch (excl. electronics)	9' 4"	2.84 m
Keel to Top of Arch	10' 9"	3.28 m
Keel to Top of Windshield	8' 1"	2.46 m
Total Height	8' 1"	2.46 m
Total Height w/Arch (excl. electronics)	10' 9"	3.28 m
Potable Water	21 gal	79 L
Holding Tank	13 gal	49 L
Generator, Gas	3.5 kw	3.5 kw
Air Conditioning/Heater (Cabin)	9000 BTU	9000 BTU
Headroom (max)	6' 3"	1.90 m
Maximum Sleeping Depth (V-Berth)	6' 8"	2.03 m
Maximum Sleeping Width (V-Berth)	4'	1.22 m
Maximum Sleeping Depth (Mid Cabin)	6' 11"	2.11 m
Maximum Sleeping Width (Mid Cabin)	4' 6"	1.37 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MERCURY 250XXL VERADO	250	186	6250	2835
MERCURY 300XXL VERADO	300	224	6250	2835

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
MERCURY 300XXL VERADO	5600	2540	650	295	420	191	450	204



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)			Type	Top Speed		Cruise Range	
	HP	IN	CM		MPH	KPH	MI	KM
MERCURY 250XXL VERADO	250	15.6 X 13	40 X 33	SST	38 - 41	61 - 66	130	125
MERCURY 300XXL VERADO	300	14 5/8 x 15	37 x 38	SST	40 - 43	64 - 69	119	126

## FUEL FLOW DATA - V255 OB - MERCURY 250XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1000 RPM	4.7	8	1.3	5
2000 RPM	6.8	11	2.3	9
3000 RPM	8.7	14	5.9	22
3500 RPM	9.9	16	8.5	32
4000 RPM	12.3	20	11.0	42
4500 RPM	23.4	38	12.3	47
5000 RPM	29.1	47	14.0	53
5500 RPM	33.5	54	16.7	63
6000 RPM	37.3	60	21.3	81
WOT	40.1	65	27.3	103

## FUEL FLOW DATA - V255 OB - MERCURY 300XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	7.2	12	2.7	10
2500 RPM	8.2	13	4.4	17
3000 RPM	8.7	14	6.8	26
3500 RPM	9.3	15	9.5	36
4000 RPM	11.3	18	12.3	47
4500 RPM	17.0	27	13.9	53
5000 RPM	25.7	41	15.3	58
5500 RPM	33.8	54	17.9	68
6000 RPM	38.6	62	22.4	85
WOT	41.8	67	29.4	111

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# VISTA 275

## SPECIFICATIONS

	US	Metric
LOA	28'0"	8.53 m
Beam	9'2"	2.79 m
Fuel Capacity	85 gal	322 L
Draft (drive up)	22"	56 cm
Draft (drive down)	39"	99 cm
Maximum Capacity	2450 lbs	1100 kg
Persons Capacity	10	10
Approx. Boat Weight	6800 lbs	3084 kg
Approx. Boat & Engine Weight	7800 lbs	3538 kg
Deadrise	18°	18°
Bridge Clearance	6'8"	2.03 m
Bridge Clearance w/Arch (excl. electronics)	8'10"	2.69 m
Total Height	8'6"	2.59 m
Total Height w/Arch (excl. electronics)	10'8"	3.25 m
Keel to Top of Arch	10' 8"	3.25 m
Keel to Top of Windshield	8' 6"	2.59 m
Potable Water (standard or optional)	25 gal	95 L
Holding Tank	17 gal	68 L
Generator, Gas	4 kw	4 kw
Air Conditioning/Heater (Cabin)	8000 BTU	8000 BTU
Headroom (max)	6'3"	1.91 m
Maximum Sleeping Depth (V-Berth)	6'11"	2.11 m
Maximum Sleeping Width (V-Berth)	7'0"	2.13 m
Maximum Sleeping Depth (Mid Cabin)	6'4"	1.93 m
Maximum Sleeping Width (Mid Cabin)	4'6"	1.37 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
MC 6.2L 300/B3	300	224	7500	3400
MC 6.2L 350/B3	300	224	7500	3400
MC 6.2L 350/B3 DTS	300	224	7500	3400
MC 6.2L 350/B3 DTS SC	300	224	7500	3400
VP V8-300C/DI/DP	300	224	7300	3310
VP V8-350C/DI/DP	350	261	7300	3310
VP V8-350CE/DI/DP EVC	350	261	7300	3310
VP V8-380CE/DI/DP EVC	380	283	7400	3360
VP V8-380CE/DI/DP EVC OX	380	283	7400	3360

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-350CE/DI/DP EVC	6300	2860	1000	454	510	231	600	272



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
MC 6.2L 300/B3	22.5P	57P	SST	36-39	60-64	160	260
MC 6.2L 350/B3	22.5P	57P	SST	39-42	64-69	160	260
MC 6.2L 350/B3 DTS	22.5P	57P	SST	39-42	64-69	160	260
MC 6.2L 350/B3 DTS SC	22.5P	57P	SST	39-42	64-69	160	260
VP V8-300C/DI/DP	FH3	FH3	SST	37-39	61-64	175	280
VP V8-350C/DI/DP	FH4	FH4	SST	39-42	64-69	175	280
VP V8-350CE/DI/DP EVC	FH4	FH4	SST	39-42	64-69	175	280
VP V8-380CE/DI/DP EVC	FH4	FH4	SST	40-43	68-71	170	270
VP V8-380CE/DI/DP EVC OX	FH4	FH4	SST	40-43	68-71	170	270

## FUEL FLOW DATA - V275 - MC 6.2L 300/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	5	19
2500rpm	10	16	7	26
3000rpm	18	29	9	34
3500rpm	26	42	11	42
4000rpm	29	47	14	53
4500rpm	32	52	17	64
5000rpm	35	56	20	76
WOT	38	61	23	87

## FUEL FLOW DATA - V275 - MC 6.2L 350/B3

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	5	19
2500rpm	10	16	7	26
3000rpm	18	29	9	34
3500rpm	26	42	11	42
4000rpm	30	48	15	57
4500rpm	33	53	19	72
5000rpm	37	60	22	83
WOT	41	66	26	98

## FUEL FLOW DATA - V275 - MC 6.2L 350/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	5	19
2500rpm	10	16	7	26
3000rpm	18	29	9	34
3500rpm	26	42	11	42
4000rpm	30	48	15	57
4500rpm	33	53	19	72
5000rpm	37	60	22	83
WOT	41	66	26	98

**FUEL FLOW DATA - V275 - MC 6.2L 350/B3 DTS SC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	5	19
2500rpm	10	16	7	26
3000rpm	18	29	9	34
3500rpm	26	42	11	42
4000rpm	30	48	15	57
4500rpm	33	53	19	72
5000rpm	37	60	22	83
WOT	41	66	26	98

**FUEL FLOW DATA - V275 - VP V8-300C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 rpm	11	18	6	23
3000 rpm	14	23	8	30
3500 rpm	18	29	9	34
4000 rpm	26	42	9	34
4500 rpm	31	50	12	45
5000 rpm	34	54	16	60
5500 rpm	36	58	20	76
WOT	37	60	23	87

**FUEL FLOW DATA - V275 - VP V8-350C/DI/DP**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 rpm	11	18	6	23
3000 rpm	14	23	8	30
3500 rpm	18	29	9	34
4000 rpm	26	42	10	38
4500 rpm	33	53	13	49
5000 rpm	37	60	18	68
5500 rpm	39	63	22	83
WOT	41	66	25	95

**FUEL FLOW DATA - V275 - VP V8-350CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 rpm	11	18	6	23
3000 rpm	14	23	8	30
3500 rpm	18	29	9	34
4000 rpm	26	42	10	38
4500 rpm	33	53	13	49
5000 rpm	37	60	18	68
5500 rpm	39	63	22	83
WOT	41	66	25	95

**FUEL FLOW DATA - V275 - VP V8-380CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 rpm	11	18	6	23
3000 rpm	14	23	8	30
3500 rpm	18	29	9	35
4000 rpm	26	42	11	42
4500 rpm	33	53	14	53
5000 rpm	37	60	19	72
5500 rpm	40	64	25	95
WOT rpm	43	69	28	106

**FUEL FLOW DATA - V275 - VP V8-380CE/DI/DP EVC OX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 RPM	8	13	4	15
2500 rpm	11	18	6	23
3000 rpm	14	23	8	30
3500 rpm	18	29	9	35
4000 rpm	26	42	11	42
4500 rpm	33	53	14	53
5000 rpm	37	60	19	72
5500 rpm	40	64	25	95
WOT rpm	43	69	28	106

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.





# VISTA 355

## SPECIFICATIONS

	US	Metric
LOA	35'0"	10.67 m
Beam	11'6"	3.51 m
Fuel Capacity	200 gal	757 L
Draft (drive up)	28"	71 cm
Draft (drive down)	40"	102 cm
Maximum Capacity	YACHT	YACHT
Persons Capacity	11	11
Approx. Boat Weight	11850 lbs	5375 kg
Approx. Boat & Engine Weight	13850 lbs	6280 kg
Deadrise	19°	19°
Bridge Clearance (excl. electronics)	10'2"	3.10 m
Total Height	12'2"	3.71 m
Keel to Top of Hardtop	12' 2"	3.71 m
Keel to Top of Windshield	N / A	N / A
Potable Water (standard or optional)	45 gal	170 L
Holding Tank	30 gal	113 L
Generator, Gas	5.0 KW @ 110 VAC	5.0 KW @ 110 VAC
Generator, Gas	4.0 KW @ 220 VAC	4.0 KW @ 220 VAC
Air Conditioning/Heater (Cabin)	12000 BTU	12000 BTU
Headroom (max)	6'8"	2.03 m
Maximum Sleeping Depth (V-Berth)	6'0"	1.83 m
Maximum Sleeping Width (V-Berth)	6'2"	1.88 m
Maximum Sleeping Depth (Mid Cabin)	6'0"	1.83 m
Maximum Sleeping Width (Mid Cabin)	5'6"	1.32 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Twin MC 6.2L 300/B3 DTS	300	224 KW	13600	6170
Twin MC 6.2L 300/B3 DTS JOYSTICK	300	224 KW	13600	6170
Twin MC 6.2L 300/B3 DTS JOYSTICK SC	300	224 KW	13600	6170
Twin VP D3-220/DPS EVC JOYSTICK	209	154 KW	13000	5900
Twin VP V8-300CE/DI/DP EVC	300	224 KW	13200	5990
Twin VP V8-300CE/DI/DP EVC JOYSTICK	300	224 KW	13200	5990
Twin VP V8-300CE/DI/DP EVC JOYSTICK OX	300	224 KW	13200	5990

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-300CE/DI/DP EVC	11580	5250	2020	916	1200	544	900	408



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Twin MC 6.2L 300/224/B3 DTS	24P	61P	SST	42-45	69-74	230	370
Twin MC 6.2L 300/224/B3 DTS JOYSTICK	24P	61P	SST	42-45	69-74	230	370
Twin MC 6.2L 300/224/B3 DTS JOYSTICK SC	24P	61P	SST	42-45	69-74	230	370
Twin VP D3-220/209/154/DPS EVC JOYSTICK	F3	F3	SST	35-38	56-61	320	515
Twin VP V8-300CE/224/DI/DP EVC	FH5	FH5	SST	41-44	66-71	260	420
Twin VP V8-300CE/224/DI/DP EVC JOYSTICK	FH5	FH5	SST	41-44	66-71	260	420
Twin VP V8-300CE/224/DI/DP EVC JOYSTICK OXFH5	FH5	FH5	SST	41-44	66-71	260	420

## FUEL FLOW DATA - V355 - TWIN MC 6.2L 300/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	9	34
2500RPM	14	23	12	45
3000RPM	23	37	14	53
3500RPM	30	48	17	64
4000RPM	34	55	23	87
4500RPM	38	61	30	113
5000RPM	42	68	39	147
WOT	44	71	46	174

## FUEL FLOW DATA - V355 - TWIN MC 6.2L 300/B3 DTS JOYSTICK

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	9	34
2500rpm	14	23	12	45
3000rpm	23	37	14	53
3500rpm	30	48	17	64
4000rpm	34	55	23	87
4500rpm	38	61	30	113
5000rpm	42	68	39	147
WOT	44	71	46	174

## FUEL FLOW DATA - V355 - TWIN MC 6.2L 300/B3 DTS JOYSTICK SC

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	9	34
2500rpm	14	23	12	45
3000rpm	23	37	14	53
3500rpm	30	48	17	64
4000rpm	34	55	23	87
4500rpm	38	61	30	113
5000rpm	42	68	39	147
WOT	44	71	46	174





# VISTA 375

## SPECIFICATIONS

	US	Metric
LOA	37'0"	11.28 m
Beam	12'0"	3.66 m
Fuel Capacity	216 gals	818 L
Draft (drive up)	28"	71 cm
Draft (drive down)	40"	102 cm
Maximum Capacity	YACHT	YACHT
Persons Capacity	YACHT	YACHT
Approx. Boat Weight	12750 lbs	5783 kg
Approx. Boat & Engine Weight	14750 lbs	6690 kg
Deadrise	19°	19°
Bridge Clearance (excl. electronics)	10'3"	3.13 m
Total Height	12'5"	3.78 m
Keel to Top of Hardtop	12'5"	3.78 m
Keel to Top of Windshield	N / A	N / A
Potable Water (standard or optional)	51 gal	193 L
Holding Tank	30 gal	113 L
Generator, Gas	5.0 KW @ 110 VAC	5.0 KW @ 110 VAC
Generator, Gas	4.0 KW @ 220 VAC	4.0 KW @ 220 VAC
Generator, Diesel	6.0 KW @ 110 VAC	6.0 KW @ 110 VAC
Generator, Diesel	4.5 KW @ 220 VAC	4.5 KW @ 220 VAC
Air Conditioning/Heater (Cabin)	16000 BTU	16000 BTU
Headroom (max)	6'4"	1.93 m
Maximum Sleeping Depth (V-Berth)	6'2"	1.88 m
Maximum Sleeping Width (V-Berth)	6'6"	1.98 m
Maximum Sleeping Depth (Mid Cabin)	6'0"	1.83 m
Maximum Sleeping Width (Mid Cabin)	5'6"	1.68 m

## POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Twin MC 6.2L 350/B3 DTS	350	261 KW	14200	6440
Twin MC 6.2L 350/B3 DTS JOYSTICK	350	261 KW	14200	6440
Twin MC 6.2L 350/B3 DTS JOYSTICK SC	350	261 KW	14200	6440
Twin VP D4-260/DPH EVC JOYSTICK	250	184 KW	16100	7300
Twin VP V8-350CE/DI/DP EVC	350	261 KW	13800	6260
Twin VP V8-350CE/DI/DP EVC JOYSTICK	350	261 KW	13800	6260
Twin VP V8-350CE/DI/DP EVC JOYSTICK OX	350	261 KW	13800	6260

## RECOMMENDED ENGINE(S)/EQUIPMENT AVG. WEIGHTS

Engine Type	Boat		Engine		Fuel		Access.	
	LBS	KG	LBS	KG	LBS	KG	LBS	KG
VP V8-350CE/DI/DP EVC	11800	5350	2020	916	1380	626	1000	454



## PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Twin MC 6.2L 350/261/B3 DTS	24P	61P	SST	44-47	71-76	230	370
Twin MC 6.2L 350/261/B3 DTS JOYSTICK	24P	61P	SST	44-47	71-76	230	370
Twin MC 6.2L 350/261/B3 DTS JOYSTICK SC	24P	61P	SST	44-47	71-76	230	370
Twin VP D4-260/DPH/250/184 EVC JOYSTICK	G5	G5	Nibral	38-40	61-64	330	530
Twin VP V8-350CE/261/DI/DP EVC	FH5	FH5	SST	44-47	71-76	260	420
Twin VP V8-350CE/DI/DP EVC JOYSTICK	FH5	FH5	SST	44-47	71-76	260	420
Twin VP V8-350CE/DI/DP EVC JOYSTICK OX	FH5	FH5	SST	44-47	71-76	260	420

## FUEL FLOW DATA - V375 - TWIN MC 6.2L 350/B3 DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	8	30
2500RPM	16	26	14	53
3000RPM	25	40	20	76
3500RPM	32	52	25	95
4000RPM	37	60	30	113
4500RPM	41	66	37	140
5000RPM	44	71	45	170
WOT	46	74	52	197

## FUEL FLOW DATA - V375 - TWIN MC 6.2L 350/B3 DTS JOYSTICK

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	8	30
2500rpm	16	26	14	53
3000rpm	25	40	20	76
3500rpm	32	52	25	95
4000rpm	37	60	30	113
4500rpm	41	66	37	140
5000rpm	44	71	45	170
WOT	46	74	52	197

## FUEL FLOW DATA - V375 - TWIN MC 6.2L 350/B3 DTS JOYSTICK SC

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	9	14	8	30
2500rpm	16	26	14	53
3000rpm	25	40	20	76
3500rpm	32	52	25	95
4000rpm	37	60	30	113
4500rpm	41	66	37	140
5000rpm	44	71	45	170
WOT	46	74	52	197

**FUEL FLOW DATA - V375 - TWIN VP-D4 260/DPH EVC JOYSTICK**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500RPM	9	14	5	19
2000RPM	11	18	11	42
2500RPM	19	31	16	61
3000RPM	31	50	17	64
3250RPM	34	55	20	76
3500RPM	37	60	25	95
WOT	39	63	28	106

**FUEL FLOW DATA - V375 - TWIN VP V8-350CE/DI/DP EVC**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	6	23
2500rpm	10	16	11	42
3000rpm	11	18	16	64
3500rpm	16	26	21	83
4000rpm	25	40	23	87
4500rpm	32	52	25	95
5000rpm	37	60	31	117
5500rpm	42	68	43	162
WOT	46	74	52	197

**FUEL FLOW DATA - V375 - TWIN VP V8-350CE/DI/DP EVC JOYSTICK**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	6	23
2500rpm	10	16	11	42
3000rpm	11	18	16	64
3500rpm	16	26	21	83
4000rpm	25	40	23	87
4500rpm	32	52	25	95
5000rpm	37	60	31	117
5500rpm	42	68	43	162
WOT	46	74	52	197

**FUEL FLOW DATA - V355 - TWIN VP V8-350CE/DI/DP EVC JOYSTICK OX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000RPM	8	13	6	23
2500rpm	10	16	11	42
3000rpm	11	18	16	64
3500rpm	16	26	21	83
4000rpm	25	40	23	87
4500rpm	32	52	25	95
5000rpm	37	60	31	117
5500rpm	42	68	43	162
WOT	46	74	52	197

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Propeller, Boat Bottom Condition, Trim Angle and Operator Technique.



# NOTES

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



## Horizon 180 Single Axle Trailer

(Model # ME H180)

	US	Metric
Trailer length w/ Tongue	20'11"	6.121 M
Trailer length w/ Tongue Folded	17'11"	5.461 M
Width	8'2"	2.489 M
Empty weight w/spare	861LBS	390 KG
Carrying Capacity	3539LBS	1606 KG
GVWR (Gross Vehicle Weight Rating)	4,400LBS	1,996 KG
GAWR (Gross Axle Weight Rating)	4,400LBS	1,996 KG
Tire Size / Range (Standard)	ST225/75R15DRADIAL	ST225/75R15DRADIAL
Tire Size / Range (Rugged Tow)	ST225/75R15-E	ST225/75R15-E
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Pressure (Rugged Tow)	80 PSI COLD	550 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1,152 KG
Tire Capacity (Rugged Tow)	2,830 LBS	1,283 KG
Lug Nut Torque	90-120FT/LBS	120.6NM-162.8NM
Axle	SINGLE	
Axle Rating (Per Axle)	5,000 LBS	1,996KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14CM PATTERN
Wheel Type	SILVER	
Jack Capacity	1,200 LBS	544 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM
Ball Towing Height (Rugged Tow)	24"	61 CM



## Horizon 190 Single Axle Trailer

(Model # MD H190)

	US	Metric
Trailer length w/ Tongue	20'11"	6.121 M
Trailer length w/ Tongue Folded	17'11"	5.461 M
Width	8'2"	2.489 M
Empty weight w/spare	861LBS	390 KG
Carrying Capacity	4139LBS	1877 KG
GVWR (Gross Vehicle Weight Rating)	5,000LBS	2,268 KG
GAWR (Gross Axle Weight Rating)	5,000LBS	2,268 KG
Tire Size / Range (Standard)	ST225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Size / Range (Rugged Tow)	ST 225/75R15-E	ST 225/75R15-E
Tire Pressure (standard)	65 PSI COLD	450 KPA COLD
Tire Pressure (Rugged Tow)	80 PSI COLD	550 KPA COLD
Tire Capacity (Standard)	2,540LBS	1,152 KG
Tire Capacity (Rugged Tow)	2,830LBS	1,283 KG
Lug Nut Torque	90-120FT/LBS	120.6NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5,000 LBS	1,996 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,200 LBS	544 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM
Ball Towing Height (Rugged Tow)	24"	61 CM



## Horizon 190 Tandem Axle Trailer

(Model # MD H190)

	US	Metric
Trailer length w/ Tongue	20' 1"	6.121 M
Trailer length w/ Tongue Folded	17' 11"	5.461 M
Width	8' 0"	2.44 M
Empty weight w/spare	1,123 LBS	509 KG
Carrying Capacity	5,877 LBS	2,666 KG
GVWR (Gross Vehicle Weight Rating)	7,000 LBS	3,175 KG
GAWR (Gross Axle Weight Rating)	7,000 LBS	3,175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Size / Range (Rugged Tow)	ST 215/75R14-C	ST 215/75R14-C
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Pressure (Rugged Tow)	50 PSI COLD	350 KPA COLD
Tire Capacity	1,760 LBS	798 KG
Tire Capacity (Rugged Tow)	1,870 LBS	848 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 LBS	1,588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,500 LBS	680 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM
Ball Towing Height (Rugged Tow)	22.5"	57 CM



## Horizon 200 Single Axle Trailer

(Model # MW H200)

	US	Metric
Trailer length w/ Tongue	20' 1"	6.12 M
Trailer length w/ Tongue Folded	17' 11"	5.461 M
Width	8' 6"	2.59 M
Empty weight w/spare	894 LBS	405.5 KG
Carrying Capacity	4,106 LBS	1,862 KG
GVWR (Gross Vehicle Weight Rating)	5,000 LBS	2,268 KG
GAWR (Gross Axle Weight Rating)	5,000 LBS	2,268 KG
Tire Size / Range (Standard)	ST 225/75R15DRADIAL	ST 225/75R15DRADIAL
Tire Size / Range (Rugged Tow)	ST 225/75R15-E	ST 225/75R15-E
Tire Pressure	65 PSI COLD	450 KPA COLD
Tire Pressure (Rugged Tow)	80 PSI COLD	550 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1,152 KG
Tire Capacity (Rugged Tow)	2,830 LBS	1,283 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5,000 LBS	2,268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,200 LBS	544 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM
Ball Towing Height (Rugged Tow)	24"	61 CM



## Horizon 200 Tandem Axle Trailer

(Model # MW H200)

	US	Metric
Trailer length w/ Tongue	20'11"	6.12 M
Trailer length w/ Tongue Folded	17'11"	5.461 M
Width	8' 6"	2.59 M
Empty weight w/spare	1,150 LBS	5,21.6 KG
Carrying Capacity	5,850 LBS	2,654 KG
GVWR (Gross Vehicle Weight Rating)	7,000 LBS	3,175 KG
GAWR (Gross Axle Weight Rating)	7,000 LBS	3,175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Size / Range (Rugged Tow)	ST 215/75R14-C	ST 215/75R14-C
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Pressure (Rugged Tow)	50 PSI COLD	350 KPA COLD
Tire Capacity	1,760 LBS	798 KG
Tire Capacity (Rugged Tow)	1,870 LBS	848 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 LBS	1,588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,500 LBS	680 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM
Ball Towing Height (Rugged Tow)	22.5"	57 CM



## Horizon 210 Tandem Axle Trailer

(Model # MT H210)

	US	Metric
Trailer length w/ Tongue	24'8"	7.518 M
Trailer length w/ Tongue Folded	22'	6.706 M
Width	8'6"	2.59 M
Empty weight w/spare	1,196 LBS	542.5 KG
Carrying Capacity	5,804 LBS	2,633 KG
GVWR (Gross Vehicle Weight Rating)	7,000 LBS	3,175 KG
GAWR (Gross Axle Weight Rating)	7,000 LBS	3,175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Size / Range (Rugged Tow)	ST 215/75R14-C	ST 215/75R14-C
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Pressure (Rugged Tow)	50 PSI COLD	350 KPA COLD
Tire Capacity	1,760 LBS	798 KG
Tire Capacity (Rugged Tow)	1,870 LBS	848 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 LBS	1,588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,500 LBS	680 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM
Ball Towing Height (Rugged Tow)	22.5"	57 CM



## Horizon 230 Tandem Axle Trailer

(Model # MU H230)

	US	Metric
Trailer length w/ Tongue	23'10"	7.264 M
Trailer length w/ Tongue Folded	21'2"	6.452 M
Width	8'6"	2.591 M
Trailer Empty weight w/ spare	1505 LBS	683 KG
Carrying Capacity	5495 LBS	2493 KG
GVWR (Gross Vehicle Weight Rating)	7,000 LBS	3,175 KG
GAWR (Gross Axle Weight Rating)	7,000 LBS	3,175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Size / Range (Rugged Tow)	ST 215/75R14-C	ST 215/75R14-C
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Pressure (Rugged Tow)	50 PSI COLD	350 KPA COLD
Tire Capacity	1,760 LBS	798 KG
Tire Capacity (Rugged Tow)	1,870 LBS	848 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 LBS	1,588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,500 LBS	680 KG
Winch	2,600 LBS	1,179 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM
Ball Towing Height (Rugged Tow)	22.5"	57 CM



## Horizon 260 Tandem Axle Trailer

(Model # MY H260)

	US	Metric
Trailer length w/ Tongue	28'	8.534 M
Trailer length w/ Tongue Folded	23'4"	7.112 M
Width	8'6"	2.59 M
Empty weight w/spare	1,658 LBS	752 KG
Carrying Capacity	8,142 LBS	3,693 KG
GVWR (Gross Vehicle Weight Rating)	9,800 LBS	4,445 KG
GAWR (Gross Axle Weight Rating)	10,000 LBS	4,535 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Size / Range (Rugged Tow)	ST 225/75R15-E	ST 225/75R15-E
Tire Pressure	65 PSI COLD	450 KPA COLD
Tire Pressure (Rugged Tow)	80 PSI COLD	550 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1,152 KG
Tire Capacity (Rugged Tow)	2,830 LBS	1,283 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5,000 LBS	2,268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,500 LBS	680 KG
Winch	2,600 LBS	1,179 KG
Ball Size	2 5/16"	6 CM
Ball Towing Height	24.5"	62.23 CM
Ball Towing Height (Rugged Tow)	24.5"	62.23 CM





## HD 200 Single Axle Trailer

(Model # HD 200)

	US	Metric
Trailer length w/ Tongue	20'3"	6.198 M
Trailer length w/ Tongue Folded	18'1"	5.512 M
Width	8'6"	2.59 M
Empty weight w/spare	875 LBS	396.9 KG
Carrying Capacity	4,125 LBS	1,871 KG
GVWR (Gross Vehicle Weight Rating)	5,200 LBS	2,359 KG
GAWR (Gross Axle Weight Rating)	5,200 LBS	2,359 KG
Tire Size / Range (Standard)	ST 225/75R15-E	ST 225/75R15-E
Tire Size / Range (Rugged Tow)	ST 225/75R15-E	ST 225/75R15-E
Tire Pressure	80 PSI COLD	550 KPA COLD
Tire Pressure (Rugged Tow)	80 PSI COLD	550 KPA COLD
Tire Capacity (Standard)	2,830 LBS	1,283 KG
Tire Capacity (Rugged Tow)	2,830 LBS	1,283 KG
Lug Nut Torque	90-120 FT/LBS	120.6 NM-162.8NM
Axle	SINGLE	SINGLE
Axle Rating (Per Axle)	5,200 LBS	2,359 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,200 LBS	544 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	24"	61 CM
Ball Towing Height (Rugged Tow)	24"	61 CM



## HD 200 Tandem Axle Trailer

(Model # HD 200)

	US	Metric
Trailer length w/ Tongue	20'3"	6.198 M
Trailer length w/ Tongue Folded	18'1"	5.512 M
Width	8'6"	2.59 M
Empty weight w/spare	1,101 LBS	499.4 KG
Carrying Capacity	5,899 LBS	2,676 KG
GVWR (Gross Vehicle Weight Rating)	7,000 LBS	3,175 KG
GAWR (Gross Axle Weight Rating)	7,000 LBS	3,175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Size / Range (Rugged Tow)	ST 215/75R14-C	ST 215/75R14-C
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Pressure (Rugged Tow)	50 PSI COLD	350 KPA COLD
Tire Capacity	1,760 LBS	798 KG
Tire Capacity (Rugged Tow)	1,870 LBS	848 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 LBS	1,588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,500 LBS	680 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM
Ball Towing Height (Rugged Tow)	22.5"	57 CM



## HD 220 Tandem Axle Trailer

(Model # 220FDT)

	US	Metric
Trailer length w/ Tongue	22'10"	6.96 M
Trailer length w/ Tongue Folded	20'2"	6.147 M
Width	8'6"	2.59 M
Empty weight w/spare	1,256 LBS	570 KG
Carrying Capacity	5,744 LBS	2,605 kg
GVWR (Gross Vehicle Weight Rating)	7,000 LBS	3,175 KG
GAWR (Gross Axle Weight Rating)	7,000 LBS	3,175 KG
Tire Size / Range (Standard)	ST 205/75R14	ST 205/75R14
Tire Size / Range (Rugged Tow)	ST 215/75R14-C	ST 215/75R14-C
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Pressure (Rugged Tow)	50 PSI COLD	350 KPA COLD
Tire Capacity	1,760 LBS	798 KG
Tire Capacity (Rugged Tow)	1,870 LBS	848 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 LBS	1,588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,600 LBS	726 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM
Ball Towing Height (Rugged Tow)	22.5"	57 CM



## HD 220 Tandem Axle Trailer FWD

Specific Trailer for VolvoPenta FWD Drive (Model # 220FGT)

	US	Metric
Trailer length w/ Tongue	20'3"	6.198 M
Trailer length w/ Tongue Folded	18'1"	5.512 M
Width	8'6"	2.59 M
Empty weight w/spare	1,101 LBS	499.4 KG
Carrying Capacity	5,899 LBS	2,676 KG
GVWR (Gross Vehicle Weight Rating)	7,000 LBS	3,175 KG
GAWR (Gross Axle Weight Rating)	7,000 LBS	3,175 KG
Tire Size / Range (Standard)	ST 205/75R14C RADIAL	ST 205/75R14C RADIAL
Tire Size / Range (Rugged Tow)	ST 215/75R14-C	ST 215/75R14-C
Tire Pressure (Standard)	50 PSI COLD	350 KPA COLD
Tire Pressure (Rugged Tow)	50 PSI COLD	350 KPA COLD
Tire Capacity	1,760 LBS	798 KG
Tire Capacity (Rugged Tow)	1,870 LBS	848 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 LBS	1,588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,500 LBS	680 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM
Ball Towing Height (Rugged Tow)	22.5"	57 CM



## HD 240 Tandem Axle Trailer

(Model # 240FET)

	US	Metric
Trailer length w/ Tongue	25'5"	7.75 M
Trailer length w/ Tongue Folded	20'9"	6.32 M
Width	8'6"	2.59 M
Empty weight w/spare	1,505 LBS	682.7 kg
Carrying Capacity	8,295 lbs	3,763 kg
GVWR (Gross Vehicle Weight Rating)	9,800 LBS	4,445 KG
GAWR (Gross Axle Weight Rating)	10,000 LBS	4,535 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Size / Range (Rugged Tow)	ST 225/75R15-E	ST 225/75R15-E
Tire Pressure	65 PSI COLD	450 KPA COLD
Tire Pressure (Rugged Tow)	80 PSI COLD	550 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1,152 KG
Tire Capacity (Rugged Tow)	2,830 LBS	1,283 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5,000 LBS	2,268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,600 LBS	726 KG
Winch	2,600 LBS	1,179 KG
Ball Size	2 5/16"	6 CM
Ball Towing Height	24.5"	62.23 CM
Ball Towing Height (Rugged Tow)	24.5"	62.23 CM



## HD 240 Tandem Axle Trailer FWD

Specific Trailer for VolvoPenta FWD Drive (Model # 240FET)

	US	Metric
Trailer length w/ Tongue	25'5"	7.75 M
Trailer length w/ Tongue Folded	20'9"	6.32 M
Width	8'6"	2.59 M
Empty weight w/spare	1,530 LBS	694 kg
Carrying Capacity	8,270 lbs	3,751 kg
GVWR (Gross Vehicle Weight Rating)	9,800 LBS	4,445 KG
GAWR (Gross Axle Weight Rating)	10,000 LBS	4,535 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1,152 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5,000 LBS	2,268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,600 LBS	726 KG
Winch	2,600 LBS	1,179 KG
Ball Size	2 5/16"	6 CM
Ball Towing Height	24.5"	62.23 CM



## HD 270 Tandem Axle Trailer

(Model # FT 270)

	US	Metric
Trailer length w/ Tongue	28'	8.534 M
Trailer length w/ Tongue Folded	23'4"	7.112 M
Width	8'6"	2.59 M
Empty weight w/spare	1,860 LBS	844 KG
Carrying Capacity	7,940 LBS	3,602 KG
GVWR (Gross Vehicle Weight Rating)	9,800 LBS	4,445 KG
GAWR (Gross Axle Weight Rating)	10,000 LBS	4,535 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Size / Range (Rugged Tow)	ST 225/75R15-E	ST 225/75R15-E
Tire Pressure	65 PSI COLD	450 KPA COLD
Tire Pressure (Rugged Tow)	80 PSI COLD	550 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1,152 KG
Tire Capacity (Rugged Tow)	2,830 LBS	1,283 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5,000 LBS	2,268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,500 LBS	680 KG
Winch	2,600 LBS	1,179 KG
Ball Size	2 5/16"	6 CM
Ball Towing Height	24.5"	62.23 CM
Ball Towing Height (Rugged Tow)	24.5"	62.23 CM



## HD 270 Tandem Axle Trailer FWD

(Model # FFT 270) Specific Trailer for VolvoPenta FWD Drive

	US	Metric
Trailer length w/ Tongue	28'	8.534 M
Trailer length w/ Tongue Folded	23'4"	7.112 M
Width	8'6"	2.59 M
Empty weight w/spare	1,885 LBS	855 KG
Carrying Capacity	7,915 LBS	3,590 KG
GVWR (Gross Vehicle Weight Rating)	9,800 LBS	4,445 KG
GAWR (Gross Axle Weight Rating)	10,000 LBS	4,535 KG
Tire Size / Range (Standard)	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure	65 PSI COLD	450 KPA COLD
Tire Capacity (Standard)	2,540 LBS	1,152 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5,000 LBS	2,268 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,500 LBS	680 KG
Winch	2,600 LBS	1,179 KG
Ball Size	2 5/16"	6 CM
Ball Towing Height	24.5"	62.23 CM



## TS 222 Tandem Axle Trailer

(Model # MS 222)

	US	Metric
Trailer length w/ Tongue	22'10"	6.96 M
Trailer length w/ Tongue Folded	20'2"	6.147 M
Width	8'6"	2.59 M
Empty weight w/spare	1,365 LBS	619.2 KG
Carrying Capacity	5,635 LBS	2,556 kg
GVWR (Gross Vehicle Weight Rating)	7,000 LBS	3,175 KG
GAWR (Gross Axle Weight Rating)	7,000 LBS	3,175 KG
Tire Size / Range	255/45R18 RADIAL	255/45R18 RADIAL
Tire Pressure	50 PSI COLD	350 KPA COLD
Tire Capacity	1,760 LBS	798 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3,500 LBS	1,588 KG
Hub	5 LUG 4.5" PATTERN	5 LUG 11CM PATTERN
Wheel Type	SILVER	SILVER
Jack Capacity	1,500 LBS	680 KG
Winch	1,800 LBS	818 KG
Ball Size	2"	5 CM
Ball Towing Height	21"	53.3 CM



## TS 242 Tandem Axle Trailer

(Model # 242 LPT)

	US	Metric
Trailer length w/ Tongue	26'	7.925 M
Trailer length w/ Tongue Folded	21' 4"	6.502 M
Width	8'6"	2.59 M
Empty weight w/spare	1,509 LBS	684.5 kg
Carrying Capacity	7491 lbs	3,398 kg
GVWR (Gross Vehicle Weight Rating)	9,000 LBS	4,082 KG
GAWR (Gross Axle Weight Rating)	9,000 LBS	4,082 KG
Tire Size / Range	255/55R18 RADIAL	255/55R18 RADIAL
Tire Pressure	50 PSI COLD	350 KPA COLD
Tire Capacity	2,540 LBS	1,152 KG
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	4,500 LBS	2,041 KG
Hub	6 LUG 5.5" PATTERN	6 LUG 14 CM PATTERN
Wheel Type	MAG	MAG
Jack Capacity	1,500 LBS	680 KG
Winch	2,600 LBS	1,179 KG
Ball Size	2 5/16"	6 CM
Ball Towing Height	24.5"	62.23 CM





# WINNING EDGE NORTH AMERICAN OWNER PROTECTION PLAN

## 2018 LIMITED WARRANTY FIBERGLASS BOATS AND TRAILERS

Rec Boat Holdings, LLC dba Four Winns ("Four Winns") warrants to you, the first North American retail purchaser of this 2018 model year Four Winns boat and/or trailer or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Four Winns, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Four Winns boat and/or trailer constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights and you may have other rights which may vary from state to state.

**This limited warranty is the sole and exclusive express warranty from Four Winns regarding your 2018 Four Winns boat and/or trailer and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Four Winns, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.**

### Coverage Under This Limited Warranty

**Trailer Limited Warranty:** The limited warranty period runs for one (1) year for defects in trailer components, except as noted below.

**Exterior Cosmetic Gel Coat Limited Warranty:** The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

**Non-Structural Parts And Components Limited Warranty:** The limited warranty period runs for three (3) years for defects in the boat's non-structural parts and components, except as noted below. (\$100 deductible per warranty claim for years 2 & 3).

**Osmotic Hull Blister Limited Warranty:** The limited warranty period to the first North American retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters on the boat, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferable to a second North American retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Four Winns must approve of any repairs, and their method and cost, **before** the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull blister limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Four Winns:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%



**Structural Hull Or Deck Limited Warranty:** The limited warranty period to the first North American retail purchaser runs for the duration of the first North American retail purchaser's period of ownership for Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) North American retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchasers, runs from the date of delivery of the boat and/or trailer to the first North American retail purchaser, provided that the boat and/or trailer is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat and/or trailer delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat and/or trailer was delivered to that purchaser. For a boat and/or trailer delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat and/or trailer with photos to Four Winns before delivery of the boat and/or trailer to that purchaser; Four Winns will then determine and advise what limited warranty coverage remains in effect on the boat and/or the trailer, if any. For a boat and/or trailer delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first North American retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's and/or trailer's sale to the first North American retail purchaser, for a non-refundable recording fee of \$300 (US), for all boats, provided the second North American retail purchaser purchases the boat and/or trailer from the first North American retail purchaser or an authorized Four Winns dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Four Winns dealer must send to Four Winns, within fifteen (15) days of the boat's and/or trailer's purchase, at the address noted below, the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Four Winns. This limited warranty may only be transferred once. Four Winns will confirm all limited warranty transfers, in writing, to the authorized Four Winns dealer and/or second North American retail purchaser via email. Four Winns reserves the right to reject a limited warranty transfer request for a Four Winns boat and/or trailer that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

### THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat and/or trailer purchased from any party other than an authorized Four Winns dealer or the first North American retail purchaser.
2. A boat and/or trailer, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Four Winns, or a boat and/or trailer that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats or trailers that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances, towers / arches and other equipment, accessories or components that are not manufactured by Four Winns, whether or not they are warranted by other manufacturers. **Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components. Note: dealers are expected to properly represent the engine brands offered in ordered units through service training certification, parts support, warranty access, etc.**
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.



8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-statement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat and/or trailer that has been misused or used in a negligent manner; a boat that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Four Winns; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat and/or trailer for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Four Winns.
19. Any defect that results in the redesign of the Four Winns boat and/or trailer.
20. Trailer tires, paint or Gatorhde defects caused by fading, peeling, chipping, scratches or rusting attributed to normal use.

**THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT FOUR WINNS' SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. FOUR WINNS EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAIL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY.** Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.

**PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION**

Prior to delivering a new Four Winns boat and/or trailer to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Four Winns limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat and/or trailer unless these forms are completed, signed and returned to Four Winns at the address indicated below, or via an authorized Four Winns dealer's online dealer extranet. All information received by Four Winns via the limited warranty registration or transfer process shall be the property of Four Winns, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Four Winns' use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Four Winns. You may opt to not have your personal information



disclosed to third parties and/or to not receive marketing materials from Four Winns by sending a written request to: Four Winns Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

**OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY**

The authorized Four Winns dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Four Winns factory, or at another repair facility approved by Four Winns. You are responsible for the expense associated with transporting the boat and/or trailer to and from the repair facility. Four Winns must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat and/or trailer, including any alleged defective part, to an authorized Four Winns dealer and present the Owner's Registration Card. If necessary, you should call Four Winns for assistance to locate the nearest Four Winns dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Four Winns for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Four Winns limited warranty claim form if the claim is not submitted through the Four Winns extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Four Winns dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Four Winns Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Four Winns dealer must submit a written estimate to Four Winns' claims department to obtain written pre-authorization (including a claim authorization number).** Four Winns will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Four Winns will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Four Winns. Any questions concerning the scope of this limited warranty should be directed to Four Winns. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Four Winns. Four Winns does not authorize any person or persons (except a senior management level employee of Four Winns), including Four Winns dealers, to change the terms of this limited warranty. (Note that your authorized Four Winns dealer is an independent business, authorized to sell and service Four Winns products, but is not an agent of Four Winns). Four Winns reserves the right to change or improve the design or manufacture of Four Winns boats and/or trailers without obligation to modify any boat and/or trailer previously manufactured.

**Four Winns**  
**925 Frisbie Street**  
**Cadillac, MI 49601**  
**Telephone: (231) 775-1351**





# WINNING EDGE INTERNATIONAL OWNER PROTECTION PLAN

## 2018 LIMITED WARRANTY FIBERGLASS BOATS

Rec Boat Holdings, LLC dba Four Winns ("Four Winns") warrants to you, the first International retail purchaser of this 2018 model year Four Winns boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Four Winns, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Four Winns boat constitutes your acceptance of the terms of this limited warranty.

**This limited warranty is the sole and exclusive express warranty from Four Winns regarding your 2018 Four Winns boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Four Winns, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW.** Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

### Coverage Under This Limited Warranty:

**Exterior Cosmetic Gel Coat Limited Warranty:** The limited warranty period runs for one (1) year for defects in the exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

**Non-Structural Parts And Components Limited Warranty:** The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

**Osmotic Hull Blister Limited Warranty:** The limited warranty period to the first International retail purchaser runs for five (5) years, except as noted below, for osmotic Hull (defined below) blisters on the boat, which are defined as blisters larger than 1/8" diameter and with a depth of 1/16" or greater, which occur on the boat Hull below the waterline. This limited warranty is not transferable to a second International retail purchaser.

If the boat is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period, this limited warranty will only apply if a marine barrier coating with proper surface preparation is applied to the boat Hull before it is bottom painted or left in water for more than sixty (60) days in any ninety (90) day period.

In the event of osmotic blistering, Four Winns must approve of any repairs, and their method and cost, **before** the repairs are performed, for this limited warranty to apply. Once any repairs are completed, a marine barrier coating will be applied to the affected Hull surface area(s).

Repairs under this osmotic Hull limited warranty are limited to one time. Any repair costs covered under this limited warranty are limited to labor and materials only. They will be paid on a prorated basis, according to the schedule outlined below. The repair costs cannot exceed \$150 (US) per foot of boat length prior to the prorating outlined below:

Osmotic Hull blistering reported to Four Winns:	Amount of repair costs paid:
Less than two (2) years from date of delivery	100%
Two (2) to less than three (3) years from date of delivery	75%
Three (3) to less than four (4) years from date of delivery	50%
Four (4) to five (5) years from date of delivery	25%

**Structural Hull or Deck Limited Warranty:** The limited warranty period to the first International retail purchaser runs for the duration of the first International retail purchaser's period of ownership for



Structural Hull or Deck Defects (defined below), except as noted below. The limited warranty period to the second (if applicable) International retail purchaser runs for ten (10) years for Structural Hull or Deck Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structural within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale) and the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale). A "Structural Hull or Deck Defect" shall mean a substantial defect in the boat's Hull or Deck, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

The applicable limited warranty period for both the first and second International retail purchaser runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to that purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Four Winns before delivery of the boat to the first International retail purchaser; Four Winns will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranty on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

Certain portions of this limited warranty, as noted above, extend only to the first International retail purchaser. Other portions of this limited warranty, as noted above, may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$300 (US), provided the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Four Winns dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Four Winns dealer must send to Four Winns, within fifteen (15) days of the boat's purchase, at the address noted below, the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of the purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Four Winns. This limited warranty may only be transferred **once**. Four Winns will confirm all limited warranty transfers, in writing, to the authorized Four Winns dealer and/or second International retail purchaser via email. Four Winns reserves the right to reject a limited warranty transfer request for a Four Winns boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

### THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Four Winns dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Four Winns, or a boat that has been salvaged, declared a total loss or a constructive total loss for any reason not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Four Winns, whether or not they are warranted by other manufacturers. **Note: it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components. Note: dealers are expected to properly represent the engine brands offered in ordered units through service training, parts support, warranty access, etc.**
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.



9. The original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-statement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the Capacity Plate (if applicable).
12. Any boat that has been misused or used in a negligent manner; that has been used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instruction furnished by Four Winns; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage to a boat resulting from failure to use a lower unit support device when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Four Winns.
19. Any defect that results in the redesign of the Four Winns boat.
20. Trailers.

**THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT FOUR WINNS' SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. FOUR WINNS EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.**

#### **PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION**

Prior to delivering a new Four Winns boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Four Winns limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Four Winns at the address indicated below, or via an authorized Four Winns dealer's online dealer extranet. All information received by Four Winns via the limited warranty registration or transfer process shall be the property of Four Winns, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Four Winns' use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Four Winns. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Four Winns by sending a written request to: Four Winns Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.



#### **OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY**

The authorized Four Winns dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Four Winns factory, or at another repair facility approved by Four Winns. You are responsible for the expense associated with transporting the boat to and from the repair facility. Four Winns must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Four Winns dealer and present the Owner's Registration Card. If necessary, you should call Four Winns for assistance to locate the nearest Four Winns dealer in your area. The following procedures will apply to a warranty claim:

- A. The dealer will contact and receive an authorization number from Four Winns for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Four Winns limited warranty claim form if the claim is not submitted through the Four Winns extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Four Winns dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Four Winns Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Four Winns dealer must submit a written estimate to Four Winns' claims department to obtain written pre-authorization (including a claim authorization number).** Four Winns will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Four Winns will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Four Winns. Any questions concerning the scope of this limited warranty should be directed to Four Winns. The terms and conditions contained in this limited warranty may not be modified, altered, or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Four Winns. Four Winns does not authorize any person or persons (except a senior management level employee of Four Winns), including Four Winns dealers, to change the terms of this limited warranty. (Note that your authorized Four Winns dealer is an independent business, authorized to sell and service Four Winns products, but is not an agent of Four Winns). Four Winns reserves the right to change or improve the design or manufacture of Four Winns boats and/or trailers without obligation to modify any boat and/or trailer previously manufactured.

Four Winns  
925 Frisbie Street  
Cadillac, MI 49601  
Telephone: (231) 775-1351





925 Frisbie Street | Cadillac, MI 49601  
231.775.1351

[www.fourwinns.com](http://www.fourwinns.com)

090-2527-18